



EPA Licence Number: L1027

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
Point 3	Hydrogen Flouride	mg/m <sup>3</sup>	Yearly	N/A	50	no	N/A	N/A	9/04/13					Kiln 1 is not operational for the year.
Exhaust stack of Kiln 1	Nitrogen Oxides	mg/m <sup>3</sup>	Yearly	N/A	2000	no	N/A	N/A	9/04/13					Kiln 1 is not operational for the year.
	Sulphur Dioxide	mg/m <sup>3</sup>	Yearly	N/A	700	no	N/A	N/A	9/04/13					Kiln 1 is not operational for the year.
	Total Solid Particles	mg/m <sup>3</sup>	Yearly	N/A	200	no	N/A	N/A	9/04/13					Kiln 1 is not operational for the year.
Point 4	Hydrogen Flouride	mg/m <sup>3</sup>	Yearly	N/A	50	no	N/A	N/A	9/04/13					Kiln 2 is not operational for the year.
Exhaust stack of Kiln 2	Nitrogen Oxides	mg/m <sup>3</sup>	Yearly	N/A	2000	no	N/A	N/A	9/04/13					Kiln 2 is not operational for the year.
	Sulphur Dioxide	mg/m <sup>3</sup>	Yearly	N/A	700	no	N/A	N/A	9/04/13					Kiln 2 is not operational for the year.
	Total Solid Particles	mg/m <sup>3</sup>	Yearly	N/A	200	no	N/A	N/A	9/04/13					Kiln 2 is not operational for the year.
Point 5	Hydrogen Flouride	mg/m <sup>3</sup>	Yearly	17	50	no	24/01/13	12/02/13	9/04/13					
Exhaust stack of Kiln 3	Nitrogen Oxides	mg/m <sup>3</sup>	Yearly	52	2000	no	24/01/13	12/02/13	9/04/13					
	Sulphur Dioxide	mg/m <sup>3</sup>	Yearly	120	700	no	24/01/13	12/02/13	9/04/13					
	Total Solid Particles	mg/m <sup>3</sup>	Yearly	88	100	no	24/01/13	12/02/13	9/04/13					
Point 3	Hydrogen Flouride	mg/m <sup>3</sup>	Special Freq. 3	N/A	50	no	N/A	N/A	16/10/13					Kiln 1 is not operational for the year.
Exhaust stack of Kiln 1	Nitrogen Oxides	mg/m <sup>3</sup>	Special Freq. 3	N/A	2000	no	N/A	N/A	16/10/13					Kiln 1 is not operational for the year.
	Sulphur Dioxide	mg/m <sup>3</sup>	Special Freq. 3	N/A	700	no	N/A	N/A	16/10/13					Kiln 1 is not operational for the year.
	Total Solid Particles	mg/m <sup>3</sup>	Special Freq. 3	N/A	100	no	N/A	N/A	16/10/13					Kiln 1 is not operational for the year.
	VOC	mg/m <sup>3</sup>	Special Freq. 3	N/A	40	no	N/A	N/A	16/10/13					Kiln 1 is not operational for the year.
	Type 1 and Type 2 substances in aggregate	mg/m <sup>3</sup>	Special Freq. 3	N/A	1	no	N/A	N/A	16/10/13					Kiln 1 is not operational for the year.
	Chlorine	mg/m <sup>3</sup>	Special Freq. 3	N/A	200	no	N/A	N/A	16/10/13					Kiln 1 is not operational for the year.
	Odour	odour untis	Special Freq. 3	N/A	2	no	N/A	N/A	16/10/13					Kiln 1 is not operational for the year.
Point 4	Hydrogen Flouride	mg/m <sup>3</sup>	Special Freq. 3	N/A	50	no	N/A	N/A	16/10/13					Kiln 2 is not operational for the year.
Exhaust stack of Kiln 2	Nitrogen Oxides	mg/m <sup>3</sup>	Special Freq. 3	N/A	2000	no	N/A	N/A	16/10/13					Kiln 2 is not operational for the year.
	Sulphur Dioxide	mg/m <sup>3</sup>	Special Freq. 3	N/A	700	no	N/A	N/A	16/10/13					Kiln 2 is not operational for the year.
	Total Solid Particles	mg/m <sup>3</sup>	Special Freq. 3	N/A	100	no	N/A	N/A	16/10/13					Kiln 2 is not operational for the year.
	VOC	mg/m <sup>3</sup>	Special Freq. 3	N/A	40	no	N/A	N/A	16/10/13					Kiln 2 is not operational for the year.



Exhaust stack of Kiln 1	Sulphur Dioxide	mg/m <sup>3</sup>	Yearly	<5.7	700	no	20/05/15	30/06/15	3/08/15					
	Total Solid Particles	mg/m <sup>3</sup>	Yearly	0.72	100	no	20/05/15	30/06/15	3/08/15					
	VOC	mg/m <sup>3</sup>	Yearly	<0.066	40	no	20/05/15	30/06/15	3/08/15					
	Type 1 and Type 2 substances in aggregate	mg/m <sup>3</sup>	Yearly	0.91	1	no	20/05/15	30/06/15	3/08/15					
	Chlorine	mg/m <sup>3</sup>	Yearly	0.26	200	no	20/05/15	30/06/15	3/08/15					
	Dry Gas Density	kg/m <sup>3</sup>	Yearly	1.3	N/A	N/A	20/05/15	30/06/15	3/08/15					
	Moisture Content	%	Yearly	3.7	N/A	N/A	20/05/15	30/06/15	3/08/15					
	Molecular weight of stack gases	g per mole	Yearly	29.1	N/A	N/A	20/05/15	30/06/15	3/08/15					
	Velocity	ms <sup>-1</sup>	Yearly	13	N/A	N/A	20/05/15	30/06/15	3/08/15					
	Volumetric Flowrate	m <sup>3</sup> s <sup>-1</sup>	Yearly	8.1	N/A	N/A	20/05/15	30/06/15	3/08/15					

**Special Frequency 3** is defined to be six monthly monitoring of the exhaust gases emitted from the kilns. The monitoring must be conducted for a minimum period of 12 months.

EPA Licence Number: L1027  
 Licensee Name: Boral CSR Bricks Pty Limited  
 Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178  
 Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
Point 7	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	2/04/12	18/04/12	30/06/12					
overflow monitoring point for the sedimentation pond and the monitoring point for outlet of the decant pond	TSS	mg/L	Special Frequency 2	6	50*	no	2/04/12	18/04/12	30/06/12					
	pH	pH	Special Frequency 2	7.04	6.5-8.5	no	2/04/12	18/04/12	30/06/12					
	Turbidity	nephelometric turbidity units	Special Frequency 2	5	150*	no	2/04/12	18/04/12	30/06/12					
	Conductivity	ms/cm	Special Frequency 3	509	N/A	N/A	2/04/12	18/04/12	30/06/12					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	4/04/12	18/04/12	30/06/12					
	TSS	mg/L	Special Frequency 2	15	50*	no	4/04/12	18/04/12	30/06/12					
	pH	pH	Special Frequency 2	7.22	6.5-8.5	no	4/04/12	18/04/12	30/06/12					
	Turbidity	turbidity units	Special Frequency 2	9	150*	no	4/04/12	18/04/12	30/06/12					
	Conductivity	ms/cm	Special Frequency 3	496	N/A	N/A	4/04/12	18/04/12	30/06/12					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	5/04/12	20/04/12	30/06/12					
	TSS	mg/L	Special Frequency 2	6	50*	no	5/04/12	20/04/12	30/06/12					
	pH	pH	Special Frequency 2	7.48	6.5-8.5	no	5/04/12	20/04/12	30/06/12					
	Turbidity	turbidity units	Special Frequency 2	7.60	150*	no	5/04/12	20/04/12	30/06/12					
	Conductivity	ms/cm	Special Frequency 3	501	N/A	N/A	5/04/12	20/04/12	30/06/12					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	18/04/12	25/04/12	30/06/12					
	TSS	mg/L	Special Frequency 2	7,700	50*	no	18/04/12	25/04/12	30/06/12					
	pH	pH	Special Frequency 2	7.32	6.5-8.5	no	18/04/12	25/04/12	30/06/12					
	Turbidity	turbidity units	Special Frequency 2	9,900	150*	no	18/04/12	25/04/12	30/06/12					
	Conductivity	ms/cm	Special Frequency 3	162	N/A	N/A	18/04/12	25/04/12	30/06/12					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	19/04/12	25/04/12	30/06/12					
	TSS	mg/L	Special Frequency 2	3,900	50*	no	19/04/12	25/04/12	30/06/12					
	pH	pH	Special Frequency 2	7.44	6.5-8.5	no	19/04/12	25/04/12	30/06/12					
	Turbidity	turbidity units	Special Frequency 2	5,500	150*	no	19/04/12	25/04/12	30/06/12					
	Conductivity	ms/cm	Special Frequency 3	240	N/A	N/A	19/04/12	25/04/12	30/06/12					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	13/06/12	26/05/12	30/06/12					
	TSS	mg/L	Special Frequency 2	435	50*	no	13/06/12	26/05/12	30/06/12					
	pH	pH	Special Frequency 2	7.1	6.5-8.5	no	13/06/12	26/05/12	30/06/12					
	Turbidity	turbidity units	Special Frequency 2	724	150*	no	13/06/12	26/05/12	30/06/12					
	Conductivity	ms/cm	Special Frequency 3	462	N/A	N/A	13/06/12	26/05/12	30/06/12					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	14/06/12	26/05/12	30/06/12					
	TSS	mg/L	Special Frequency 2	402	50*	no	14/06/12	26/05/12	30/06/12					
	pH	pH	Special Frequency 2	7.11	6.5-8.5	no	14/06/12	26/05/12	30/06/12					
	Turbidity	turbidity units	Special Frequency 2	732	150*	no	14/06/12	26/05/12	30/06/12					
	Conductivity	ms/cm	Special Frequency 3	463	N/A	N/A	14/06/12	26/05/12	30/06/12					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	15/06/12	26/05/12	30/06/12					
	TSS	mg/L	Special Frequency 2	194	50*	no	15/06/12	26/05/12	30/06/12					
	pH	pH	Special Frequency 2	7.5	6.5-8.5	no	15/06/12	26/05/12	30/06/12					

EPA Licence Number: L1027  
 Licensee Name: Boral CSR Bricks Pty Limited  
 Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178  
 Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Turbidity	turbidity units	Special Frequency 2	386	150*	no	15/06/12	26/05/12	30/06/12					
	Conductivity	ms/cm	Special Frequency 3	518	N/A	N/A	15/06/12	26/05/12	30/06/12					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	2/07/12	13/07/12	26/07/12					
	TSS	mg/L	Special Frequency 2	9	50*	no	2/07/12	13/07/12	26/07/12					
	pH	pH	Special Frequency 2	7.88	6.5-8.5	no	2/07/12	13/07/12	26/07/12					
	Turbidity	turbidity units	Special Frequency 2	10	150*	no	2/07/12	13/07/12	26/07/12					
	Conductivity	ms/cm	Special Frequency 3	702	N/A	N/A	2/07/12	13/07/12	26/07/12					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	5/07/12	13/07/12	26/07/12					
	TSS	mg/L	Special Frequency 2	26	50*	no	5/07/12	13/07/12	26/07/12					
	pH	pH	Special Frequency 2	8.24	6.5-8.5	no	5/07/12	13/07/12	26/07/12					
	Turbidity	turbidity units	Special Frequency 2	27	150*	no	5/07/12	13/07/12	26/07/12					
	Conductivity	ms/cm	Special Frequency 3	752	N/A	N/A	5/07/12	13/07/12	26/07/12					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	18/07/12	27/07/12	6/08/12					
	TSS	mg/L	Special Frequency 2	12	50*	no	18/07/12	27/07/12	6/08/12					
	pH	pH	Special Frequency 2	7.38	6.5-8.5	no	18/07/12	27/07/12	6/08/12					
	Turbidity	turbidity units	Special Frequency 2	13	150*	no	18/07/12	27/07/12	6/08/12					
	Conductivity	ms/cm	Special Frequency 3	556	N/A	N/A	18/07/12	27/07/12	6/08/12					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	12/11/12	21/11/12	26/11/12					
	TSS	mg/L	Special Frequency 2	74	50*	Yes	12/11/12	21/11/12	26/11/12				148%	Unknown - Stormwater sampled 12/11/12 failed and was NOT released. Returned to sedimentation dam for retreatment Stormwater sampled 15/11/12 passed and was released.
	pH	pH	Special Frequency 2	6.9	6.5-8.5	no	12/11/12	21/11/12	26/11/12					
	Turbidity	turbidity units	Special Frequency 2	98	150*	no	12/11/12	21/11/12	26/11/12					
	Conductivity	ms/cm	Special Frequency 3	558	N/A	N/A	12/11/12	21/11/12	26/11/12					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	15/11/12	21/11/12	26/11/12					
	TSS	mg/L	Special Frequency 2	31	50*	no	15/11/12	21/11/12	26/11/12					
	pH	pH	Special Frequency 2	6.96	6.5-8.5	no	15/11/12	21/11/12	26/11/12					
	Turbidity	turbidity units	Special Frequency 2	33	150*	no	15/11/12	21/11/12	26/11/12					
	Conductivity	ms/cm	Special Frequency 3	557	N/A	N/A	15/11/12	21/11/12	26/11/12					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	23/11/12	11/12/12	20/12/12					
	TSS	mg/L	Special Frequency 2	29	50*	no	23/11/12	11/12/12	20/12/12					
	pH	pH	Special Frequency 2	7.39	6.5-8.5	no	23/11/12	11/12/12	20/12/12					
	Turbidity	turbidity units	Special Frequency 2	27	150*	no	23/11/12	11/12/12	20/12/12					
	Conductivity	ms/cm	Special Frequency 3	541	N/A	N/A	23/11/12	11/12/12	20/12/12					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	10/12/12	17/12/12	20/12/12					
	TSS	mg/L	Special Frequency 2	23	50*	no	10/12/12	17/12/12	20/12/12					

**EPA Licence Number:** L1027  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 7 Cecil Road, Cecil Park, NSW, 2178  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	pH	pH	Special Frequency 2	7.08	6.5-8.5	no	10/12/12	17/12/12	20/12/12					
	Turbidity	turbidity units	Special Frequency 2	26	150*	no	10/12/12	17/12/12	20/12/12					
	Conductivity	ms/cm	Special Frequency 3	493	N/A	N/A	10/12/12	17/12/12	20/12/12					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	7/01/13	21/01/13	29/01/13					
	TSS	mg/L	Special Frequency 2	11	50*	no	7/01/13	21/01/13	29/01/13					
	pH	pH	Special Frequency 2	7.42	6.5-8.5	no	7/01/13	21/01/13	29/01/13					
	Turbidity	turbidity units	Special Frequency 2	10.7	150*	no	7/01/13	21/01/13	29/01/13					
	Conductivity	ms/cm	Special Frequency 3	456	N/A	N/A	7/01/13	21/01/13	29/01/13					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	10/01/13	21/01/13	29/01/13					
	TSS	mg/L	Special Frequency 2	12	50*	no	10/01/13	21/01/13	29/01/13					
	pH	pH	Special Frequency 2	7.27	6.5-8.5	no	10/01/13	21/01/13	29/01/13					
	Turbidity	turbidity units	Special Frequency 2	26	150*	no	10/01/13	21/01/13	29/01/13					
	Conductivity	ms/cm	Special Frequency 3	512	N/A	N/A	10/01/13	21/01/13	29/01/13					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	29/01/13	5/02/13	8/02/13					
	TSS	mg/L	Special Frequency 2	2,760	50*	no	29/01/13	5/02/13	8/02/13					
	pH	pH	Special Frequency 2	7.1	6.5-8.5	no	29/01/13	5/02/13	8/02/13					
	Turbidity	turbidity units	Special Frequency 2	2,880	150*	no	29/01/13	5/02/13	8/02/13					
	Conductivity	ms/cm	Special Frequency 3	262	N/A	N/A	29/01/13	5/02/13	8/02/13					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	30/01/13	5/02/13	8/02/13					
	TSS	mg/L	Special Frequency 2	852	50*	no	30/01/13	5/02/13	8/02/13					
	pH	pH	Special Frequency 2	7.04	6.5-8.5	no	30/01/13	5/02/13	8/02/13					
	Turbidity	turbidity units	Special Frequency 2	1,100	150*	no	30/01/13	5/02/13	8/02/13					
	Conductivity	ms/cm	Special Frequency 3	414	N/A	N/A	30/01/13	5/02/13	8/02/13					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	31/01/13	5/02/13	8/02/13					
	TSS	mg/L	Special Frequency 2	888	50*	no	31/01/13	5/02/13	8/02/13					
	pH	pH	Special Frequency 2	6.98	6.5-8.5	no	31/01/13	5/02/13	8/02/13					
	Turbidity	turbidity units	Special Frequency 2	1,110	150*	no	31/01/13	5/02/13	8/02/13					
	Conductivity	ms/cm	Special Frequency 3	404	N/A	N/A	31/01/13	5/02/13	8/02/13					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	20/02/13	26/02/13	18/03/13					
	TSS	mg/L	Special Frequency 2	14	50*	no	20/02/13	26/02/13	18/03/13					
	pH	pH	Special Frequency 2	6.86	6.5-8.5	no	20/02/13	26/02/13	18/03/13					
	Turbidity	turbidity units	Special Frequency 2	17	150*	no	20/02/13	26/02/13	18/03/13					
	Conductivity	ms/cm	Special Frequency 3	542	N/A	N/A	20/02/13	26/02/13	18/03/13					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	25/02/13	5/03/13	18/03/13					
	TSS	mg/L	Special Frequency 2	1,700	50*	no	25/02/13	5/03/13	18/03/13					
	pH	pH	Special Frequency 2	6.68	6.5-8.5	no	25/02/13	5/03/13	18/03/13					
	Turbidity	turbidity units	Special Frequency 2	2,500	150*	no	25/02/13	5/03/13	18/03/13					
	Conductivity	ms/cm	Special Frequency 3	342	N/A	N/A	25/02/13	5/03/13	18/03/13					

EPA Licence Number: L1027  
 Licensee Name: Boral CSR Bricks Pty Limited  
 Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178  
 Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	1/03/13	19/03/13	25/03/13					
	TSS	mg/L	Special Frequency 2	1,730	50*	no	1/03/13	19/03/13	25/03/13					
	pH	pH	Special Frequency 2	7.04	6.5-8.5	no	1/03/13	19/03/13	25/03/13					
	Turbidity	turbidity units	Special Frequency 2	2,250	150*	no	1/03/13	19/03/13	25/03/13					
	Conductivity	ms/cm	Special Frequency 3	342	N/A	N/A	1/03/13	19/03/13	25/03/13					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	2/03/13	19/03/13	25/03/13					
	TSS	mg/L	Special Frequency 2	1,750	50*	no	2/03/13	19/03/13	25/03/13					
	pH	pH	Special Frequency 2	7.06	6.5-8.5	no	2/03/13	19/03/13	25/03/13					
	Turbidity	turbidity units	Special Frequency 2	2,320	150*	no	2/03/13	19/03/13	25/03/13					
	Conductivity	ms/cm	Special Frequency 3	344	N/A	N/A	2/03/13	19/03/13	25/03/13					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	3/03/13	19/03/13	25/03/13					
	TSS	mg/L	Special Frequency 2	1,780	50*	no	3/03/13	19/03/13	25/03/13					
	pH	pH	Special Frequency 2	7.04	6.5-8.5	no	3/03/13	19/03/13	25/03/13					
	Turbidity	turbidity units	Special Frequency 2	2,380	150*	no	3/03/13	19/03/13	25/03/13					
	Conductivity	ms/cm	Special Frequency 3	345	N/A	N/A	3/03/13	19/03/13	25/03/13					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	5/04/13	11/04/13	19/04/13					
	TSS	mg/L	Special Frequency 2	28	50*	no	5/04/13	11/04/13	19/04/13					
	pH	pH	Special Frequency 2	7.21	6.5-8.5	no	5/04/13	11/04/13	19/04/13					
	Turbidity	turbidity units	Special Frequency 2	55	150*	no	5/04/13	11/04/13	19/04/13					
	Conductivity	ms/cm	Special Frequency 3	800	N/A	N/A	5/04/13	11/04/13	19/04/13					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	10/04/13	17/04/13	19/04/13					
	TSS	mg/L	Special Frequency 2	124	50*	Yes	10/04/13	17/04/13	19/04/13				248%	Unknown - Stormwater sampled 10/04/13 failed and was NOT released. Returned to sedimentation dam for retreatment. Stormwater sampled 18/04/13 passed and was released.
	pH	pH	Special Frequency 2	7.12	6.5-8.5	no	10/04/13	17/04/13	19/04/13					
	Turbidity	turbidity units	Special Frequency 2	133	150*	no	10/04/13	17/04/13	19/04/13					
	Conductivity	ms/cm	Special Frequency 3	788	N/A	N/A	10/04/13	17/04/13	19/04/13					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	18/04/13	24/04/13	3/05/13					
	TSS	mg/L	Special Frequency 2	37	50*	no	18/04/13	24/04/13	3/05/13					
	pH	pH	Special Frequency 2	7.01	6.5-8.5	no	18/04/13	24/04/13	3/05/13					
	Turbidity	turbidity units	Special Frequency 2	33	150*	no	18/04/13	24/04/13	3/05/13					
	Conductivity	ms/cm	Special Frequency 3	763	N/A	N/A	18/04/13	24/04/13	3/05/13					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	23/04/13	30/04/13	3/05/13					



**EPA Licence Number:** L1027  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 7 Cecil Road, Cecil Park, NSW, 2178  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	TSS	mg/L	Special Frequency 2	58	50*	Yes	23/04/13	30/04/13	3/05/13				116%	Unknown - Stormwater sampled 23/04/13 failed and was NOT released. Returned to sedimentation dam for retreatment.
	pH	pH	Special Frequency 2	7.04	6.5-8.5	no	23/04/13	30/04/13	3/05/13					
	Turbidity	turbidity units	Special Frequency 2	78	150*	no	23/04/13	30/04/13	3/05/13					
	Conductivity	ms/cm	Special Frequency 3	429	N/A	N/A	23/04/13	30/04/13	3/05/13					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	29/04/13	8/05/13	13/05/13					
	TSS	mg/L	Special Frequency 2	9	50*	no	29/04/13	8/05/13	13/05/13					
	pH	pH	Special Frequency 2	6.98	6.5-8.5	no	29/04/13	8/05/13	13/05/13					
	Turbidity	turbidity units	Special Frequency 2	19	150*	no	29/04/13	8/05/13	13/05/13					
	Conductivity	ms/cm	Special Frequency 3	396	N/A	N/A	29/04/13	8/05/13	13/05/13					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	24/05/13	31/05/13	4/06/13					
	TSS	mg/L	Special Frequency 2	17	50*	no	24/05/13	31/05/13	4/06/13					
	pH	pH	Special Frequency 2	6.58	6.5-8.5	no	24/05/13	31/05/13	4/06/13					
	Turbidity	turbidity units	Special Frequency 2	23	150*	no	24/05/13	31/05/13	4/06/13					
	Conductivity	ms/cm	Special Frequency 3	520	N/A	N/A	24/05/13	31/05/13	4/06/13					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	30/05/13	6/06/13	19/06/13					
	TSS	mg/L	Special Frequency 2	19	50*	no	30/05/13	6/06/13	19/06/13					
	pH	pH	Special Frequency 2	7.03	6.5-8.5	no	30/05/13	6/06/13	19/06/13					
	Turbidity	turbidity units	Special Frequency 2	27	150*	no	30/05/13	6/06/13	19/06/13					
	Conductivity	ms/cm	Special Frequency 3	489	N/A	N/A	30/05/13	6/06/13	19/06/13					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	5/06/13	12/06/13	19/06/13					
	TSS	mg/L	Special Frequency 2	36	50*	no	5/06/13	12/06/13	19/06/13					
	pH	pH	Special Frequency 2	7.03	6.5-8.5	no	5/06/13	12/06/13	19/06/13					
	Turbidity	turbidity units	Special Frequency 2	48	150*	no	5/06/13	12/06/13	19/06/13					
	Conductivity	ms/cm	Special Frequency 3	482	N/A	N/A	5/06/13	12/06/13	19/06/13					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	11/06/13	24/06/13	25/06/13					
	TSS	mg/L	Special Frequency 2	8	50*	no	11/06/13	24/06/13	25/06/13					
	pH	pH	Special Frequency 2	7.14	6.5-8.5	no	11/06/13	24/06/13	25/06/13					
	Turbidity	turbidity units	Special Frequency 2	10.2	150*	no	11/06/13	24/06/13	25/06/13					
	Conductivity	ms/cm	Special Frequency 3	511	N/A	N/A	11/06/13	24/06/13	25/06/13					
	Oil & Grease	mg/L	Special Frequency 2	3	10	no	26/06/13	3/07/13	5/07/13					
	TSS	mg/L	Special Frequency 2	895	50*	no	26/06/13	3/07/13	5/07/13					
	pH	pH	Special Frequency 2	7.51	6.5-8.5	no	26/06/13	3/07/13	5/07/13					
	Turbidity	turbidity units	Special Frequency 2	1,220.0	150*	no	26/06/13	3/07/13	5/07/13					
	Conductivity	ms/cm	Special Frequency 3	454	N/A	N/A	26/06/13	3/07/13	5/07/13					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	27/06/13	3/07/13	5/07/13					

EPA Licence Number: L1027  
 Licensee Name: Boral CSR Bricks Pty Limited  
 Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178  
 Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	TSS	mg/L	Special Frequency 2	244	50*	no	27/06/13	3/07/13	5/07/13					
	pH	pH	Special Frequency 2	6.92	6.5-8.5	no	27/06/13	3/07/13	5/07/13					
	Turbidity	turbidity units	Special Frequency 2	360.0	150*	no	27/06/13	3/07/13	5/07/13					
	Conductivity	ms/cm	Special Frequency 3	506	N/A	N/A	27/06/13	3/07/13	5/07/13					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	5/07/13	11/07/13	25/07/13					
	TSS	mg/L	Special Frequency 2	10	50*	no	5/07/13	11/07/13	25/07/13					
	pH	pH	Special Frequency 2	7.38	6.5-8.5	no	5/07/13	11/07/13	25/07/13					
	Turbidity	turbidity units	Special Frequency 2	11.9	150*	no	5/07/13	11/07/13	25/07/13					
	Conductivity	ms/cm	Special Frequency 3	588	N/A	N/A	5/07/13	11/07/13	25/07/13					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	12/07/13	29/07/13	13/08/13					
	TSS	mg/L	Special Frequency 2	4	50*	no	12/07/13	29/07/13	13/08/13					
	pH	pH	Special Frequency 2	7.18	6.5-8.5	no	12/07/13	29/07/13	13/08/13					
	Turbidity	turbidity units	Special Frequency 2	8.3	150*	no	12/07/13	29/07/13	13/08/13					
	Conductivity	ms/cm	Special Frequency 3	692	N/A	N/A	12/07/13	29/07/13	13/08/13					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	18/07/13	29/07/13	13/08/13					
	TSS	mg/L	Special Frequency 2	4	50*	no	18/07/13	29/07/13	13/08/13					
	pH	pH	Special Frequency 2	7.58	6.5-8.5	no	18/07/13	29/07/13	13/08/13					
	Turbidity	turbidity units	Special Frequency 2	4.21	150*	no	18/07/13	29/07/13	13/08/13					
	Conductivity	ms/cm	Special Frequency 3	732	N/A	N/A	18/07/13	29/07/13	13/08/13					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	22/07/13	29/07/13	13/08/13					
	TSS	mg/L	Special Frequency 2	3	50*	no	22/07/13	29/07/13	13/08/13					
	pH	pH	Special Frequency 2	7.24	6.5-8.5	no	22/07/13	29/07/13	13/08/13					
	Turbidity	turbidity units	Special Frequency 2	3.54	150*	no	22/07/13	29/07/13	13/08/13					
	Conductivity	ms/cm	Special Frequency 3	711	N/A	N/A	22/07/13	29/07/13	13/08/13					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	2/08/13	12/08/13	13/08/13					
	TSS	mg/L	Special Frequency 2	8	50*	no	2/08/13	12/08/13	13/08/13					
	pH	pH	Special Frequency 2	7.66	6.5-8.5	no	2/08/13	12/08/13	13/08/13					
	Turbidity	turbidity units	Special Frequency 2	7.65	150*	no	2/08/13	12/08/13	13/08/13					
	Conductivity	ms/cm	Special Frequency 3	898	N/A	N/A	2/08/13	12/08/13	13/08/13					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	3/12/13	10/12/13	12/12/13					
	TSS	mg/L	Special Frequency 2	2	50*	no	3/12/13	10/12/13	12/12/13					
	pH	pH	Special Frequency 2	7.02	6.5-8.5	no	3/12/13	10/12/13	12/12/13					
	Turbidity	turbidity units	Special Frequency 2	3.18	150*	no	3/12/13	10/12/13	12/12/13					
	Conductivity	ms/cm	Special Frequency 3	506	N/A	N/A	3/12/13	10/12/13	12/12/13					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	6/12/13	20/12/13	7/01/14					
	TSS	mg/L	Special Frequency 2	17	50*	no	6/12/13	20/12/13	7/01/14					
	pH	pH	Special Frequency 2	6.98	6.5-8.5	no	6/12/13	20/12/13	7/01/14					
	Turbidity	turbidity units	Special Frequency 2	20.80	150*	no	6/12/13	20/12/13	7/01/14					
	Conductivity	ms/cm	Special Frequency 3	518	N/A	N/A	6/12/13	20/12/13	7/01/14					

**EPA Licence Number:** L1027  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 7 Cecil Road, Cecil Park, NSW, 2178  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	9/12/13	20/12/13	7/01/14					
	TSS	mg/L	Special Frequency 2	10	50*	no	9/12/13	20/12/13	7/01/14					
	pH	pH	Special Frequency 2	7.21	6.5-8.5	no	9/12/13	20/12/13	7/01/14					
	Turbidity	turbidity units	Special Frequency 2	14.10	150*	no	9/12/13	20/12/13	7/01/14					
	Conductivity	ms/cm	Special Frequency 3	579	N/A	N/A	9/12/13	20/12/13	7/01/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	23/01/14	6/02/14	11/02/14					
	TSS	mg/L	Special Frequency 2	4	50*	no	23/01/14	6/02/14	11/02/14					
	pH	pH	Special Frequency 2	7.54	6.5-8.5	no	23/01/14	6/02/14	11/02/14					
	Turbidity	turbidity units	Special Frequency 2	5.70	150*	no	23/01/14	6/02/14	11/02/14					
	Conductivity	ms/cm	Special Frequency 3	815	N/A	N/A	23/01/14	6/02/14	11/02/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	25/02/14	11/03/14	19/03/14					
	TSS	mg/L	Special Frequency 2	5	50*	no	25/02/14	11/03/14	19/03/14					
	pH	pH	Special Frequency 2	7.55	6.5-8.5	no	25/02/14	11/03/14	19/03/14					
	Turbidity	turbidity units	Special Frequency 2	6.05	150*	no	25/02/14	11/03/14	19/03/14					
	Conductivity	ms/cm	Special Frequency 3	609	N/A	N/A	25/02/14	11/03/14	19/03/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	17/03/14	26/03/14	27/05/14					
	TSS	mg/L	Special Frequency 2	1	50*	no	17/03/14	26/03/14	27/05/14					
	pH	pH	Special Frequency 2	6.85	6.5-8.5	no	17/03/14	26/03/14	27/05/14					
	Turbidity	turbidity units	Special Frequency 2	0.96	150*	no	17/03/14	26/03/14	27/05/14					
	Conductivity	ms/cm	Special Frequency 3	571	N/A	N/A	17/03/14	26/03/14	27/05/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	18/03/14	26/03/14	27/05/14					
	TSS	mg/L	Special Frequency 2	26	50*	no	18/03/14	26/03/14	27/05/14					
	pH	pH	Special Frequency 2	6.96	6.5-8.5	no	18/03/14	26/03/14	27/05/14					
	Turbidity	turbidity units	Special Frequency 2	25.60	150*	no	18/03/14	26/03/14	27/05/14					
	Conductivity	ms/cm	Special Frequency 3	442	N/A	N/A	18/03/14	26/03/14	27/05/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	27/03/14	14/04/14	28/05/14					
	TSS	mg/L	Special Frequency 2	640	50*	no	27/03/14	14/04/14	28/05/14					
	pH	pH	Special Frequency 2	7.04	6.5-8.5	no	27/03/14	14/04/14	28/05/14					
	Turbidity	turbidity units	Special Frequency 2	886.00	150*	no	27/03/14	14/04/14	28/05/14					
	Conductivity	ms/cm	Special Frequency 3	402	N/A	N/A	27/03/14	14/04/14	28/05/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	28/03/14	14/04/14	28/05/14					
	TSS	mg/L	Special Frequency 2	552	50*	no	28/03/14	14/04/14	28/05/14					
	pH	pH	Special Frequency 2	7.06	6.5-8.5	no	28/03/14	14/04/14	28/05/14					
	Turbidity	turbidity units	Special Frequency 2	805.00	150*	no	28/03/14	14/04/14	28/05/14					
	Conductivity	ms/cm	Special Frequency 3	401	N/A	N/A	28/03/14	14/04/14	28/05/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	29/04/14	6/05/14	28/05/14					
	TSS	mg/L	Special Frequency 2	18	50*	no	29/04/14	6/05/14	28/05/14					
	pH	pH	Special Frequency 2	7.13	6.5-8.5	no	29/04/14	6/05/14	28/05/14					

EPA Licence Number: L1027  
 Licensee Name: Boral CSR Bricks Pty Limited  
 Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178  
 Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Turbidity	turbidity units	Special Frequency 2	21.60	150*	no	29/04/14	6/05/14	28/05/14					
	Conductivity	ms/cm	Special Frequency 3	659	N/A	N/A	29/04/14	6/05/14	28/05/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	5/05/14	15/05/14	28/05/14					
	TSS	mg/L	Special Frequency 2	10	50*	no	5/05/14	15/05/14	28/05/14					
	pH	pH	Special Frequency 2	7.46	6.5-8.5	no	5/05/14	15/05/14	28/05/14					
	Turbidity	turbidity units	Special Frequency 2	13.00	150*	no	5/05/14	15/05/14	28/05/14					
	Conductivity	ms/cm	Special Frequency 3	690	N/A	N/A	5/05/14	15/05/14	28/05/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	7/05/14	19/05/14	28/05/14					
	TSS	mg/L	Special Frequency 2	5	50*	no	7/05/14	19/05/14	28/05/14					
	pH	pH	Special Frequency 2	7.18	6.5-8.5	no	7/05/14	19/05/14	28/05/14					
	Turbidity	turbidity units	Special Frequency 2	5.65	150*	no	7/05/14	19/05/14	28/05/14					
	Conductivity	ms/cm	Special Frequency 3	743	N/A	N/A	7/05/14	19/05/14	28/05/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	11/06/14	20/06/14	3/07/14					
	TSS	mg/L	Special Frequency 2	19	50*	no	11/06/14	20/06/14	3/07/14					
	pH	pH	Special Frequency 2	7.76	6.5-8.5	no	11/06/14	20/06/14	3/07/14					
	Turbidity	turbidity units	Special Frequency 2	24.50	150*	no	11/06/14	20/06/14	3/07/14					
	Conductivity	ms/cm	Special Frequency 3	469	N/A	N/A	11/06/14	20/06/14	3/07/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	19/06/14	26/06/14	3/07/14					
	TSS	mg/L	Special Frequency 2	4	50*	no	19/06/14	26/06/14	3/07/14					
	pH	pH	Special Frequency 2	7.04	6.5-8.5	no	19/06/14	26/06/14	3/07/14					
	Turbidity	turbidity units	Special Frequency 2	6.14	150*	no	19/06/14	26/06/14	3/07/14					
	Conductivity	ms/cm	Special Frequency 3	495	N/A	N/A	19/06/14	26/06/14	3/07/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	23/06/14	3/07/14	31/07/14					
	TSS	mg/L	Special Frequency 2	7	50*	no	23/06/14	3/07/14	31/07/14					
	pH	pH	Special Frequency 2	7.12	6.5-8.5	no	23/06/14	3/07/14	31/07/14					
	Turbidity	turbidity units	Special Frequency 2	7.68	150*	no	23/06/14	3/07/14	31/07/14					
	Conductivity	ms/cm	Special Frequency 3	532	N/A	N/A	23/06/14	3/07/14	31/07/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	4/07/14	18/07/14	31/07/14					
	TSS	mg/L	Special Frequency 2	3	50*	no	4/07/14	18/07/14	31/07/14					
	pH	pH	Special Frequency 2	7.21	6.5-8.5	no	4/07/14	18/07/14	31/07/14					
	Turbidity	turbidity units	Special Frequency 2	4.56	150*	no	4/07/14	18/07/14	31/07/14					
	Conductivity	ms/cm	Special Frequency 3	528	N/A	N/A	4/07/14	18/07/14	31/07/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	19/08/14	1/09/14	1/10/14					
	TSS	mg/L	Special Frequency 2	2,950	50*	no	19/08/14	1/09/14	1/10/14					90th percentile 5-day rain event
	pH	pH	Special Frequency 2	6.90	6.5-8.5	no	19/08/14	1/09/14	1/10/14					
	Turbidity	nephelometric turbidity units	Special Frequency 2	4,400.00	150*	no	19/08/14	1/09/14	1/10/14					90th percentile 5-day rain event
	Conductivity	ms/cm	Special Frequency 3	299	N/A	N/A	19/08/14	1/09/14	1/10/14					

**EPA Licence Number:** L1027  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 7 Cecil Road, Cecil Park, NSW, 2178  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	9/09/14	18/09/14	1/10/14					
	TSS	mg/L	Special Frequency 2	19	50*	no	9/09/14	18/09/14	1/10/14					
	pH	pH	Special Frequency 2	7.32	6.5-8.5	no	9/09/14	18/09/14	1/10/14					
	Turbidity	turbidity units	Special Frequency 2	21.70	150*	no	9/09/14	18/09/14	1/10/14					
	Conductivity	ms/cm	Special Frequency 3	432	N/A	N/A	9/09/14	18/09/14	1/10/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	11/09/14	26/09/14	1/10/14					
	TSS	mg/L	Special Frequency 2	20	50*	no	11/09/14	26/09/14	1/10/14					
	pH	pH	Special Frequency 2	7.01	6.5-8.5	no	11/09/14	26/09/14	1/10/14					
	Turbidity	turbidity units	Special Frequency 2	21.00	150*	no	11/09/14	26/09/14	1/10/14					
	Conductivity	ms/cm	Special Frequency 3	404	N/A	N/A	11/09/14	26/09/14	1/10/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	15/09/14	26/09/14	1/10/14					
	TSS	mg/L	Special Frequency 2	12	50*	no	15/09/14	26/09/14	1/10/14					
	pH	pH	Special Frequency 2	6.85	6.5-8.5	no	15/09/14	26/09/14	1/10/14					
	Turbidity	turbidity units	Special Frequency 2	12.00	150*	no	15/09/14	26/09/14	1/10/14					
	Conductivity	ms/cm	Special Frequency 3	410	N/A	N/A	15/09/14	26/09/14	1/10/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	17/09/14	30/09/14	27/10/14					
	TSS	mg/L	Special Frequency 2	6	50*	no	17/09/14	30/09/14	27/10/14					
	pH	pH	Special Frequency 2	7.28	6.5-8.5	no	17/09/14	30/09/14	27/10/14					
	Turbidity	turbidity units	Special Frequency 2	5.14	150*	no	17/09/14	30/09/14	27/10/14					
	Conductivity	ms/cm	Special Frequency 3	418	N/A	N/A	17/09/14	30/09/14	27/10/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	22/09/14	2/10/14	27/10/14					
	TSS	mg/L	Special Frequency 2	1	50*	no	22/09/14	2/10/14	27/10/14					
	pH	pH	Special Frequency 2	6.82	6.5-8.5	no	22/09/14	2/10/14	27/10/14					
	Turbidity	turbidity units	Special Frequency 2	1.78	150*	no	22/09/14	2/10/14	27/10/14					
	Conductivity	ms/cm	Special Frequency 3	438	N/A	N/A	22/09/14	2/10/14	27/10/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	26/09/14	8/10/14	27/10/14					
	TSS	mg/L	Special Frequency 2	4	50*	no	26/09/14	8/10/14	27/10/14					
	pH	pH	Special Frequency 2	7.18	6.5-8.5	no	26/09/14	8/10/14	27/10/14					
	Turbidity	turbidity units	Special Frequency 2	4.95	150*	no	26/09/14	8/10/14	27/10/14					
	Conductivity	ms/cm	Special Frequency 3	462	N/A	N/A	26/09/14	8/10/14	27/10/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	21/10/14	28/10/14	11/11/14					
	TSS	mg/L	Special Frequency 2	12	50*	no	21/10/14	28/10/14	11/11/14					
	pH	pH	Special Frequency 2	7.41	6.5-8.5	no	21/10/14	28/10/14	11/11/14					
	Turbidity	turbidity units	Special Frequency 2	13.10	150*	no	21/10/14	28/10/14	11/11/14					
	Conductivity	ms/cm	Special Frequency 3	468	N/A	N/A	21/10/14	28/10/14	11/11/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	23/10/14	28/10/14	11/11/14					
	TSS	mg/L	Special Frequency 2	6	50*	no	23/10/14	28/10/14	11/11/14					
	pH	pH	Special Frequency 2	7.28	6.5-8.5	no	23/10/14	28/10/14	11/11/14					

EPA Licence Number: L1027  
 Licensee Name: Boral CSR Bricks Pty Limited  
 Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178  
 Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Turbidity	turbidity units	Special Frequency 2	6.70	150*	no	23/10/14	28/10/14	11/11/14					
	Conductivity	ms/cm	Special Frequency 3	402	N/A	N/A	23/10/14	28/10/14	11/11/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	27/10/14	5/11/14	26/11/14					
	TSS	mg/L	Special Frequency 2	26	50*	no	27/10/14	5/11/14	26/11/14					
	pH	pH	Special Frequency 2	7.15	6.5-8.5	no	27/10/14	5/11/14	26/11/14					
	Turbidity	turbidity units	Special Frequency 2	25.00	150*	no	27/10/14	5/11/14	26/11/14					
	Conductivity	ms/cm	Special Frequency 3	397	N/A	N/A	27/10/14	5/11/14	26/11/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	3/11/14	13/11/14	26/11/14					
	TSS	mg/L	Special Frequency 2	6	50*	no	3/11/14	13/11/14	26/11/14					
	pH	pH	Special Frequency 2	7.06	6.5-8.5	no	3/11/14	13/11/14	26/11/14					
	Turbidity	turbidity units	Special Frequency 2	5.70	150*	no	3/11/14	13/11/14	26/11/14					
	Conductivity	ms/cm	Special Frequency 3	436	N/A	N/A	3/11/14	13/11/14	26/11/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	12/11/14	24/11/14	26/11/14					
	TSS	mg/L	Special Frequency 2	3	50*	no	12/11/14	24/11/14	26/11/14					
	pH	pH	Special Frequency 2	7.17	6.5-8.5	no	12/11/14	24/11/14	26/11/14					
	Turbidity	turbidity units	Special Frequency 2	3.10	150*	no	12/11/14	24/11/14	26/11/14					
	Conductivity	ms/cm	Special Frequency 3	549	N/A	N/A	12/11/14	24/11/14	26/11/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	13/11/14	24/11/14	26/11/14					
	TSS	mg/L	Special Frequency 2	6	50*	no	13/11/14	24/11/14	26/11/14					
	pH	pH	Special Frequency 2	7.02	6.5-8.5	no	13/11/14	24/11/14	26/11/14					
	Turbidity	turbidity units	Special Frequency 2	8.20	150*	no	13/11/14	24/11/14	26/11/14					
	Conductivity	ms/cm	Special Frequency 3	578	N/A	N/A	13/11/14	24/11/14	26/11/14					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	25/11/14	5/12/14	12/01/15					
	TSS	mg/L	Special Frequency 2	10	50*	no	25/11/14	5/12/14	12/01/15					
	pH	pH	Special Frequency 2	7.43	6.5-8.5	no	25/11/14	5/12/14	12/01/15					
	Turbidity	turbidity units	Special Frequency 2	9.80	150*	no	25/11/14	5/12/14	12/01/15					
	Conductivity	ms/cm	Special Frequency 3	687	N/A	N/A	25/11/14	5/12/14	12/01/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	3/12/14	18/12/14	12/01/15					
	TSS	mg/L	Special Frequency 2	16	50*	no	3/12/14	18/12/14	12/01/15					
	pH	pH	Special Frequency 2	7.43	6.5-8.5	no	3/12/14	18/12/14	12/01/15					
	Turbidity	turbidity units	Special Frequency 2	14.60	150*	no	3/12/14	18/12/14	12/01/15					
	Conductivity	ms/cm	Special Frequency 3	698	N/A	N/A	3/12/14	18/12/14	12/01/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	4/12/14	18/12/14	12/01/15					
	TSS	mg/L	Special Frequency 2	8	50*	no	4/12/14	18/12/14	12/01/15					
	pH	pH	Special Frequency 2	6.95	6.5-8.5	no	4/12/14	18/12/14	12/01/15					
	Turbidity	turbidity units	Special Frequency 2	8.40	150*	no	4/12/14	18/12/14	12/01/15					
	Conductivity	ms/cm	Special Frequency 3	658	N/A	N/A	4/12/14	18/12/14	12/01/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	8/12/14	7/01/15	12/01/15					

EPA Licence Number: L1027  
 Licensee Name: Boral CSR Bricks Pty Limited  
 Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178  
 Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	TSS	mg/L	Special Frequency 2	150	50*	no	8/12/14	7/01/15	12/01/15					90th percentile 5-day rain event
	pH	pH	Special Frequency 2	6.83	6.5-8.5	no	8/12/14	7/01/15	12/01/15					
	Turbidity	nephelometric turbidity units	Special Frequency 2	181.00	150*	no	8/12/14	7/01/15	12/01/15					90th percentile 5-day rain event
	Conductivity	ms/cm	Special Frequency 3	466	N/A	N/A	8/12/14	7/01/15	12/01/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	9/12/14	7/01/15	12/01/15					
	TSS	mg/L	Special Frequency 2	118	50*	no	9/12/14	7/01/15	12/01/15					90th percentile 5-day rain event
	pH	pH	Special Frequency 2	7.02	6.5-8.5	no	9/12/14	7/01/15	12/01/15					
	Turbidity	turbidity units	Special Frequency 2	145.00	150*	no	9/12/14	7/01/15	12/01/15					
	Conductivity	ms/cm	Special Frequency 3	458	N/A	N/A	9/12/14	7/01/15	12/01/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	19/12/14	7/01/15	12/01/15					
	TSS	mg/L	Special Frequency 2	37	50*	no	19/12/14	7/01/15	12/01/15					
	pH	pH	Special Frequency 2	7.07	6.5-8.5	no	19/12/14	7/01/15	12/01/15					
	Turbidity	turbidity units	Special Frequency 2	45.00	150*	no	19/12/14	7/01/15	12/01/15					
	Conductivity	ms/cm	Special Frequency 3	508	N/A	N/A	19/12/14	7/01/15	12/01/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	23/12/14	6/01/15	9/02/15					
	TSS	mg/L	Special Frequency 2	20	50*	no	23/12/14	6/01/15	9/02/15					
	pH	pH	Special Frequency 2	6.93	6.5-8.5	no	23/12/14	6/01/15	9/02/15					
	Turbidity	turbidity units	Special Frequency 2	23.00	150*	no	23/12/14	6/01/15	9/02/15					
	Conductivity	ms/cm	Special Frequency 3	491	N/A	N/A	23/12/14	6/01/15	9/02/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	6/01/15	19/01/15	9/02/15					
	TSS	mg/L	Special Frequency 2	45	50*	no	6/01/15	19/01/15	9/02/15					
	pH	pH	Special Frequency 2	7.13	6.5-8.5	no	6/01/15	19/01/15	9/02/15					
	Turbidity	turbidity units	Special Frequency 2	47.00	150*	no	6/01/15	19/01/15	9/02/15					
	Conductivity	ms/cm	Special Frequency 3	610	N/A	N/A	6/01/15	19/01/15	9/02/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	12/01/15	9/02/15	18/03/15					
	TSS	mg/L	Special Frequency 2	100	50*	no	12/01/15	9/02/15	18/03/15					90th percentile 5-day rain event
	pH	pH	Special Frequency 2	7.20	6.5-8.5	no	12/01/15	9/02/15	18/03/15					
	Turbidity	turbidity units	Special Frequency 2	124.00	150*	no	12/01/15	9/02/15	18/03/15					
	Conductivity	ms/cm	Special Frequency 3	624	N/A	N/A	12/01/15	9/02/15	18/03/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	13/01/15	9/02/15	18/03/15					
	TSS	mg/L	Special Frequency 2	43	50*	no	13/01/15	9/02/15	18/03/15					
	pH	pH	Special Frequency 2	7.25	6.5-8.5	no	13/01/15	9/02/15	18/03/15					
	Turbidity	turbidity units	Special Frequency 2	47.00	150*	no	13/01/15	9/02/15	18/03/15					
	Conductivity	ms/cm	Special Frequency 3	573	N/A	N/A	13/01/15	9/02/15	18/03/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	14/01/15	9/02/15	18/03/15					
	TSS	mg/L	Special Frequency 2	46	50*	no	14/01/15	9/02/15	18/03/15					

**EPA Licence Number:** L1027  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 7 Cecil Road, Cecil Park, NSW, 2178  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	pH	pH	Special Frequency 2	7.40	6.5-8.5	no	14/01/15	9/02/15	18/03/15					
	Turbidity	turbidity units	Special Frequency 2	49.00	150*	no	14/01/15	9/02/15	18/03/15					
	Conductivity	ms/cm	Special Frequency 3	583	N/A	N/A	14/01/15	9/02/15	18/03/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	15/01/15	9/02/15	18/03/15					
	TSS	mg/L	Special Frequency 2	93	50*	no	15/01/15	9/02/15	18/03/15					90th percentile 5-day rain event
	pH	pH	Special Frequency 2	7.45	6.5-8.5	no	15/01/15	9/02/15	18/03/15					
	Turbidity	turbidity units	Special Frequency 2	88.00	150*	no	15/01/15	9/02/15	18/03/15					
	Conductivity	ms/cm	Special Frequency 3	594	N/A	N/A	15/01/15	9/02/15	18/03/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	22/01/15	30/01/15	18/03/15					
	TSS	mg/L	Special Frequency 2	39	50*	no	22/01/15	30/01/15	18/03/15					
	pH	pH	Special Frequency 2	6.95	6.5-8.5	no	22/01/15	30/01/15	18/03/15					
	Turbidity	turbidity units	Special Frequency 2	54.00	150*	no	22/01/15	30/01/15	18/03/15					
	Conductivity	ms/cm	Special Frequency 3	600	N/A	N/A	22/01/15	30/01/15	18/03/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	27/01/15	6/02/15	18/03/15					
	TSS	mg/L	Special Frequency 2	36	50*	no	27/01/15	6/02/15	18/03/15					
	pH	pH	Special Frequency 2	6.92	6.5-8.5	no	27/01/15	6/02/15	18/03/15					
	Turbidity	turbidity units	Special Frequency 2	47.00	150*	no	27/01/15	6/02/15	18/03/15					
	Conductivity	ms/cm	Special Frequency 3	700	N/A	N/A	27/01/15	6/02/15	18/03/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	29/01/15	17/02/15	18/03/15					
	TSS	mg/L	Special Frequency 2	414	50*	no	29/01/15	17/02/15	18/03/15					90th percentile 5-day rain event
	pH	pH	Special Frequency 2	6.78	6.5-8.5	no	29/01/15	17/02/15	18/03/15					
	Turbidity	nephelometric turbidity units	Special Frequency 2	515.00	150*	no	29/01/15	17/02/15	18/03/15					90th percentile 5-day rain event
	Conductivity	ms/cm	Special Frequency 3	431	N/A	N/A	29/01/15	17/02/15	18/03/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	30/01/15	17/02/15	18/03/15					
	TSS	mg/L	Special Frequency 2	250	50*	no	30/01/15	17/02/15	18/03/15					90th percentile 5-day rain event
	pH	pH	Special Frequency 2	6.95	6.5-8.5	no	30/01/15	17/02/15	18/03/15					
	Turbidity	nephelometric turbidity units	Special Frequency 2	326.00	150*	no	30/01/15	17/02/15	18/03/15					90th percentile 5-day rain event
	Conductivity	ms/cm	Special Frequency 3	458	N/A	N/A	30/01/15	17/02/15	18/03/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	31/01/15	17/02/15	18/03/15					
	TSS	mg/L	Special Frequency 2	97	50*	no	31/01/15	17/02/15	18/03/15					90th percentile 5-day rain event
	pH	pH	Special Frequency 2	7.10	6.5-8.5	no	31/01/15	17/02/15	18/03/15					
	Turbidity	nephelometric turbidity units	Special Frequency 2	116.00	150*	no	31/01/15	17/02/15	18/03/15					90th percentile 5-day rain event
	Conductivity	ms/cm	Special Frequency 3	116	N/A	N/A	31/01/15	17/02/15	18/03/15					



EPA Licence Number: L1027  
 Licensee Name: Boral CSR Bricks Pty Limited  
 Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178  
 Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	1/02/15	17/02/15	18/03/15					
	TSS	mg/L	Special Frequency 2	102	50*	no	1/02/15	17/02/15	18/03/15					90th percentile 5-day rain event
	pH	pH	Special Frequency 2	7.04	6.5-8.5	no	1/02/15	17/02/15	18/03/15					
	Turbidity	nephelometric turbidity units	Special Frequency 2	122.00	150*	no	1/02/15	17/02/15	18/03/15					
	Conductivity	ms/cm	Special Frequency 3	465	N/A	N/A	1/02/15	17/02/15	18/03/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	2/02/15	17/02/15	18/03/15					
	TSS	mg/L	Special Frequency 2	47	50*	no	2/02/15	17/02/15	18/03/15					
	pH	pH	Special Frequency 2	7.09	6.5-8.5	no	2/02/15	17/02/15	18/03/15					
	Turbidity	turbidity units	Special Frequency 2	48.00	150*	no	2/02/15	17/02/15	18/03/15					
	Conductivity	ms/cm	Special Frequency 3	483	N/A	N/A	2/02/15	17/02/15	18/03/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	3/02/15	17/02/15	18/03/15					
	TSS	mg/L	Special Frequency 2	14	50*	no	3/02/15	17/02/15	18/03/15					
	pH	pH	Special Frequency 2	7.05	6.5-8.5	no	3/02/15	17/02/15	18/03/15					
	Turbidity	turbidity units	Special Frequency 2	102.00	150*	no	3/02/15	17/02/15	18/03/15					
	Conductivity	ms/cm	Special Frequency 3	614	N/A	N/A	3/02/15	17/02/15	18/03/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	9/02/15	25/02/15	18/03/15					
	TSS	mg/L	Special Frequency 2	25	50*	no	9/02/15	25/02/15	18/03/15					
	pH	pH	Special Frequency 2	6.90	6.5-8.5	no	9/02/15	25/02/15	18/03/15					
	Turbidity	turbidity units	Special Frequency 2	27.00	150*	no	9/02/15	25/02/15	18/03/15					
	Conductivity	ms/cm	Special Frequency 3	502	N/A	N/A	9/02/15	25/02/15	18/03/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	10/02/15	25/02/15	18/03/15					
	TSS	mg/L	Special Frequency 2	32	50*	no	10/02/15	25/02/15	18/03/15					
	pH	pH	Special Frequency 2	6.90	6.5-8.5	no	10/02/15	25/02/15	18/03/15					
	Turbidity	turbidity units	Special Frequency 2	36.00	150*	no	10/02/15	25/02/15	18/03/15					
	Conductivity	ms/cm	Special Frequency 3	543	N/A	N/A	10/02/15	25/02/15	18/03/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	17/02/15	25/02/15	18/03/15					
	TSS	mg/L	Special Frequency 2	33	50*	no	17/02/15	25/02/15	18/03/15					
	pH	pH	Special Frequency 2	6.96	6.5-8.5	no	17/02/15	25/02/15	18/03/15					
	Turbidity	turbidity units	Special Frequency 2	47.00	150*	no	17/02/15	25/02/15	18/03/15					
	Conductivity	ms/cm	Special Frequency 3	568	N/A	N/A	17/02/15	25/02/15	18/03/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	23/02/15	9/03/15	9/04/15					
	TSS	mg/L	Special Frequency 2	19	50*	no	23/02/15	9/03/15	9/04/15					
	pH	pH	Special Frequency 2	7.18	6.5-8.5	no	23/02/15	9/03/15	9/04/15					
	Turbidity	turbidity units	Special Frequency 2	29.00	150*	no	23/02/15	9/03/15	9/04/15					
	Conductivity	ms/cm	Special Frequency 3	580	N/A	N/A	23/02/15	9/03/15	9/04/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	25/02/15	9/03/15	9/04/15					
	TSS	mg/L	Special Frequency 2	41	50*	no	25/02/15	9/03/15	9/04/15					
	pH	pH	Special Frequency 2	7.14	6.5-8.5	no	25/02/15	9/03/15	9/04/15					

EPA Licence Number: L1027  
 Licensee Name: Boral CSR Bricks Pty Limited  
 Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178  
 Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Turbidity	turbidity units	Special Frequency 2	105.00	150*	no	25/02/15	9/03/15	9/04/15					
	Conductivity	ms/cm	Special Frequency 3	605	N/A	N/A	25/02/15	9/03/15	9/04/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	27/02/15	9/03/15	9/04/15					
	TSS	mg/L	Special Frequency 2	39	50*	no	27/02/15	9/03/15	9/04/15					
	pH	pH	Special Frequency 2	7.16	6.5-8.5	no	27/02/15	9/03/15	9/04/15					
	Turbidity	turbidity units	Special Frequency 2	65.00	150*	no	27/02/15	9/03/15	9/04/15					
	Conductivity	ms/cm	Special Frequency 3	621	N/A	N/A	27/02/15	9/03/15	9/04/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	16/03/15	31/03/15	9/04/15					
	TSS	mg/L	Special Frequency 2	11	50*	no	16/03/15	31/03/15	9/04/15					
	pH	pH	Special Frequency 2	7.02	6.5-8.5	no	16/03/15	31/03/15	9/04/15					
	Turbidity	turbidity units	Special Frequency 2	19.00	150*	no	16/03/15	31/03/15	9/04/15					
	Conductivity	ms/cm	Special Frequency 3	774	N/A	N/A	16/03/15	31/03/15	9/04/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	18/03/15	31/03/15	9/04/15					
	TSS	mg/L	Special Frequency 2	13	50*	no	18/03/15	31/03/15	9/04/15					
	pH	pH	Special Frequency 2	7.06	6.5-8.5	no	18/03/15	31/03/15	9/04/15					
	Turbidity	turbidity units	Special Frequency 2	21.00	150*	no	18/03/15	31/03/15	9/04/15					
	Conductivity	ms/cm	Special Frequency 3	791	N/A	N/A	18/03/15	31/03/15	9/04/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	20/03/15	31/03/15	9/04/15					
	TSS	mg/L	Special Frequency 2	16	50*	no	20/03/15	31/03/15	9/04/15					
	pH	pH	Special Frequency 2	6.92	6.5-8.5	no	20/03/15	31/03/15	9/04/15					
	Turbidity	turbidity units	Special Frequency 2	22.00	150*	no	20/03/15	31/03/15	9/04/15					
	Conductivity	ms/cm	Special Frequency 3	803	N/A	N/A	20/03/15	31/03/15	9/04/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	24/03/15	31/03/15	9/04/15					
	TSS	mg/L	Special Frequency 2	15	50*	no	24/03/15	31/03/15	9/04/15					
	pH	pH	Special Frequency 2	7.15	6.5-8.5	no	24/03/15	31/03/15	9/04/15					
	Turbidity	turbidity units	Special Frequency 2	20.00	150*	no	24/03/15	31/03/15	9/04/15					
	Conductivity	ms/cm	Special Frequency 3	837	N/A	N/A	24/03/15	31/03/15	9/04/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	2/04/15	15/04/15	5/05/15					
	TSS	mg/L	Special Frequency 2	25	50*	no	2/04/15	15/04/15	5/05/15					
	pH	pH	Special Frequency 2	7.25	6.5-8.5	no	2/04/15	15/04/15	5/05/15					
	Turbidity	turbidity units	Special Frequency 2	32.00	150*	no	2/04/15	15/04/15	5/05/15					
	Conductivity	ms/cm	Special Frequency 3	765	N/A	N/A	2/04/15	15/04/15	5/05/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	10/04/15	23/04/15	5/05/15					
	TSS	mg/L	Special Frequency 2	30	50*	no	10/04/15	23/04/15	5/05/15					
	pH	pH	Special Frequency 2	7.30	6.5-8.5	no	10/04/15	23/04/15	5/05/15					
	Turbidity	turbidity units	Special Frequency 2	23.00	150*	no	10/04/15	23/04/15	5/05/15					
	Conductivity	ms/cm	Special Frequency 3	450	N/A	N/A	10/04/15	23/04/15	5/05/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	13/04/15	23/04/15	5/05/15					

**EPA Licence Number:** L1027  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 7 Cecil Road, Cecil Park, NSW, 2178  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	TSS	mg/L	Special Frequency 2	17	50*	no	13/04/15	23/04/15	5/05/15					
	pH	pH	Special Frequency 2	7.22	6.5-8.5	no	13/04/15	23/04/15	5/05/15					
	Turbidity	turbidity units	Special Frequency 2	22.00	150*	no	13/04/15	23/04/15	5/05/15					
	Conductivity	ms/cm	Special Frequency 3	711	N/A	N/A	13/04/15	23/04/15	5/05/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	13/04/15	23/04/15	5/05/15					
	TSS	mg/L	Special Frequency 2	17	50*	no	13/04/15	23/04/15	5/05/15					
	pH	pH	Special Frequency 2	7.22	6.5-8.5	no	13/04/15	23/04/15	5/05/15					
	Turbidity	turbidity units	Special Frequency 2	22.00	150*	no	13/04/15	23/04/15	5/05/15					
	Conductivity	ms/cm	Special Frequency 3	711	N/A	N/A	13/04/15	23/04/15	5/05/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	16/04/15	23/04/15	5/05/15					
	TSS	mg/L	Special Frequency 2	14	50*	no	16/04/15	23/04/15	5/05/15					
	pH	pH	Special Frequency 2	7.16	6.5-8.5	no	16/04/15	23/04/15	5/05/15					
	Turbidity	turbidity units	Special Frequency 2	15.00	150*	no	16/04/15	23/04/15	5/05/15					
	Conductivity	ms/cm	Special Frequency 3	736	N/A	N/A	16/04/15	23/04/15	5/05/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	21/04/15	8/05/15	29/05/15					
	TSS	mg/L	Special Frequency 2	2,160	50*	no	21/04/15	8/05/15	29/05/15					90th percentile 5-day rain event
	pH	pH	Special Frequency 2	7.07	6.5-8.5	no	21/04/15	8/05/15	29/05/15					
	Turbidity	nephelometric turbidity units	Special Frequency 2	2,650.00	150*	no	21/04/15	8/05/15	29/05/15					90th percentile 5-day rain event
	Conductivity	ms/cm	Special Frequency 3	384	N/A	N/A	21/04/15	8/05/15	29/05/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	22/04/15	8/05/15	29/05/15					
	TSS	mg/L	Special Frequency 2	4,760	50*	no	22/04/15	8/05/15	29/05/15					90th percentile 5-day rain event
	pH	pH	Special Frequency 2	7.22	6.5-8.5	no	22/04/15	8/05/15	29/05/15					
	Turbidity	nephelometric turbidity units	Special Frequency 2	5,460.00	150*	no	22/04/15	8/05/15	29/05/15					90th percentile 5-day rain event
	Conductivity	ms/cm	Special Frequency 3	270	N/A	N/A	22/04/15	8/05/15	29/05/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	23/04/15	8/05/15	29/05/15					
	TSS	mg/L	Special Frequency 2	873	50*	no	23/04/15	8/05/15	29/05/15					90th percentile 5-day rain event
	pH	pH	Special Frequency 2	8.26	6.5-8.5	no	23/04/15	8/05/15	29/05/15					
	Turbidity	nephelometric turbidity units	Special Frequency 2	1,320.00	150*	no	23/04/15	8/05/15	29/05/15					90th percentile 5-day rain event
	Conductivity	ms/cm	Special Frequency 3	415	N/A	N/A	23/04/15	8/05/15	29/05/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	24/04/15	8/05/15	29/05/15					
	TSS	mg/L	Special Frequency 2	1,260	50*	no	24/04/15	8/05/15	29/05/15					90th percentile 5-day rain event
	pH	pH	Special Frequency 2	8.11	6.5-8.5	no	24/04/15	8/05/15	29/05/15					

EPA Licence Number: L1027  
 Licensee Name: Boral CSR Bricks Pty Limited  
 Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178  
 Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Turbidity	nephelometric turbidity units	Special Frequency 2	1,800.00	150*	no	24/04/15	8/05/15	29/05/15					90th percentile 5-day rain event
	Conductivity	ms/cm	Special Frequency 3	337	N/A	N/A	24/04/15	8/05/15	29/05/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	27/04/15	8/05/15	29/05/15					
	TSS	mg/L	Special Frequency 2	564	50*	no	27/04/15	8/05/15	29/05/15					90th percentile 5-day rain event
	pH	pH	Special Frequency 2	8.16	6.5-8.5	no	27/04/15	8/05/15	29/05/15					
	Turbidity	nephelometric turbidity units	Special Frequency 2	1,120.00	150*	no	27/04/15	8/05/15	29/05/15					90th percentile 5-day rain event
	Conductivity	ms/cm	Special Frequency 3	426	N/A	N/A	27/04/15	8/05/15	29/05/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	1/05/15	12/05/15	3/06/15					
	TSS	mg/L	Special Frequency 2	10	50*	no	1/05/15	12/05/15	3/06/15					
	pH	pH	Special Frequency 2	7.08	6.5-8.5	no	1/05/15	12/05/15	3/06/15					
	Turbidity	turbidity units	Special Frequency 2	13.00	150*	no	1/05/15	12/05/15	3/06/15					
	Conductivity	ms/cm	Special Frequency 3	519	N/A	N/A	1/05/15	12/05/15	3/06/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	5/05/15	22/05/15	3/06/15					
	TSS	mg/L	Special Frequency 2	6	50*	no	5/05/15	22/05/15	3/06/15					
	pH	pH	Special Frequency 2	7.25	6.5-8.5	no	5/05/15	22/05/15	3/06/15					
	Turbidity	turbidity units	Special Frequency 2	7.40	150*	no	5/05/15	22/05/15	3/06/15					
	Conductivity	ms/cm	Special Frequency 3	501	N/A	N/A	5/05/15	22/05/15	3/06/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	7/05/15	22/05/15	3/06/15					
	TSS	mg/L	Special Frequency 2	11	50*	no	7/05/15	22/05/15	3/06/15					
	pH	pH	Special Frequency 2	7.12	6.5-8.5	no	7/05/15	22/05/15	3/06/15					
	Turbidity	turbidity units	Special Frequency 2	14.00	150*	no	7/05/15	22/05/15	3/06/15					
	Conductivity	ms/cm	Special Frequency 3	520	N/A	N/A	7/05/15	22/05/15	3/06/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	22/05/15	15/06/15	6/07/15					
	TSS	mg/L	Special Frequency 2	23	50*	no	22/05/15	15/06/15	6/07/15					
	pH	pH	Special Frequency 2	6.61	6.5-8.5	no	22/05/15	15/06/15	6/07/15					
	Turbidity	turbidity units	Special Frequency 2	26.00	150*	no	22/05/15	15/06/15	6/07/15					
	Conductivity	ms/cm	Special Frequency 3	625	N/A	N/A	22/05/15	15/06/15	6/07/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	27/05/15	15/06/15	6/07/15					
	TSS	mg/L	Special Frequency 2	12	50*	no	27/05/15	15/06/15	6/07/15					
	pH	pH	Special Frequency 2	7.15	6.5-8.5	no	27/05/15	15/06/15	6/07/15					
	Turbidity	turbidity units	Special Frequency 2	15.00	150*	no	27/05/15	15/06/15	6/07/15					
	Conductivity	ms/cm	Special Frequency 3	667	N/A	N/A	27/05/15	15/06/15	6/07/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	28/05/15	15/06/15	6/07/15					
	TSS	mg/L	Special Frequency 2	18	50*	no	28/05/15	15/06/15	6/07/15					
	pH	pH	Special Frequency 2	7.14	6.5-8.5	no	28/05/15	15/06/15	6/07/15					
	Turbidity	turbidity units	Special Frequency 2	29.00	150*	no	28/05/15	15/06/15	6/07/15					

**EPA Licence Number:** L1027  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 7 Cecil Road, Cecil Park, NSW, 2178  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Conductivity	ms/cm	Special Frequency 3	698	N/A	N/A	28/05/15	15/06/15	6/07/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	19/06/15	30/06/15	9/07/15					
	TSS	mg/L	Special Frequency 2	400	50*	no	19/06/15	30/06/15	9/07/15					90th percentile 5-day rain event
	pH	pH	Special Frequency 2	6.90	6.5-8.5	no	19/06/15	30/06/15	9/07/15					
	Turbidity	nephelometric turbidity units	Special Frequency 2	550.00	150*	no	19/06/15	30/06/15	9/07/15					90th percentile 5-day rain event
	Conductivity	ms/cm	Special Frequency 3	595	N/A	N/A	19/06/15	30/06/15	9/07/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	20/06/15	30/06/15	9/07/15					
	TSS	mg/L	Special Frequency 2	134	50*	no	20/06/15	30/06/15	9/07/15					90th percentile 5-day rain event
	pH	pH	Special Frequency 2	7.07	6.5-8.5	no	20/06/15	30/06/15	9/07/15					
	Turbidity	nephelometric turbidity units	Special Frequency 2	191.00	150*	no	20/06/15	30/06/15	9/07/15					90th percentile 5-day rain event
	Conductivity	ms/cm	Special Frequency 3	613	N/A	N/A	20/06/15	30/06/15	9/07/15					
	Oil & Grease	mg/L	Special Frequency 2	<3	10	no	21/06/15	30/06/15	9/07/15					
	TSS	mg/L	Special Frequency 2	115	50*	no	21/06/15	30/06/15	9/07/15					90th percentile 5-day rain event
	pH	pH	Special Frequency 2	7.10	6.5-8.5	no	21/06/15	30/06/15	9/07/15					
	Turbidity	nephelometric turbidity units	Special Frequency 2	162.00	150*	no	21/06/15	30/06/15	9/07/15					90th percentile 5-day rain event
	Conductivity	ms/cm	Special Frequency 3	588	N/A	N/A	21/06/15	30/06/15	9/07/15					

\*Exceedance of a quality limit specified in this Licence for the discharge of total suspended solids or turbidity from Point 7 is permitted if the discharge from Point 7 occurs as a result of rainfall at the premises that is equal to or greater than a 90th percentile 5-day rain event.

\*A 90th percentile five day rain event equates to a total rainfall over any consecutive five day period of 50 mm.

EPA Licence Number: L1027  
 Licensee Name: Boral CSR Bricks Pty Limited  
 Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178  
 Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
Point 9	Ammonia	mg/L	Monthly	0.05	32	no	8/03/13	25/03/13	9/04/13					
Recycled Water Quality Monitoring	Arsenic	mg/L	Monthly	0.004	1	no	8/03/13	25/03/13	9/04/13					
	Cadmium	mg/L	Monthly	<0.0001	1	no	8/03/13	25/03/13	9/04/13					
	Chlorine (total residual)	mg/L	Monthly	<0.2	50	no	8/03/13	25/03/13	9/04/13					
	Chromium	mg/L	Monthly	<0.001	3	no	8/03/13	25/03/13	9/04/13					
	Copper	mg/L	Monthly	0.006	5	no	8/03/13	25/03/13	9/04/13					
	Lead	mg/L	Monthly	<0.001	2	no	8/03/13	25/03/13	9/04/13					
	Manganese	mg/L	Monthly	<0.001	5	no	8/03/13	25/03/13	9/04/13					
	Mercury	mg/L	Monthly	<0.0001	0.03	no	8/03/13	25/03/13	9/04/13					
	Nickel	mg/L	Monthly	0.023	1	no	8/03/13	25/03/13	9/04/13					
	Oil and Grease	mg/L	Monthly	<5	25	no	8/03/13	25/03/13	9/04/13					
	pH	pH	Monthly	8.19	6.5-10.0	no	8/03/13	25/03/13	9/04/13					
	Phosphorus	mg/L	Monthly	0.2	10	no	8/03/13	25/03/13	9/04/13					
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	<0.0005	8	no	8/03/13	25/03/13	9/04/13					
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	0.91	5	no	8/03/13	25/03/13	9/04/13					
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	<0.02	5	no	8/03/13	25/03/13	9/04/13					
	Ammonia	mg/L	Monthly	N/A	32	no								April12 test not conducted. No root cause
	Arsenic	mg/L	Monthly	N/A	1	no								
	Cadmium	mg/L	Monthly	N/A	1	no								
	Chlorine (total residual)	mg/L	Monthly	N/A	50	no								
	Chromium	mg/L	Monthly	N/A	3	no								
	Copper	mg/L	Monthly	N/A	5	no								
	Lead	mg/L	Monthly	N/A	2	no								
	Manganese	mg/L	Monthly	N/A	5	no								
	Mercury	mg/L	Monthly	N/A	0.03	no								
	Nickel	mg/L	Monthly	N/A	1	no								
	Oil and Grease	mg/L	Monthly	N/A	25	no								
	pH	pH	Monthly	N/A	6.5-10.0	no								
	Phosphorus	mg/L	Monthly	N/A	10	no								
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	N/A	8	no								
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	N/A	5	no								
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	N/A	5	no								
	Ammonia	mg/L	Monthly	<0.01	32	no	23/05/13	28/05/13	4/06/13					

EPA Licence Number: L1027  
 Licensee Name: Boral CSR Bricks Pty Limited  
 Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178  
 Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Arsenic	mg/L	Monthly	0.002	1	no	23/05/13	28/05/13	4/06/13					
	Cadmium	mg/L	Monthly	<0.0001	1	no	23/05/13	28/05/13	4/06/13					
	Chlorine (total residual)	mg/L	Monthly	<0.2	50	no	23/05/13	28/05/13	4/06/13					
	Chromium	mg/L	Monthly	<0.001	3	no	23/05/13	28/05/13	4/06/13					
	Copper	mg/L	Monthly	0.093	5	no	23/05/13	28/05/13	4/06/13					
	Lead	mg/L	Monthly	<0.001	2	no	23/05/13	28/05/13	4/06/13					
	Manganese	mg/L	Monthly	0.102	5	no	23/05/13	28/05/13	4/06/13					
	Mercury	mg/L	Monthly	<0.0001	0.03	no	23/05/13	28/05/13	4/06/13					
	Nickel	mg/L	Monthly	0.022	1	no	23/05/13	28/05/13	4/06/13					
	Oil and Grease	mg/L	Monthly	<5	25	no	23/05/13	28/05/13	4/06/13					
	pH	pH	Monthly	7.95	6.5-10.0	no	23/05/13	28/05/13	4/06/13					
	Phosphorus	mg/L	Monthly	0.08	10	no	23/05/13	28/05/13	4/06/13					
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	<0.0005	8	no	23/05/13	28/05/13	4/06/13					
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	0.4	5	no	23/05/13	28/05/13	4/06/13					
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	<0.02	5	no	23/05/13	28/05/13	4/06/13					
	Ammonia	mg/L	Monthly	<0.01	32	no	7/06/13	17/06/13	19/06/13					
	Arsenic	mg/L	Monthly	0.005	1	no	7/06/13	17/06/13	19/06/13					
	Cadmium	mg/L	Monthly	0.0014	1	no	7/06/13	17/06/13	19/06/13					
	Chlorine (total residual)	mg/L	Monthly	<0.2	50	no	7/06/13	17/06/13	19/06/13					
	Chromium	mg/L	Monthly	<0.001	3	no	7/06/13	17/06/13	19/06/13					
	Copper	mg/L	Monthly	0.129	5	no	7/06/13	17/06/13	19/06/13					
	Lead	mg/L	Monthly	<0.001	2	no	7/06/13	17/06/13	19/06/13					
	Manganese	mg/L	Monthly	<0.001	5	no	7/06/13	17/06/13	19/06/13					
	Mercury	mg/L	Monthly	<0.0001	0.03	no	7/06/13	17/06/13	19/06/13					
	Nickel	mg/L	Monthly	0.055	1	no	7/06/13	17/06/13	19/06/13					
	Oil and Grease	mg/L	Monthly	<5	25	no	7/06/13	17/06/13	19/06/13					
	pH	pH	Monthly	8.26	6.5-10.0	no	7/06/13	17/06/13	19/06/13					
	Phosphorus	mg/L	Monthly	0.79	10	no	7/06/13	17/06/13	19/06/13					
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	<0.5	8	no	7/06/13	17/06/13	19/06/13					
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	2.01	5	no	7/06/13	17/06/13	19/06/13					
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	<0.02	5	no	7/06/13	17/06/13	19/06/13					
	Ammonia	mg/L	Monthly	<0.01	32	no	5/07/13	22/07/13	25/07/13					
	Arsenic	mg/L	Monthly	<0.001	1	no	5/07/13	22/07/13	25/07/13					
	Cadmium	mg/L	Monthly	<0.0001	1	no	5/07/13	22/07/13	25/07/13					
	Chlorine (total residual)	mg/L	Monthly	<0.2	50	no	5/07/13	22/07/13	25/07/13					

EPA Licence Number: L1027  
 Licensee Name: Boral CSR Bricks Pty Limited  
 Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178  
 Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Chromium	mg/L	Monthly	<0.001	3	no	5/07/13	22/07/13	25/07/13					
	Copper	mg/L	Monthly	0.088	5	no	5/07/13	22/07/13	25/07/13					
	Lead	mg/L	Monthly	<0.001	2	no	5/07/13	22/07/13	25/07/13					
	Manganese	mg/L	Monthly	0.023	5	no	5/07/13	22/07/13	25/07/13					
	Mercury	mg/L	Monthly	<0.0001	0.03	no	5/07/13	22/07/13	25/07/13					
	Nickel	mg/L	Monthly	0.018	1	no	5/07/13	22/07/13	25/07/13					
	Oil and Grease	mg/L	Monthly	<5	25	no	5/07/13	22/07/13	25/07/13					
	pH	pH	Monthly	7.98	6.5-10.0	no	5/07/13	22/07/13	25/07/13					
	Phosphorus	mg/L	Monthly	0.29	10	no	5/07/13	22/07/13	25/07/13					
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	<0.0005	8	no	5/07/13	22/07/13	25/07/13					
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	<0.05	5	no	5/07/13	22/07/13	25/07/13					
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	0.03	5	no	5/07/13	22/07/13	25/07/13					
	Ammonia	mg/L	Monthly	<0.01	32	no	6/08/13	15/08/13	16/09/13					
	Arsenic	mg/L	Monthly	0.034	1	no	6/08/13	15/08/13	16/09/13					
	Cadmium	mg/L	Monthly	<0.0001	1	no	6/08/13	15/08/13	16/09/13					
	Chlorine (total residual)	mg/L	Monthly	<0.2	50	no	6/08/13	15/08/13	16/09/13					
	Chromium	mg/L	Monthly	<0.001	3	no	6/08/13	15/08/13	16/09/13					
	Copper	mg/L	Monthly	0.101	5	no	6/08/13	15/08/13	16/09/13					
	Lead	mg/L	Monthly	0.002	2	no	6/08/13	15/08/13	16/09/13					
	Manganese	mg/L	Monthly	0.200	5	no	6/08/13	15/08/13	16/09/13					
	Mercury	mg/L	Monthly	<0.0001	0.03	no	6/08/13	15/08/13	16/09/13					
	Nickel	mg/L	Monthly	0.061	1	no	6/08/13	15/08/13	16/09/13					
	Oil and Grease	mg/L	Monthly	<5	25	no	6/08/13	15/08/13	16/09/13					
	pH	pH	Monthly	8.12	6.5-10.0	no	6/08/13	15/08/13	16/09/13					
	Phosphorus	mg/L	Monthly	1.27	10	no	6/08/13	15/08/13	16/09/13					
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	<0.0025	8	no	6/08/13	15/08/13	16/09/13					
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	<0.05	5	no	6/08/13	15/08/13	16/09/13					
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	<0.02	5	no	6/08/13	15/08/13	16/09/13					
	Ammonia	mg/L	Monthly	0.08	32	no	18/09/13	27/09/13	9/10/13					
	Arsenic	mg/L	Monthly	<0.001	1	no	18/09/13	27/09/13	9/10/13					
	Cadmium	mg/L	Monthly	0.0010	1	no	18/09/13	27/09/13	9/10/13					
	Chlorine (total residual)	mg/L	Monthly	<0.2	50	no	18/09/13	27/09/13	9/10/13					
	Chromium	mg/L	Monthly	0.003	3	no	18/09/13	27/09/13	9/10/13					
	Copper	mg/L	Monthly	0.146	5	no	18/09/13	27/09/13	9/10/13					
	Lead	mg/L	Monthly	0.003	2	no	18/09/13	27/09/13	9/10/13					



EPA Licence Number: L1027  
 Licensee Name: Boral CSR Bricks Pty Limited  
 Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178  
 Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Manganese	mg/L	Monthly	3.980	5	no	18/09/13	27/09/13	9/10/13					
	Mercury	mg/L	Monthly	<0.0001	0.03	no	18/09/13	27/09/13	9/10/13					
	Nickel	mg/L	Monthly	0.288	1	no	18/09/13	27/09/13	9/10/13					
	Oil and Grease	mg/L	Monthly	<5	25	no	18/09/13	27/09/13	9/10/13					
	pH	pH	Monthly	7.8	6.5-10.0	no	18/09/13	27/09/13	9/10/13					
	Phosphorus	mg/L	Monthly	0.21	10	no	18/09/13	27/09/13	9/10/13					
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	<0.0005	8	no	18/09/13	27/09/13	9/10/13					
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	0.370	5	no	18/09/13	27/09/13	9/10/13					
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	0.020	5	no	18/09/13	27/09/13	9/10/13					
	Ammonia	mg/L	Monthly	0.09	32	no	1/10/13	11/10/13	16/10/13					
	Arsenic	mg/L	Monthly	0.003	1	no	1/10/13	11/10/13	16/10/13					
	Cadmium	mg/L	Monthly	<0.0001	1	no	1/10/13	11/10/13	16/10/13					
	Chlorine (total residual)	mg/L	Monthly	<0.2	50	no	1/10/13	11/10/13	16/10/13					
	Chromium	mg/L	Monthly	<0.001	3	no	1/10/13	11/10/13	16/10/13					
	Copper	mg/L	Monthly	0.284	5	no	1/10/13	11/10/13	16/10/13					
	Lead	mg/L	Monthly	<0.001	2	no	1/10/13	11/10/13	16/10/13					
	Manganese	mg/L	Monthly	<0.001	5	no	1/10/13	11/10/13	16/10/13					
	Mercury	mg/L	Monthly	<0.0001	0.03	no	1/10/13	11/10/13	16/10/13					
	Nickel	mg/L	Monthly	0.030	1	no	1/10/13	11/10/13	16/10/13					
	Oil and Grease	mg/L	Monthly	<5	25	no	1/10/13	11/10/13	16/10/13					
	pH	pH	Monthly	8.28	6.5-10.0	no	1/10/13	11/10/13	16/10/13					
	Phosphorus	mg/L	Monthly	0.32	10	no	1/10/13	11/10/13	16/10/13					
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	<0.0005	8	no	1/10/13	11/10/13	16/10/13					
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	0.320	5	no	1/10/13	11/10/13	16/10/13					
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	<0.02	5	no	1/10/13	11/10/13	16/10/13					
	Ammonia	mg/L	Monthly	0.02	32	no	4/11/13	12/11/13	12/12/13					
	Arsenic	mg/L	Monthly	0.001	1	no	4/11/13	12/11/13	12/12/13					
	Cadmium	mg/L	Monthly	0.0003	1	no	4/11/13	12/11/13	12/12/13					
	Chlorine (total residual)	mg/L	Monthly	<0.2	50	no	4/11/13	12/11/13	12/12/13					
	Chromium	mg/L	Monthly	<0.001	3	no	4/11/13	12/11/13	12/12/13					
	Copper	mg/L	Monthly	0.207	5	no	4/11/13	12/11/13	12/12/13					
	Lead	mg/L	Monthly	<0.001	2	no	4/11/13	12/11/13	12/12/13					
	Manganese	mg/L	Monthly	<0.001	5	no	4/11/13	12/11/13	12/12/13					
	Mercury	mg/L	Monthly	<0.0001	0.03	no	4/11/13	12/11/13	12/12/13					
	Nickel	mg/L	Monthly	0.034	1	no	4/11/13	12/11/13	12/12/13					

EPA Licence Number: L1027  
 Licensee Name: Boral CSR Bricks Pty Limited  
 Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178  
 Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Oil and Grease	mg/L	Monthly	<5	25	no	4/11/13	12/11/13	12/12/13					
	pH	pH	Monthly	8.01	6.5-10.0	no	4/11/13	12/11/13	12/12/13					
	Phosphorus	mg/L	Monthly	0.05	10	no	4/11/13	12/11/13	12/12/13					
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	<0.0005	8	no	4/11/13	12/11/13	12/12/13					
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	0.350	5	no	4/11/13	12/11/13	12/12/13					
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	<0.02	5	no	4/11/13	12/11/13	12/12/13					
	Ammonia	mg/L	Monthly	0.02	32	no	3/12/13	13/12/13	7/01/14					
	Arsenic	mg/L	Monthly	0.002	1	no	3/12/13	13/12/13	7/01/14					
	Cadmium	mg/L	Monthly	<0.0001	1	no	3/12/13	13/12/13	7/01/14					
	Chlorine (total residual)	mg/L	Monthly	<0.2	50	no	3/12/13	13/12/13	7/01/14					
	Chromium	mg/L	Monthly	<0.001	3	no	3/12/13	13/12/13	7/01/14					
	Copper	mg/L	Monthly	0.075	5	no	3/12/13	13/12/13	7/01/14					
	Lead	mg/L	Monthly	<0.001	2	no	3/12/13	13/12/13	7/01/14					
	Manganese	mg/L	Monthly	<0.001	5	no	3/12/13	13/12/13	7/01/14					
	Mercury	mg/L	Monthly	<0.0001	0.03	no	3/12/13	13/12/13	7/01/14					
	Nickel	mg/L	Monthly	0.024	1	no	3/12/13	13/12/13	7/01/14					
	Oil and Grease	mg/L	Monthly	<5	25	no	3/12/13	13/12/13	7/01/14					
	pH	pH	Monthly	7.99	6.5-10.0	no	3/12/13	13/12/13	7/01/14					
	Phosphorus	mg/L	Monthly	0.4	10	no	3/12/13	13/12/13	7/01/14					
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	<0.0005	8	no	3/12/13	13/12/13	7/01/14					
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	0.250	5	no	3/12/13	13/12/13	7/01/14					
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	<0.02	5	no	3/12/13	13/12/13	7/01/14					
	Ammonia	mg/L	Monthly	2.51	32	no	3/01/14	15/01/14	30/01/14					
	Arsenic	mg/L	Monthly	0.001	1	no	3/01/14	15/01/14	30/01/14					
	Cadmium	mg/L	Monthly	<0.0001	1	no	3/01/14	15/01/14	30/01/14					
	Chlorine (total residual)	mg/L	Monthly	<0.2	50	no	3/01/14	15/01/14	30/01/14					
	Chromium	mg/L	Monthly	<0.001	3	no	3/01/14	15/01/14	30/01/14					
	Copper	mg/L	Monthly	0.251	5	no	3/01/14	15/01/14	30/01/14					
	Lead	mg/L	Monthly	0.001	2	no	3/01/14	15/01/14	30/01/14					
	Manganese	mg/L	Monthly	0.266	5	no	3/01/14	15/01/14	30/01/14					
	Mercury	mg/L	Monthly	<0.0001	0.03	no	3/01/14	15/01/14	30/01/14					
	Nickel	mg/L	Monthly	0.023	1	no	3/01/14	15/01/14	30/01/14					
	Oil and Grease	mg/L	Monthly	6	25	no	3/01/14	15/01/14	30/01/14					
	pH	pH	Monthly	7.86	6.5-10.0	no	3/01/14	15/01/14	30/01/14					
	Phosphorus	mg/L	Monthly	0.83	10	no	3/01/14	15/01/14	30/01/14					

EPA Licence Number: L1027  
 Licensee Name: Boral CSR Bricks Pty Limited  
 Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178  
 Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	<0.0005	8	no	3/01/14	15/01/14	30/01/14					
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	1.120	5	no	3/01/14	15/01/14	30/01/14					
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	0.050	5	no	3/01/14	15/01/14	30/01/14					
	Ammonia	mg/L	Monthly	0.02	32	no	3/02/14	20/02/14	27/02/14					
	Arsenic	mg/L	Monthly	0.002	1	no	3/02/14	20/02/14	27/02/14					
	Cadmium	mg/L	Monthly	<0.0001	1	no	3/02/14	20/02/14	27/02/14					
	Chlorine (total residual)	mg/L	Monthly	8.1	50	no	3/02/14	20/02/14	27/02/14					
	Chromium	mg/L	Monthly	<0.001	3	no	3/02/14	20/02/14	27/02/14					
	Copper	mg/L	Monthly	0.248	5	no	3/02/14	20/02/14	27/02/14					
	Lead	mg/L	Monthly	0.002	2	no	3/02/14	20/02/14	27/02/14					
	Manganese	mg/L	Monthly	0.010	5	no	3/02/14	20/02/14	27/02/14					
	Mercury	mg/L	Monthly	<0.0001	0.03	no	3/02/14	20/02/14	27/02/14					
	Nickel	mg/L	Monthly	0.062	1	no	3/02/14	20/02/14	27/02/14					
	Oil and Grease	mg/L	Monthly	<5	25	no	3/02/14	20/02/14	27/02/14					
	pH	pH	Monthly	7.97	6.5-10.0	no	3/02/14	20/02/14	27/02/14					
	Phosphorus	mg/L	Monthly	0.12	10	no	3/02/14	20/02/14	27/02/14					
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	<0.0005	8	no	3/02/14	20/02/14	27/02/14					
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	0.420	5	no	3/02/14	20/02/14	27/02/14					
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	0.040	5	no	3/02/14	20/02/14	27/02/14					
	Ammonia	mg/L	Monthly	<0.01	32	no	5/03/14	17/03/14	19/03/14					
	Arsenic	mg/L	Monthly	0.001	1	no	5/03/14	17/03/14	19/03/14					
	Cadmium	mg/L	Monthly	<0.0001	1	no	5/03/14	17/03/14	19/03/14					
	Chlorine (total residual)	mg/L	Monthly	<0.2	50	no	5/03/14	17/03/14	19/03/14					
	Chromium	mg/L	Monthly	<0.001	3	no	5/03/14	17/03/14	19/03/14					
	Copper	mg/L	Monthly	0.204	5	no	5/03/14	17/03/14	19/03/14					
	Lead	mg/L	Monthly	<0.001	2	no	5/03/14	17/03/14	19/03/14					
	Manganese	mg/L	Monthly	0.114	5	no	5/03/14	17/03/14	19/03/14					
	Mercury	mg/L	Monthly	<0.0001	0.03	no	5/03/14	17/03/14	19/03/14					
	Nickel	mg/L	Monthly	0.054	1	no	5/03/14	17/03/14	19/03/14					
	Oil and Grease	mg/L	Monthly	<5	25	no	5/03/14	17/03/14	19/03/14					
	pH	pH	Monthly	8.21	6.5-10.0	no	5/03/14	17/03/14	19/03/14					
	Phosphorus	mg/L	Monthly	0.34	10	no	5/03/14	17/03/14	19/03/14					
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	<0.0005	8	no	5/03/14	17/03/14	19/03/14					

EPA Licence Number: L1027  
 Licensee Name: Boral CSR Bricks Pty Limited  
 Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178  
 Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	0.820	5	no	5/03/14	17/03/14	19/03/14					
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	<0.020	5	no	5/03/14	17/03/14	19/03/14					
	Ammonia	mg/L	Monthly	0.31	32	no	3/04/14	17/04/14	27/05/14					
	Arsenic	mg/L	Monthly	0.002	1	no	3/04/14	17/04/14	27/05/14					
	Cadmium	mg/L	Monthly	<0.0001	1	no	3/04/14	17/04/14	27/05/14					
	Chlorine (total residual)	mg/L	Monthly	<0.2	50	no	3/04/14	17/04/14	27/05/14					
	Chromium	mg/L	Monthly	<0.001	3	no	3/04/14	17/04/14	27/05/14					
	Copper	mg/L	Monthly	0.025	5	no	3/04/14	17/04/14	27/05/14					
	Lead	mg/L	Monthly	<0.001	2	no	3/04/14	17/04/14	27/05/14					
	Manganese	mg/L	Monthly	0.002	5	no	3/04/14	17/04/14	27/05/14					
	Mercury	mg/L	Monthly	<0.0001	0.03	no	3/04/14	17/04/14	27/05/14					
	Nickel	mg/L	Monthly	0.073	1	no	3/04/14	17/04/14	27/05/14					
	Oil and Grease	mg/L	Monthly	<5	25	no	3/04/14	17/04/14	27/05/14					
	pH	pH	Monthly	8.37	6.5-10.0	no	3/04/14	17/04/14	27/05/14					
	Phosphorus	mg/L	Monthly	0.04	10	no	3/04/14	17/04/14	27/05/14					
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	<0.0005	8	no	3/04/14	17/04/14	27/05/14					
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	1.050	5	no	3/04/14	17/04/14	27/05/14					
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	<0.020	5	no	3/04/14	17/04/14	27/05/14					
	Ammonia	mg/L	Monthly	0.31	32	no	6/05/14	27/05/14	28/05/14					
	Arsenic	mg/L	Monthly	<0.001	1	no	6/05/14	27/05/14	28/05/14					
	Cadmium	mg/L	Monthly	<0.0001	1	no	6/05/14	27/05/14	28/05/14					
	Chlorine (total residual)	mg/L	Monthly	<0.2	50	no	6/05/14	27/05/14	28/05/14					
	Chromium	mg/L	Monthly	<0.001	3	no	6/05/14	27/05/14	28/05/14					
	Copper	mg/L	Monthly	0.003	5	no	6/05/14	27/05/14	28/05/14					
	Lead	mg/L	Monthly	<0.001	2	no	6/05/14	27/05/14	28/05/14					
	Manganese	mg/L	Monthly	0.016	5	no	6/05/14	27/05/14	28/05/14					
	Mercury	mg/L	Monthly	<0.0001	0.03	no	6/05/14	27/05/14	28/05/14					
	Nickel	mg/L	Monthly	0.024	1	no	6/05/14	27/05/14	28/05/14					
	Oil and Grease	mg/L	Monthly	<5	25	no	6/05/14	27/05/14	28/05/14					
	pH	pH	Monthly	8.28	6.5-10.0	no	6/05/14	27/05/14	28/05/14					
	Phosphorus	mg/L	Monthly	0.08	10	no	6/05/14	27/05/14	28/05/14					
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	<0.0005	8	no	6/05/14	27/05/14	28/05/14					

**EPA Licence Number:** L1027  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 7 Cecil Road, Cecil Park, NSW, 2178  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	0.930	5	no	6/05/14	27/05/14	28/05/14					
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	<0.020	5	no	6/05/14	27/05/14	28/05/14					
	Ammonia	mg/L	Monthly	0.02	32	no	4/06/14	17/06/14	3/07/14					
	Arsenic	mg/L	Monthly	0.003	1	no	4/06/14	17/06/14	3/07/14					
	Cadmium	mg/L	Monthly	<0.0001	1	no	4/06/14	17/06/14	3/07/14					
	Chlorine (total residual)	mg/L	Monthly	<0.2	50	no	4/06/14	17/06/14	3/07/14					
	Chromium	mg/L	Monthly	<0.001	3	no	4/06/14	17/06/14	3/07/14					
	Copper	mg/L	Monthly	0.442	5	no	4/06/14	17/06/14	3/07/14					
	Lead	mg/L	Monthly	<0.001	2	no	4/06/14	17/06/14	3/07/14					
	Manganese	mg/L	Monthly	0.003	5	no	4/06/14	17/06/14	3/07/14					
	Mercury	mg/L	Monthly	<0.0001	0.03	no	4/06/14	17/06/14	3/07/14					
	Nickel	mg/L	Monthly	0.026	1	no	4/06/14	17/06/14	3/07/14					
	Oil and Grease	mg/L	Monthly	<5	25	no	4/06/14	17/06/14	3/07/14					
	pH	pH	Monthly	8.44	6.5-10.0	no	4/06/14	17/06/14	3/07/14					
	Phosphorus	mg/L	Monthly	0.39	10	no	4/06/14	17/06/14	3/07/14					
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	<0.0005	8	no	4/06/14	17/06/14	3/07/14					
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	0.520	5	no	4/06/14	17/06/14	3/07/14					
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	<0.020	5	no	4/06/14	17/06/14	3/07/14					
	Ammonia	mg/L	Monthly	0.44	32	no	8/07/14	22/07/14	1/10/14					
	Arsenic	mg/L	Monthly	0.006	1	no	8/07/14	22/07/14	1/10/14					
	Cadmium	mg/L	Monthly	0.0003	1	no	8/07/14	22/07/14	1/10/14					
	Chlorine (total residual)	mg/L	Monthly	<0.2	50	no	8/07/14	22/07/14	1/10/14					
	Chromium	mg/L	Monthly	0.001	3	no	8/07/14	22/07/14	1/10/14					
	Copper	mg/L	Monthly	0.367	5	no	8/07/14	22/07/14	1/10/14					
	Lead	mg/L	Monthly	<0.001	2	no	8/07/14	22/07/14	1/10/14					
	Manganese	mg/L	Monthly	0.006	5	no	8/07/14	22/07/14	1/10/14					
	Mercury	mg/L	Monthly	0.0007	0.03	no	8/07/14	22/07/14	1/10/14					
	Nickel	mg/L	Monthly	0.031	1	no	8/07/14	22/07/14	1/10/14					
	Oil and Grease	mg/L	Monthly	<5	25	no	8/07/14	22/07/14	1/10/14					
	pH	pH	Monthly	8.18	6.5-10.0	no	8/07/14	22/07/14	1/10/14					
	Phosphorus	mg/L	Monthly	1.98	10	no	8/07/14	22/07/14	1/10/14					
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	<0.5	8	no	8/07/14	22/07/14	1/10/14					

**EPA Licence Number:** L1027  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 7 Cecil Road, Cecil Park, NSW, 2178  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	1.440	5	no	8/07/14	22/07/14	1/10/14					
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	<0.020	5	no	8/07/14	22/07/14	1/10/14					
	Ammonia	mg/L	Monthly	20.2	32	no	19/08/14	27/08/14	22/09/14					
	Arsenic	mg/L	Monthly	0.013	1	no	19/08/14	27/08/14	22/09/14					
	Cadmium	mg/L	Monthly	<0.0001	1	no	19/08/14	27/08/14	22/09/14					
	Chlorine (total residual)	mg/L	Monthly	<0.2	50	no	19/08/14	27/08/14	22/09/14					
	Chromium	mg/L	Monthly	0.002	3	no	19/08/14	27/08/14	22/09/14					
	Copper	mg/L	Monthly	0.006	5	no	19/08/14	27/08/14	22/09/14					
	Lead	mg/L	Monthly	<0.001	2	no	19/08/14	27/08/14	22/09/14					
	Manganese	mg/L	Monthly	0.222	5	no	19/08/14	27/08/14	22/09/14					
	Mercury	mg/L	Monthly	<0.0001	0.03	no	19/08/14	27/08/14	22/09/14					
	Nickel	mg/L	Monthly	0.028	1	no	19/08/14	27/08/14	22/09/14					
	Oil and Grease	mg/L	Monthly	7	25	no	19/08/14	27/08/14	22/09/14					
	pH	pH	Monthly	8.02	6.5-10.0	no	19/08/14	27/08/14	22/09/14					
	Phosphorus	mg/L	Monthly	0.04	10	no	19/08/14	27/08/14	22/09/14					
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	<0.0005	8	no	19/08/14	27/08/14	22/09/14					
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	1.740	5	no	19/08/14	27/08/14	22/09/14					
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	<0.020	5	no	19/08/14	27/08/14	22/09/14					
	Ammonia	mg/L	Monthly	0.02	32	no	9/09/14	17/09/14	22/09/14					
	Arsenic	mg/L	Monthly	0.009	1	no	9/09/14	17/09/14	22/09/14					
	Cadmium	mg/L	Monthly	<0.0001	1	no	9/09/14	17/09/14	22/09/14					
	Chlorine (total residual)	mg/L	Monthly	<0.2	50	no	9/09/14	17/09/14	22/09/14					
	Chromium	mg/L	Monthly	<0.001	3	no	9/09/14	17/09/14	22/09/14					
	Copper	mg/L	Monthly	0.266	5	no	9/09/14	17/09/14	22/09/14					
	Lead	mg/L	Monthly	0.002	2	no	9/09/14	17/09/14	22/09/14					
	Manganese	mg/L	Monthly	0.075	5	no	9/09/14	17/09/14	22/09/14					
	Mercury	mg/L	Monthly	<0.0001	0.03	no	9/09/14	17/09/14	22/09/14					
	Nickel	mg/L	Monthly	0.041	1	no	9/09/14	17/09/14	22/09/14					
	Oil and Grease	mg/L	Monthly	<5	25	no	9/09/14	17/09/14	22/09/14					
	pH	pH	Monthly	8.14	6.5-10.0	no	9/09/14	17/09/14	22/09/14					
	Phosphorus	mg/L	Monthly	0.03	10	no	9/09/14	17/09/14	22/09/14					
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	<0.0005	8	no	9/09/14	17/09/14	22/09/14					

**EPA Licence Number:** L1027  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 7 Cecil Road, Cecil Park, NSW, 2178  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	0.280	5	no	9/09/14	17/09/14	22/09/14					
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	<0.020	5	no	9/09/14	17/09/14	22/09/14					
	Ammonia	mg/L	Monthly	3.2	32	no	14/10/14	23/10/14	11/11/14					
	Arsenic	mg/L	Monthly	<0.005	1	no	14/10/14	23/10/14	11/11/14					
	Cadmium	mg/L	Monthly	<0.0005	1	no	14/10/14	23/10/14	11/11/14					
	Chlorine (total residual)	mg/L	Monthly	0.6	50	no	14/10/14	23/10/14	11/11/14					
	Chromium	mg/L	Monthly	<0.005	3	no	14/10/14	23/10/14	11/11/14					
	Copper	mg/L	Monthly	0.320	5	no	14/10/14	23/10/14	11/11/14					
	Lead	mg/L	Monthly	<0.005	2	no	14/10/14	23/10/14	11/11/14					
	Manganese	mg/L	Monthly	<0.005	5	no	14/10/14	23/10/14	11/11/14					
	Mercury	mg/L	Monthly	<0.0001	0.03	no	14/10/14	23/10/14	11/11/14					
	Nickel	mg/L	Monthly	<0.005	1	no	14/10/14	23/10/14	11/11/14					
	Oil and Grease	mg/L	Monthly	<10	25	no	14/10/14	23/10/14	11/11/14					
	pH	pH	Monthly	7.5	6.5-10.0	no	14/10/14	23/10/14	11/11/14					
	Phosphorus	mg/L	Monthly	<0.1	10	no	14/10/14	23/10/14	11/11/14					
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	<0.001	8	no	14/10/14	23/10/14	11/11/14					
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	<0.1	5	no	14/10/14	23/10/14	11/11/14					
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	0.060	5	no	14/10/14	23/10/14	11/11/14					
	Ammonia	mg/L	Monthly	1.9	32	no	6/11/14	8/12/14	12/01/15					
	Arsenic	mg/L	Monthly	<0.01	1	no	6/11/14	8/12/14	12/01/15					
	Cadmium	mg/L	Monthly	<0.01	1	no	6/11/14	8/12/14	12/01/15					
	Chlorine (total residual)	mg/L	Monthly	<0.1	50	no	6/11/14	8/12/14	12/01/15					
	Chromium	mg/L	Monthly	<0.01	3	no	6/11/14	8/12/14	12/01/15					
	Copper	mg/L	Monthly	0.10	5	no	6/11/14	8/12/14	12/01/15					
	Lead	mg/L	Monthly	<0.01	2	no	6/11/14	8/12/14	12/01/15					
	Manganese	mg/L	Monthly	0.062	5	no	6/11/14	8/12/14	12/01/15					
	Mercury	mg/L	Monthly	<0.0001	0.03	no	6/11/14	8/12/14	12/01/15					
	Nickel	mg/L	Monthly	0.050	1	no	6/11/14	8/12/14	12/01/15					
	Oil and Grease	mg/L	Monthly	10	25	no	6/11/14	8/12/14	12/01/15					
	pH	pH	Monthly	8.4	6.5-10.0	no	6/11/14	8/12/14	12/01/15					
	Phosphorus	mg/L	Monthly	<5	10	no	6/11/14	8/12/14	12/01/15					
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	0.006	8	no	6/11/14	8/12/14	12/01/15					

**EPA Licence Number:** L1027  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 7 Cecil Road, Cecil Park, NSW, 2178  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	<0.1	5	no	6/11/14	8/12/14	12/01/15					
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	<0.4	5	no	6/11/14	8/12/14	13/01/15					
	Ammonia	mg/L	Monthly	0.06	32	no	3/12/14	18/12/14	12/01/15					
	Arsenic	mg/L	Monthly	<0.001	1	no	3/12/14	18/12/14	12/01/15					
	Cadmium	mg/L	Monthly	<0.0001	1	no	3/12/14	18/12/14	12/01/15					
	Chlorine (total residual)	mg/L	Monthly	<0.2	50	no	3/12/14	18/12/14	12/01/15					
	Chromium	mg/L	Monthly	<0.001	3	no	3/12/14	18/12/14	12/01/15					
	Copper	mg/L	Monthly	0.64	5	no	3/12/14	18/12/14	12/01/15					
	Lead	mg/L	Monthly	0.002	2	no	3/12/14	18/12/14	12/01/15					
	Manganese	mg/L	Monthly	0.002	5	no	3/12/14	18/12/14	12/01/15					
	Mercury	mg/L	Monthly	<0.0001	0.03	no	3/12/14	18/12/14	12/01/15					
	Nickel	mg/L	Monthly	0.017	1	no	3/12/14	18/12/14	12/01/15					
	Oil and Grease	mg/L	Monthly	<5	25	no	3/12/14	18/12/14	12/01/15					
	pH	pH	Monthly	8.17	6.5-10.0	no	3/12/14	18/12/14	12/01/15					
	Phosphorus	mg/L	Monthly	0.03	10	no	3/12/14	18/12/14	12/01/15					
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	<0.0005	8	no	3/12/14	18/12/14	12/01/15					
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	0.280	5	no	3/12/14	18/12/14	12/01/15					
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	0.130	5	no	3/12/14	18/12/14	12/01/15					
	Ammonia	mg/L	Monthly	0.06	32	no	19/01/15	3/02/15	9/02/15					
	Arsenic	mg/L	Monthly	0.018	1	no	19/01/15	3/02/15	9/02/15					
	Cadmium	mg/L	Monthly	0.0003	1	no	19/01/15	3/02/15	9/02/15					
	Chlorine (total residual)	mg/L	Monthly	<0.2	50	no	19/01/15	3/02/15	9/02/15					
	Chromium	mg/L	Monthly	<0.001	3	no	19/01/15	3/02/15	9/02/15					
	Copper	mg/L	Monthly	0.476	5	no	19/01/15	3/02/15	9/02/15					
	Lead	mg/L	Monthly	0.006	2	no	19/01/15	3/02/15	9/02/15					
	Manganese	mg/L	Monthly	0.003	5	no	19/01/15	3/02/15	9/02/15					
	Mercury	mg/L	Monthly	<0.0001	0.03	no	19/01/15	3/02/15	9/02/15					
	Nickel	mg/L	Monthly	0.024	1	no	19/01/15	3/02/15	9/02/15					
	Oil and Grease	mg/L	Monthly	8	25	no	19/01/15	3/02/15	9/02/15					
	pH	pH	Monthly	8.17	6.5-10.0	no	19/01/15	3/02/15	9/02/15					
	Phosphorus	mg/L	Monthly	0.03	10	no	19/01/15	3/02/15	9/02/15					
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	<0.0005	8	no	19/01/15	3/02/15	9/02/15					



**EPA Licence Number:** L1027  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 7 Cecil Road, Cecil Park, NSW, 2178  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	1.420	5	no	19/01/15	3/02/15	9/02/15					
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	0.040	5	no	19/01/15	3/02/15	9/02/15					
	Ammonia	mg/L	Monthly	0.09	32	no	3/02/15	11/02/15	18/03/15					
	Arsenic	mg/L	Monthly	<0.001	1	no	3/02/15	11/02/15	18/03/15					
	Cadmium	mg/L	Monthly	<0.0001	1	no	3/02/15	11/02/15	18/03/15					
	Chlorine (total residual)	mg/L	Monthly	<0.2	50	no	3/02/15	11/02/15	18/03/15					
	Chromium	mg/L	Monthly	<0.001	3	no	3/02/15	11/02/15	18/03/15					
	Copper	mg/L	Monthly	0.608	5	no	3/02/15	11/02/15	18/03/15					
	Lead	mg/L	Monthly	0.005	2	no	3/02/15	11/02/15	18/03/15					
	Manganese	mg/L	Monthly	0.001	5	no	3/02/15	11/02/15	18/03/15					
	Mercury	mg/L	Monthly	<0.0001	0.03	no	3/02/15	11/02/15	18/03/15					
	Nickel	mg/L	Monthly	0.004	1	no	3/02/15	11/02/15	18/03/15					
	Oil and Grease	mg/L	Monthly	<5	25	no	3/02/15	11/02/15	18/03/15					
	pH	pH	Monthly	8.38	6.5-10.0	no	3/02/15	11/02/15	18/03/15					
	Phosphorus	mg/L	Monthly	<0.01	10	no	3/02/15	11/02/15	18/03/15					
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	<0.0005	8	no	3/02/15	11/02/15	18/03/15					
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	<0.05	5	no	3/02/15	11/02/15	18/03/15					
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	0.030	5	no	3/02/15	11/02/15	18/03/15					
	Ammonia	mg/L	Monthly	0.02	32	no	23/03/15	30/03/15	9/04/15					
	Arsenic	mg/L	Monthly	0.077	1	no	23/03/15	30/03/15	9/04/15					
	Cadmium	mg/L	Monthly	<0.0001	1	no	23/03/15	30/03/15	9/04/15					
	Chlorine (total residual)	mg/L	Monthly	<0.2	50	no	23/03/15	30/03/15	9/04/15					
	Chromium	mg/L	Monthly	<0.001	3	no	23/03/15	30/03/15	9/04/15					
	Copper	mg/L	Monthly	0.673	5	no	23/03/15	30/03/15	9/04/15					
	Lead	mg/L	Monthly	0.004	2	no	23/03/15	30/03/15	9/04/15					
	Manganese	mg/L	Monthly	0.019	5	no	23/03/15	30/03/15	9/04/15					
	Mercury	mg/L	Monthly	<0.0001	0.03	no	23/03/15	30/03/15	9/04/15					
	Nickel	mg/L	Monthly	0.005	1	no	23/03/15	30/03/15	9/04/15					
	Oil and Grease	mg/L	Monthly	6	25	no	23/03/15	30/03/15	9/04/15					
	pH	pH	Monthly	7.99	6.5-10.0	no	23/03/15	30/03/15	9/04/15					
	Phosphorus	mg/L	Monthly	0.08	10	no	23/03/15	30/03/15	9/04/15					
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	<0.0005	8	no	23/03/15	30/03/15	9/04/15					

**EPA Licence Number:** L1027  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 7 Cecil Road, Cecil Park, NSW, 2178  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	<0.05	5	no	23/03/15	30/03/15	9/04/15					
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	<0.02	5	no	23/03/15	30/03/15	9/04/15					
	Ammonia	mg/L	Monthly	0.02	32	no	27/04/15	12/05/15	29/05/15					
	Arsenic	mg/L	Monthly	0.041	1	no	27/04/15	12/05/15	29/05/15					
	Cadmium	mg/L	Monthly	<0.0001	1	no	27/04/15	12/05/15	29/05/15					
	Chlorine (total residual)	mg/L	Monthly	<0.2	50	no	27/04/15	12/05/15	29/05/15					
	Chromium	mg/L	Monthly	<0.001	3	no	27/04/15	12/05/15	29/05/15					
	Copper	mg/L	Monthly	0.227	5	no	27/04/15	12/05/15	29/05/15					
	Lead	mg/L	Monthly	0.004	2	no	27/04/15	12/05/15	29/05/15					
	Manganese	mg/L	Monthly	0.007	5	no	27/04/15	12/05/15	29/05/15					
	Mercury	mg/L	Monthly	<0.0001	0.03	no	27/04/15	12/05/15	29/05/15					
	Nickel	mg/L	Monthly	0.034	1	no	27/04/15	12/05/15	29/05/15					
	Oil and Grease	mg/L	Monthly	<5	25	no	27/04/15	12/05/15	29/05/15					
	pH	pH	Monthly	8.06	6.5-10.0	no	27/04/15	12/05/15	29/05/15					
	Phosphorus	mg/L	Monthly	0.41	10	no	27/04/15	12/05/15	29/05/15					
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	<0.0006	8	no	27/04/15	12/05/15	29/05/15					
	Total Petroleum Hydrocarbon C10-C36 Fraction	mg/L	Monthly	0.400	5	no	27/04/15	12/05/15	29/05/15					
	Total Petroleum Hydrocarbon C6-C9 Fraction	mg/L	Monthly	0.030	5	no	27/04/15	12/05/15	29/05/15					
	Ammonia	mg/L	Monthly	<0.01	32	no	13/05/15	25/05/15	3/06/15					
	Arsenic	mg/L	Monthly	0.005	1	no	13/05/15	25/05/15	3/06/15					
	Cadmium	mg/L	Monthly	<0.0001	1	no	13/05/15	25/05/15	3/06/15					
	Chlorine (total residual)	mg/L	Monthly	<0.2	50	no	13/05/15	25/05/15	3/06/15					
	Chromium	mg/L	Monthly	<0.001	3	no	13/05/15	25/05/15	3/06/15					
	Copper	mg/L	Monthly	0.327	5	no	13/05/15	25/05/15	3/06/15					
	Lead	mg/L	Monthly	0.003	2	no	13/05/15	25/05/15	3/06/15					
	Manganese	mg/L	Monthly	0.014	5	no	13/05/15	25/05/15	3/06/15					
	Mercury	mg/L	Monthly	<0.0001	0.03	no	13/05/15	25/05/15	3/06/15					
	Nickel	mg/L	Monthly	0.004	1	no	13/05/15	25/05/15	3/06/15					
	Oil and Grease	mg/L	Monthly	<5	25	no	13/05/15	25/05/15	3/06/15					
	pH	pH	Monthly	7.58	6.5-10.0	no	13/05/15	25/05/15	3/06/15					
	Phosphorus	mg/L	Monthly	0.01	10	no	13/05/15	25/05/15	3/06/15					
	Polycyclic Aromatic Hydrocarbons	mg/L	Monthly	<0.0005	8	no	13/05/15	25/05/15	3/06/15					



EPA Licence Number: L1027  
Licensee Name: Boral CSR Bricks Pty Limited  
Licensee Address: Lot 7 Cecil Road, Cecil Park, NSW, 2178  
Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55182&SYSUID=1&LICID=1027>

