



**EPA Licence Number:** L123  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
Point 2	Carbon Dioxide	% by volume	Quarterly	22.6			17/05/12	7/06/12	30/06/12					
GM1	Methane	% by volume	Quarterly	67.7	1.25	yes	17/05/12	7/06/12	30/06/12				5316% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	0.8			17/05/12	7/06/12	30/06/12					
	Carbon Dioxide	% by volume	Quarterly	21.2			9/08/12	13/08/12	3/09/12					
	Methane	% by volume	Quarterly	71.8	1.25	yes	9/08/12	13/08/12	3/09/12				5644% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	0.1			9/08/12	13/08/12	3/09/12					
	Carbon Dioxide	% by volume	Quarterly	15.5			26/11/12	5/12/12	21/01/13					
	Methane	% by volume	Quarterly	38.4	1.25	yes	26/11/12	5/12/12	21/01/13				2972% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	5.8			26/11/12	5/12/12	21/01/13					
	Carbon Dioxide	% by volume	Quarterly	5.4			19/02/13	5/03/13	29/05/13					
	Methane	% by volume	Quarterly	11.2	1.25	yes	19/02/13	5/03/13	29/05/13				796% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	16.0			19/02/13	5/03/13	29/05/13					
	Carbon Dioxide	% by volume	Quarterly	12.2			14/05/13	22/05/13	29/05/13					
	Methane	% by volume	Quarterly	32.8	1.25	yes	14/05/13	22/05/13	29/05/13				2524% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	9.7			14/05/13	22/05/13	29/05/13					
	Carbon Dioxide	% by volume	Quarterly	21.9			6/08/13	26/08/13	25/10/13					
	Methane	% by volume	Quarterly	76.5	1.25	yes	6/08/13	26/08/13	25/10/13				6020% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	0.0			6/08/13	26/08/13	25/10/13					
	Carbon Dioxide	% by volume	Quarterly	0.2			13/11/13	27/11/13	16/01/14					
	Methane	% by volume	Quarterly	0.2	1.25		13/11/13	27/11/13	16/01/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.5			13/11/13	27/11/13	16/01/14					
	Carbon Dioxide	% by volume	Quarterly	9.3			4/02/14	20/02/14	18/06/14					
	Methane	% by volume	Quarterly	3.1	1.25		4/02/14	20/02/14	18/06/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	10.6			4/02/14	20/02/14	18/06/14					
	Carbon Dioxide	% by volume	Quarterly	9.3			8/05/14	28/05/14	18/06/14					
	Methane	% by volume	Quarterly	20.8	1.25	yes	8/05/14	28/05/14	18/06/14				1564% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	11.6			8/05/14	28/05/14	18/06/14					
	Carbon Dioxide	% by volume	Quarterly	11.1			5/08/14	30/09/14	16/01/15					
	Methane	% by volume	Quarterly	32.0	1.25	yes	5/08/14	30/09/14	16/01/15				2460% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	10.1			5/08/14	30/09/14	16/01/15					

**EPA Licence Number:** L123  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Carbon Dioxide	% by volume	Quarterly	1.9			11/11/14	5/12/14	16/01/15					
	Methane	% by volume	Quarterly	3.3	1.25	yes	11/11/14	5/12/14	16/01/15				164% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.0			11/11/14	5/12/14	16/01/15					
	Carbon Dioxide	% by volume	Quarterly	4.1			4/02/15	19/02/15	10/06/15					
	Methane	% by volume	Quarterly	9.0	1.25	yes	4/02/15	19/02/15	10/06/15					No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	16.8			4/02/15	19/02/15	10/06/15					
Point 3	Carbon Dioxide	% by volume	Quarterly	1.8			17/05/12	7/06/12	30/06/12					
GM2	Methane	% by volume	Quarterly	4.1	1.25	yes	17/05/12	7/06/12	30/06/12				228% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	18			17/05/12	7/06/12	30/06/12					
	Carbon Dioxide	% by volume	Quarterly	5.0			9/08/12	13/08/12	3/09/12					
	Methane	% by volume	Quarterly	14.6	1.25	yes	9/08/12	13/08/12	3/09/12				1068% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	15.6			9/08/12	13/08/12	3/09/12					
	Carbon Dioxide	% by volume	Quarterly	2.4			26/11/12	5/12/12	21/01/13					
	Methane	% by volume	Quarterly	6.7	1.25	yes	26/11/12	5/12/12	21/01/13				436% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	16.7			26/11/12	5/12/12	21/01/13					
	Carbon Dioxide	% by volume	Quarterly	2.1			19/02/13	5/03/13	29/05/13					
	Methane	% by volume	Quarterly	7.4	1.25	yes	19/02/13	5/03/13	29/05/13				492% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	17.9			19/02/13	5/03/13	29/05/13					
	Carbon Dioxide	% by volume	Quarterly	7.6			14/05/13	22/05/13	29/05/13					
	Methane	% by volume	Quarterly	25.1	1.25	yes	14/05/13	22/05/13	29/05/13				1908% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	11.3			14/05/13	22/05/13	29/05/13					
	Carbon Dioxide	% by volume	Quarterly	3.6			6/08/13	26/08/13	25/10/13					
	Methane	% by volume	Quarterly	11.9	1.25	yes	6/08/13	26/08/13	25/10/13				852% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	16.7			6/08/13	26/08/13	25/10/13					
	Carbon Dioxide	% by volume	Quarterly	0.2			13/11/13	27/11/13	16/01/14					
	Methane	% by volume	Quarterly	0.2	1.25		13/11/13	27/11/13	16/01/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.6			13/11/13	27/11/13	16/01/14					
	Carbon Dioxide	% by volume	Quarterly	0.7			4/02/14	20/02/14	18/06/14					
	Methane	% by volume	Quarterly	0.0	1.25		4/02/14	20/02/14	18/06/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.7			4/02/14	20/02/14	18/06/14					

**EPA Licence Number:** L123  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Carbon Dioxide	% by volume	Quarterly	0.3			8/05/14	28/05/14	20/06/14					
	Methane	% by volume	Quarterly	0.1	1.25		8/05/14	28/05/14	20/06/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	20.1			8/05/14	28/05/14	20/06/14					
	Carbon Dioxide	% by volume	Quarterly	0.4			5/08/14	30/09/14	16/01/15					
	Methane	% by volume	Quarterly	0.3	1.25		5/08/14	30/09/14	16/01/15					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.9			5/08/14	30/09/14	16/01/15					
	Carbon Dioxide	% by volume	Quarterly	1			11/11/14	5/12/14	16/01/15					
	Methane	% by volume	Quarterly	1.6	1.25	yes	11/11/14	5/12/14	16/01/15				28% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.8			11/11/14	5/12/14	16/01/15					
	Carbon Dioxide	% by volume	Quarterly	0.5			4/02/15	19/02/15	10/06/15					
	Methane	% by volume	Quarterly	0.5	1.25		4/02/15	19/02/15	10/06/15					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.7			4/02/15	19/02/15	10/06/15					
Point 4	Carbon Dioxide	% by volume	Quarterly	0.2			17/05/12	7/06/12	30/06/12					
GM3	Methane	% by volume	Quarterly	0	1.25	No	17/05/12	7/06/12	30/06/12					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	20.1			17/05/12	7/06/12	30/06/12					
	Carbon Dioxide	% by volume	Quarterly	1.2			9/08/12	13/08/12	3/09/12					
	Methane	% by volume	Quarterly	0.9	1.25	No	9/08/12	13/08/12	3/09/12					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	18.9			9/08/12	13/08/12	3/09/12					
	Carbon Dioxide	% by volume	Quarterly	1.6			26/11/12	5/12/12	21/01/13					
	Methane	% by volume	Quarterly	0	1.25	No	26/11/12	5/12/12	21/01/13					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	17.6			26/11/12	5/12/12	21/01/13					
	Carbon Dioxide	% by volume	Quarterly	0.3			19/02/13	5/03/13	29/05/13					
	Methane	% by volume	Quarterly	0.2	1.25	No	19/02/13	5/03/13	29/05/13					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.8			19/02/13	5/03/13	29/05/13					
	Carbon Dioxide	% by volume	Quarterly	15.7			14/05/13	22/05/13	29/05/13					
	Methane	% by volume	Quarterly	8.6	1.25	yes	14/05/13	22/05/13	29/05/13				588% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	4.4			14/05/13	22/05/13	29/05/13					
	Carbon Dioxide	% by volume	Quarterly	2			6/08/13	26/08/13	25/10/13					

**EPA Licence Number:** L123  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Methane	% by volume	Quarterly	2.7	1.25	yes	6/08/13	26/08/13	25/10/13				116% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	18			6/08/13	26/08/13	25/10/13					
	Carbon Dioxide	% by volume	Quarterly	0.2			13/11/13	27/11/13	16/01/14					
	Methane	% by volume	Quarterly	0	1.25		13/11/13	27/11/13	16/01/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.3			13/11/13	27/11/13	16/01/14					
	Carbon Dioxide	% by volume	Quarterly	0.4			4/02/14	20/02/14	18/06/14					
	Methane	% by volume	Quarterly	0.1	1.25		4/02/14	20/02/14	18/06/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.9			4/02/14	20/02/14	18/06/14					
	Carbon Dioxide	% by volume	Quarterly	2.7			8/05/14	28/05/14	20/06/14					
	Methane	% by volume	Quarterly	0.0	1.25		8/05/14	28/05/14	20/06/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	18.0			8/05/14	28/05/14	20/06/14					
	Carbon Dioxide	% by volume	Quarterly	1.3			5/08/14	30/09/14	16/01/15					
	Methane	% by volume	Quarterly	0.0	1.25		5/08/14	30/09/14	16/01/15					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	18.7			5/08/14	30/09/14	16/01/15					
	Carbon Dioxide	% by volume	Quarterly	2.4			11/11/14	5/12/14	16/01/15					
	Methane	% by volume	Quarterly	0.0	1.25		11/11/14	5/12/14	16/01/15					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	18.2			11/11/14	5/12/14	16/01/15					
	Carbon Dioxide	% by volume	Quarterly	5.4			4/02/15	19/02/15	10/06/15					
	Methane	% by volume	Quarterly	0	1.25		4/02/15	19/02/15	10/06/15					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	13.9			4/02/15	19/02/15	10/06/15					
Point 5	Carbon Dioxide	% by volume	Quarterly	2.7			17/05/12	7/06/12	30/06/12					
GM4	Methane	% by volume	Quarterly	8.1	1.25	yes	17/05/12	7/06/12	30/06/12				548% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	17.9			17/05/12	7/06/12	30/06/12					
	Carbon Dioxide	% by volume	Quarterly	1.7			9/08/12	13/08/12	3/09/12					
	Methane	% by volume	Quarterly	5.6	1.25	yes	9/08/12	13/08/12	3/09/12				348% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	18.5			9/08/12	13/08/12	3/09/12					
	Carbon Dioxide	% by volume	Quarterly	0.9			26/11/12	5/12/12	21/01/13					
	Methane	% by volume	Quarterly	2.2	1.25	yes	26/11/12	5/12/12	21/01/13				76% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	18.8			26/11/12	5/12/12	21/01/13					

**EPA Licence Number:** L123  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Carbon Dioxide	% by volume	Quarterly	0.7			19/02/13	5/03/13	29/05/13					
	Methane	% by volume	Quarterly	0.8	1.25	No	19/02/13	5/03/13	29/05/13					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.1			19/02/13	5/03/13	29/05/13					
	Carbon Dioxide	% by volume	Quarterly	0.5			14/05/13	22/05/13	29/05/13					
	Methane	% by volume	Quarterly	0.7	1.25	No	14/05/13	22/05/13	29/05/13					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19			14/05/13	22/05/13	29/05/13					
	Carbon Dioxide	% by volume	Quarterly	1.6			6/08/13	26/08/13	25/10/13					
	Methane	% by volume	Quarterly	4.1	1.25	yes	6/08/13	26/08/13	25/10/13				228% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.5			6/08/13	26/08/13	25/10/13					
	Carbon Dioxide	% by volume	Quarterly	0.2			13/11/13	27/11/13	16/01/14					
	Methane	% by volume	Quarterly	0	1.25		13/11/13	27/11/13	16/01/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.2			13/11/13	27/11/13	16/01/14					
	Carbon Dioxide	% by volume	Quarterly	0.2			4/02/14	20/02/14	18/06/14					
	Methane	% by volume	Quarterly	0.1	1.25		4/02/14	20/02/14	18/06/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	20.0			4/02/14	20/02/14	18/06/14					
	Carbon Dioxide	% by volume	Quarterly	0.4			8/05/14	28/05/14	20/06/14					
	Methane	% by volume	Quarterly	0.2	1.25		8/05/14	28/05/14	20/06/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.8			8/05/14	28/05/14	20/06/14					
	Carbon Dioxide	% by volume	Quarterly	0.3			5/08/14	30/09/14	16/01/15					
	Methane	% by volume	Quarterly	0.0	1.25		5/08/14	30/09/14	16/01/15					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.9			5/08/14	30/09/14	16/01/15					
	Carbon Dioxide	% by volume	Quarterly	0.0			11/11/14	5/12/14	16/01/15					
	Methane	% by volume	Quarterly	0.0	1.25		11/11/14	5/12/14	16/01/15					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	20.4			11/11/14	5/12/14	16/01/15					
	Carbon Dioxide	% by volume	Quarterly	0.9			4/02/15	19/02/15	10/06/15					
	Methane	% by volume	Quarterly	0.1	1.25		4/02/15	19/02/15	10/06/15					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.9			4/02/15	19/02/15	10/06/15					
Point 6	Carbon Dioxide	% by volume	Quarterly	3.7			17/05/12	7/06/12	30/06/12					

**EPA Licence Number:** L123  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
GM5	Methane	% by volume	Quarterly	15.5	1.25	yes	17/05/12	7/06/12	30/06/12				1140% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	16.0			17/05/12	7/06/12	30/06/12					
	Carbon Dioxide	% by volume	Quarterly	3.3			9/08/12	13/08/12	3/09/12					
	Methane	% by volume	Quarterly	14.6	1.25	yes	9/08/12	13/08/12	3/09/12				914% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	15.9			9/08/12	13/08/12	3/09/12					
	Carbon Dioxide	% by volume	Quarterly	4.1			26/11/12	5/12/12	21/01/13					
	Methane	% by volume	Quarterly	15.1	1.25	yes	26/11/12	5/12/12	21/01/13				1108% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	14.8			26/11/12	5/12/12	21/01/13					
	Carbon Dioxide	% by volume	Quarterly	1.6			19/02/13	5/03/13	29/05/13					
	Methane	% by volume	Quarterly	4.1	1.25	yes	19/02/13	5/03/13	29/05/13				228% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	18.4			19/02/13	5/03/13	29/05/13					
	Carbon Dioxide	% by volume	Quarterly	3.6			14/05/13	22/05/13	29/05/13					
	Methane	% by volume	Quarterly	7.1	1.25	yes	14/05/13	22/05/13	29/05/13				468% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	16			14/05/13	22/05/13	29/05/13					
	Carbon Dioxide	% by volume	Quarterly	2.9			6/08/13	26/08/13	25/10/13					
	Methane	% by volume	Quarterly	10.1	1.25	yes	6/08/13	26/08/13	25/10/13				708% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	17.4			6/08/13	26/08/13	25/10/13					
	Carbon Dioxide	% by volume	Quarterly	0.4			13/11/13	27/11/13	16/01/14					
	Methane	% by volume	Quarterly	0.4	1.25		13/11/13	27/11/13	16/01/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	18.9			13/11/13	27/11/13	16/01/14					
	Carbon Dioxide	% by volume	Quarterly	3.7			4/02/14	20/02/14	18/06/14					
	Methane	% by volume	Quarterly	0.1	1.25		4/02/14	20/02/14	18/06/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	16.6			4/02/14	20/02/14	18/06/14					
	Carbon Dioxide	% by volume	Quarterly	7.9			8/05/14	28/05/14	20/06/14					
	Methane	% by volume	Quarterly	16.9	1.25	yes	8/05/14	28/05/14	20/06/14				1565% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	12.9			8/05/14	28/05/14	20/06/14					
	Carbon Dioxide	% by volume	Quarterly	0.4			5/08/14	30/09/14	16/01/15					
	Methane	% by volume	Quarterly	0.1	1.25		5/08/14	30/09/14	16/01/15					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.6			5/08/14	30/09/14	16/01/15					
	Carbon Dioxide	% by volume	Quarterly	0.4			11/11/14	5/12/14	16/01/15					

**EPA Licence Number:** L123  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Methane	% by volume	Quarterly	0.5	1.25		11/11/14	5/12/14	16/01/15					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.6			11/11/14	5/12/14	16/01/15					
	Carbon Dioxide	% by volume	Quarterly	1			4/02/15	19/02/15	10/06/15					
	Methane	% by volume	Quarterly	1.2	1.25		4/02/15	19/02/15	10/06/15					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	18.8			4/02/15	19/02/15	10/06/15					
Point 7	Carbon Dioxide	% by volume	Quarterly	0.5			17/05/12	7/06/12	30/06/12					
GM6	Methane	% by volume	Quarterly	0.0	1.25	No	17/05/12	7/06/12	30/06/12					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.7			17/05/12	7/06/12	30/06/12					
	Carbon Dioxide	% by volume	Quarterly	0.5			9/08/12	13/08/12	3/09/12					
	Methane	% by volume	Quarterly	0.0	1.25	No	9/08/12	13/08/12	3/09/12					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.1			9/08/12	13/08/12	3/09/12					
	Carbon Dioxide	% by volume	Quarterly	1.1			26/11/12	5/12/12	21/01/13					
	Methane	% by volume	Quarterly	0.0	1.25	No	26/11/12	5/12/12	21/01/13					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.0			26/11/12	5/12/12	21/01/13					
	Carbon Dioxide	% by volume	Quarterly	0.3			19/02/13	5/03/13	29/05/13					
	Methane	% by volume	Quarterly	0.0	1.25	No	19/02/13	5/03/13	29/05/13					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.2			19/02/13	5/03/13	29/05/13					
	Carbon Dioxide	% by volume	Quarterly	2.4			14/05/13	22/05/13	29/05/13					
	Methane	% by volume	Quarterly	0.0	1.25	No	14/05/13	22/05/13	29/05/13					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	18.5			14/05/13	22/05/13	29/05/13					
	Carbon Dioxide	% by volume	Quarterly	0.4			6/08/13	26/08/13	25/10/13					
	Methane	% by volume	Quarterly	0.0	1.25	No	6/08/13	26/08/13	25/10/13					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.2			6/08/13	26/08/13	25/10/13					
	Carbon Dioxide	% by volume	Quarterly	1.8			13/11/13	27/11/13	16/01/14					
	Methane	% by volume	Quarterly	0	1.25		13/11/13	27/11/13	16/01/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	15.5			13/11/13	27/11/13	16/01/14					
	Carbon Dioxide	% by volume	Quarterly	0.9			4/02/14	20/02/14	18/06/14					
	Methane	% by volume	Quarterly	0.0	1.25		4/02/14	20/02/14	18/06/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.9			4/02/14	20/02/14	18/06/14					

**EPA Licence Number:** L123  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Carbon Dioxide	% by volume	Quarterly	8.3			8/05/14	28/05/14	20/06/14					
	Methane	% by volume	Quarterly	0.0	1.25		8/05/14	28/05/14	20/06/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	12.3			8/05/14	28/05/14	20/06/14					
	Carbon Dioxide	% by volume	Quarterly	0.5			5/08/14	30/09/14	16/01/15					
	Methane	% by volume	Quarterly	0.0	1.25		5/08/14	30/09/14	16/01/15					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	20.0			5/08/14	30/09/14	16/01/15					
	Carbon Dioxide	% by volume	Quarterly	0.1			11/11/14	5/12/14	16/01/15					
	Methane	% by volume	Quarterly	0.0	1.25		11/11/14	5/12/14	16/01/15					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	20.0			11/11/14	5/12/14	16/01/15					
	Carbon Dioxide	% by volume	Quarterly	5.2			4/02/15	19/02/15	10/06/15					
	Methane	% by volume	Quarterly	0.0	1.25		4/02/15	19/02/15	10/06/15					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	11.3			4/02/15	19/02/15	10/06/15					
Point 8	Carbon Dioxide	% by volume	Quarterly	0.4			17/05/12	7/06/12	30/06/12					
GM7	Methane	% by volume	Quarterly	0.0	1.25	No	17/05/12	7/06/12	30/06/12					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	20.4			17/05/12	7/06/12	30/06/12					
	Carbon Dioxide	% by volume	Quarterly	0.6			9/08/12	13/08/12	3/09/12					
	Methane	% by volume	Quarterly	0.0	1.25	No	9/08/12	13/08/12	3/09/12					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.0			9/08/12	13/08/12	3/09/12					
	Carbon Dioxide	% by volume	Quarterly	7			26/11/12	5/12/12	21/01/13					
	Methane	% by volume	Quarterly	0	1.25	No	26/11/12	5/12/12	21/01/13					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	12.8			26/11/12	5/12/12	21/01/13					
	Carbon Dioxide	% by volume	Quarterly	5.2			19/02/13	5/03/13	29/05/13					
	Methane	% by volume	Quarterly	0.0	1.25	No	19/02/13	5/03/13	29/05/13					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	18.5			19/02/13	5/03/13	29/05/13					
	Carbon Dioxide	% by volume	Quarterly	1.0			14/05/13	22/05/13	29/05/13					
	Methane	% by volume	Quarterly	0.0	1.25	No	14/05/13	22/05/13	29/05/13					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.2			14/05/13	22/05/13	29/05/13					
	Carbon Dioxide	% by volume	Quarterly	0.4			6/08/13	26/08/13	25/10/13					
	Methane	% by volume	Quarterly	0.0	1.25	No	6/08/13	26/08/13	25/10/13					

**EPA Licence Number:** L123  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.6			6/08/13	26/08/13	25/10/13					
	Carbon Dioxide	% by volume	Quarterly	11.5			13/11/13	27/11/13	16/01/14					
	Methane	% by volume	Quarterly	0	1.25		13/11/13	27/11/13	16/01/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	7.6			13/11/13	27/11/13	16/01/14					
	Carbon Dioxide	% by volume	Quarterly	6.7			4/02/14	20/02/14	18/06/14					
	Methane	% by volume	Quarterly	0.0	1.25		4/02/14	20/02/14	18/06/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	14.8			4/02/14	20/02/14	18/06/14					
	Carbon Dioxide	% by volume	Quarterly	9.9			8/05/14	28/05/14	20/06/14					
	Methane	% by volume	Quarterly	0.0	1.25		8/05/14	28/05/14	20/06/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	18.1			8/05/14	28/05/14	20/06/14					
	Carbon Dioxide	% by volume	Quarterly	0.7			5/08/14	30/09/14	16/01/15					
	Methane	% by volume	Quarterly	0.0	1.25		5/08/14	30/09/14	16/01/15					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.9			5/08/14	30/09/14	16/01/15					
	Carbon Dioxide	% by volume	Quarterly	0.1			11/11/14	5/12/14	16/01/15					
	Methane	% by volume	Quarterly	0.0	1.25		11/11/14	5/12/14	16/01/15					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	20.2			11/11/14	5/12/14	16/01/15					
	Carbon Dioxide	% by volume	Quarterly	N/A			4/02/15	19/02/15	10/06/15					Water in well - no reading
	Methane	% by volume	Quarterly	N/A	1.25		4/02/15	19/02/15	10/06/15					Water in well - no reading
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	N/A			4/02/15	19/02/15	10/06/15					Water in well - no reading
Point 9	Carbon Dioxide	% by volume	Quarterly	1.7			17/05/12	7/06/12	30/06/12					
GM8	Methane	% by volume	Quarterly	0.0	1.25	No	17/05/12	7/06/12	30/06/12					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.1			17/05/12	7/06/12	30/06/12					
	Carbon Dioxide	% by volume	Quarterly	1.2			9/08/12	13/08/12	3/09/12					
	Methane	% by volume	Quarterly	0.0	1.25	No	9/08/12	13/08/12	3/09/12					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.4			9/08/12	13/08/12	3/09/12					
	Carbon Dioxide	% by volume	Quarterly	2.2			26/11/12	5/12/12	21/01/13					
	Methane	% by volume	Quarterly	0	1.25	No	26/11/12	5/12/12	21/01/13					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	18.2			26/11/12	5/12/12	21/01/13					
	Carbon Dioxide	% by volume	Quarterly	0.4			19/02/13	5/03/13	29/05/13					

**EPA Licence Number:** L123  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Methane	% by volume	Quarterly	0.0	1.25	No	19/02/13	5/03/13	29/05/13					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.6			19/02/13	5/03/13	29/05/13					
	Carbon Dioxide	% by volume	Quarterly	0.3			14/05/13	22/05/13	29/05/13					
	Methane	% by volume	Quarterly	0.0	1.25	No	14/05/13	22/05/13	29/05/13					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	20.2			14/05/13	22/05/13	29/05/13					
	Carbon Dioxide	% by volume	Quarterly	0.8			6/08/13	26/08/13	25/10/13					
	Methane	% by volume	Quarterly	0.0	1.25	No	6/08/13	26/08/13	25/10/13					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.6			6/08/13	26/08/13	25/10/13					
	Carbon Dioxide	% by volume	Quarterly	1.9			13/11/13	27/11/13	16/01/14					
	Methane	% by volume	Quarterly	0	1.25		13/11/13	27/11/13	16/01/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	15.3			13/11/13	27/11/13	16/01/14					
	Carbon Dioxide	% by volume	Quarterly	1.8			4/02/14	20/02/14	18/06/14					
	Methane	% by volume	Quarterly	0.0	1.25		4/02/14	20/02/14	18/06/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.5			4/02/14	20/02/14	18/06/14					
	Carbon Dioxide	% by volume	Quarterly	5.9			8/05/14	28/05/14	20/06/14					
	Methane	% by volume	Quarterly	0.0	1.25		8/05/14	28/05/14	20/06/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	16.4			8/05/14	28/05/14	20/06/14					
	Carbon Dioxide	% by volume	Quarterly	1.3			5/08/14	30/09/14	16/01/15					
	Methane	% by volume	Quarterly	0.0	1.25		5/08/14	30/09/14	16/01/15					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.7			5/08/14	30/09/14	16/01/15					
	Carbon Dioxide	% by volume	Quarterly	0.2			11/11/14	5/12/14	16/01/15					
	Methane	% by volume	Quarterly	0.0	1.25		11/11/14	5/12/14	16/01/15					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	20.3			11/11/14	5/12/14	16/01/15					
	Carbon Dioxide	% by volume	Quarterly	5.1			4/02/15	19/02/15	10/06/15					
	Methane	% by volume	Quarterly	0	1.25		4/02/15	19/02/15	10/06/15					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	12.8			4/02/15	19/02/15	10/06/15					
Point 10	Carbon Dioxide	% by volume	Quarterly	1.8			17/05/12	7/06/12	30/06/12					
GM9	Methane	% by volume	Quarterly	0	1.25	No	17/05/12	7/06/12	30/06/12					

**EPA Licence Number:** L123  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.3			17/05/12	7/06/12	30/06/12					
	Carbon Dioxide	% by volume	Quarterly	2.6			9/08/12	13/08/12	3/09/12					
	Methane	% by volume	Quarterly	0.0	1.25	No	9/08/12	13/08/12	3/09/12					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	18.3			9/08/12	13/08/12	3/09/12					
	Carbon Dioxide	% by volume	Quarterly	3			26/11/12	5/12/12	21/01/13					
	Methane	% by volume	Quarterly	0	1.25	No	26/11/12	5/12/12	21/01/13					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	17.9			26/11/12	5/12/12	21/01/13					
	Carbon Dioxide	% by volume	Quarterly	0.5			19/02/13	5/03/13	29/05/13					
	Methane	% by volume	Quarterly	0.0	1.25	No	19/02/13	5/03/13	29/05/13					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.5			19/02/13	5/03/13	29/05/13					
	Carbon Dioxide	% by volume	Quarterly	8.8			14/05/13	22/05/13	29/05/13					
	Methane	% by volume	Quarterly	0.0	1.25	No	14/05/13	22/05/13	29/05/13					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	13.1			14/05/13	22/05/13	29/05/13					
	Carbon Dioxide	% by volume	Quarterly	9.1			6/08/13	26/08/13	25/10/13					
	Methane	% by volume	Quarterly	0.0	1.25	No	6/08/13	26/08/13	25/10/13					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	8.9			6/08/13	26/08/13	25/10/13					
	Carbon Dioxide	% by volume	Quarterly	0.6			13/11/13	27/11/13	16/01/14					
	Methane	% by volume	Quarterly	0	1.25		13/11/13	27/11/13	16/01/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.0			13/11/13	27/11/13	16/01/14					
	Carbon Dioxide	% by volume	Quarterly	3.0			4/02/14	20/02/14	18/06/14					
	Methane	% by volume	Quarterly	0.0	1.25		4/02/14	20/02/14	18/06/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	18.5			4/02/14	20/02/14	18/06/14					
	Carbon Dioxide	% by volume	Quarterly	1.3			8/05/14	28/05/14	20/06/14					
	Methane	% by volume	Quarterly	0.0	1.25		8/05/14	28/05/14	20/06/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.5			8/05/14	28/05/14	20/06/14					
	Carbon Dioxide	% by volume	Quarterly	2.3			5/08/14	30/09/14	16/01/15					
	Methane	% by volume	Quarterly	0.0	1.25		5/08/14	30/09/14	16/01/15					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19.2			5/08/14	30/09/14	16/01/15					
	Carbon Dioxide	% by volume	Quarterly	0.4			11/11/14	5/12/14	16/01/15					
	Methane	% by volume	Quarterly	0.0	1.25		11/11/14	5/12/14	16/01/15					



**EPA Licence Number:** L123  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Carbon Dioxide	% by volume	Quarterly	6.9			8/05/14	28/05/14	20/06/14					
	Methane	% by volume	Quarterly	0.0	1.25		8/05/14	28/05/14	20/06/14					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	12.7			8/05/14	28/05/14	20/06/14					
	Carbon Dioxide	% by volume	Quarterly	0.7			5/08/14	30/09/14	16/01/15					
	Methane	% by volume	Quarterly	0.0	1.25		5/08/14	30/09/14	16/01/15					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	20.2			5/08/14	30/09/14	16/01/15					
	Carbon Dioxide	% by volume	Quarterly	0.2			11/11/14	5/12/14	16/01/15					
	Methane	% by volume	Quarterly	0.0	1.25		11/11/14	5/12/14	16/01/15					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	20.5			11/11/14	5/12/14	16/01/15					
	Carbon Dioxide	% by volume	Quarterly	1			4/02/15	19/02/15	10/06/15					
	Methane	% by volume	Quarterly	0	1.25		4/02/15	19/02/15	10/06/15					
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	19			4/02/15	19/02/15	10/06/15					
Point 12	Carbon Dioxide	% by volume	Quarterly	13.5			17/05/12	7/06/12	30/06/12					
GM11	Methane	% by volume	Quarterly	31.9	1.25	yes	17/05/12	7/06/12	30/06/12				2452% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	7.4			17/05/12	7/06/12	30/06/12					
	Carbon Dioxide	% by volume	Quarterly	21.1			9/08/12	13/08/12	3/09/12					
	Methane	% by volume	Quarterly	65.4	1.25	yes	9/08/12	13/08/12	3/09/12				5132% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	0.1			9/08/12	13/08/12	3/09/12					
	Carbon Dioxide	% by volume	Quarterly	10.9			26/11/12	5/12/12	21/01/13					
	Methane	% by volume	Quarterly	21.3	1.25	yes	26/11/12	5/12/12	21/01/13				1604% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	10.9			26/11/12	5/12/12	21/01/13					
	Carbon Dioxide	% by volume	Quarterly	4.5			19/02/13	5/03/13	29/05/13					
	Methane	% by volume	Quarterly	5.4	1.25	yes	19/02/13	5/03/13	29/05/13				332% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	16.3			19/02/13	5/03/13	29/05/13					
	Carbon Dioxide	% by volume	Quarterly	10.1			14/05/13	22/05/13	29/05/13					
	Methane	% by volume	Quarterly	14.4	1.25	yes	14/05/13	22/05/13	29/05/13				1052% above limit	No root cause determined
	Oxygen (O <sub>2</sub> )	% by volume	Quarterly	11.7			14/05/13	22/05/13	29/05/13					
	Carbon Dioxide	% by volume	Quarterly	15.5			6/08/13	26/08/13	25/10/13					
	Methane	% by volume	Quarterly	40.8	1.25	yes	6/08/13	26/08/13	25/10/13				3164% above limit	No root cause determined



EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
Point 13	Alkalinity	mg/L	Quarterly	86	16/05/12	28/05/12	30/06/12					
SW	BOD	mg/L	Quarterly	3	16/05/12	28/05/12	30/06/12					
	Calcium	mg/L	Quarterly	20	16/05/12	28/05/12	30/06/12					
	Chloride	mg/L	Quarterly	20	16/05/12	28/05/12	30/06/12					
	Conductivity	µS/cm	Quarterly	362	16/05/12	28/05/12	30/06/12					
	Magnesium	mg/L	Quarterly	4	16/05/12	28/05/12	30/06/12					
	Nitrogen	mg/L	Quarterly	3.2	16/05/12	28/05/12	30/06/12					
	Ammonia	mg/L	Quarterly	0.65	16/05/12	28/05/12	30/06/12					
	Potassium	mg/L	Quarterly	7	16/05/12	28/05/12	30/06/12					
	Redox Potential	mV	Quarterly	n/a	16/05/12	28/05/12	30/06/12				Not measured	Meter Malfunction
	Sodium	mg/L	Quarterly	20	16/05/12	28/05/12	30/06/12					
	Water Level	m	Quarterly	n/a	16/05/12	28/05/12	30/06/12					
	Sulphate	mg/L	Quarterly	2	16/05/12	28/05/12	30/06/12					
	Temperature	oC	Quarterly	13.6	16/05/12	28/05/12	30/06/12					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	2.9	16/05/12	28/05/12	30/06/12					
	TDS	mg/L	Quarterly	190	16/05/12	28/05/12	30/06/12					
	TDS	mg/L	Quarterly	195	16/05/12	28/05/12	30/06/12					
	Total organic carbon	mg/L	Quarterly	14	16/05/12	28/05/12	30/06/12					
	TSS	mg/L	Quarterly	82	16/05/12	28/05/12	30/06/12					
	pH	pH	Quarterly	7.7	16/05/12	28/05/12	30/06/12					
	Alkalinity	mg/L	Quarterly	84	9/08/12	2/10/12	30/11/12					
	BOD	mg/L	Quarterly	3	9/08/12	2/10/12	30/11/12					
	Calcium	mg/L	Quarterly	23	9/08/12	2/10/12	30/11/12					
	Chloride	mg/L	Quarterly	44	9/08/12	2/10/12	30/11/12					
	Conductivity	µS/cm	Quarterly	330	9/08/12	2/10/12	30/11/12					
	Magnesium	mg/L	Quarterly	5	9/08/12	2/10/12	30/11/12					
	Nitrogen	mg/L	Quarterly	1.7	9/08/12	2/10/12	30/11/12					
	Ammonia	mg/L	Quarterly	0.09	9/08/12	2/10/12	30/11/12					
	Potassium	mg/L	Quarterly	6	9/08/12	2/10/12	30/11/12					
	Redox Potential	mV	Quarterly	115	9/08/12	2/10/12	30/11/12					
	Sodium	mg/L	Quarterly	31	9/08/12	2/10/12	30/11/12					
	Water Level	m	Quarterly	n/a	9/08/12	2/10/12	30/11/12				Not measured	No discharge, very low volume
	Sulphate	mg/L	Quarterly	8	9/08/12	2/10/12	30/11/12					
	Temperature	oC	Quarterly	9.2	9/08/12	2/10/12	30/11/12					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	1.3	9/08/12	2/10/12	30/11/12					
	TDS	mg/L	Quarterly	270	9/08/12	2/10/12	30/11/12					
	TDS	mg/L	Quarterly	225	9/08/12	2/10/12	30/11/12					
	Total organic carbon	mg/L	Quarterly	13	9/08/12	2/10/12	30/11/12					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	TSS	mg/L	Quarterly	170	9/08/12	2/10/12	30/11/12					
	pH	pH	Quarterly	7.2	9/08/12	2/10/12	30/11/12					
	Alkalinity	mg/L	Quarterly	N/A							Not measured	Point 13 site was dry for November. No sample taken (09/08/12).
	BOD	mg/L	Quarterly	N/A							Not measured	Point 13 site was dry for November. No sample taken (09/08/12).
	Calcium	mg/L	Quarterly	N/A							Not measured	Point 13 site was dry for November. No sample taken (09/08/12).
	Chloride	mg/L	Quarterly	N/A							Not measured	Point 13 site was dry for November. No sample taken (09/08/12).
	Conductivity	µS/cm	Quarterly	N/A							Not measured	Point 13 site was dry for November. No sample taken (09/08/12).
	Magnesium	mg/L	Quarterly	N/A							Not measured	Point 13 site was dry for November. No sample taken (09/08/12).
	Nitrogen	mg/L	Quarterly	N/A							Not measured	Point 13 site was dry for November. No sample taken (09/08/12).
	Ammonia	mg/L	Quarterly	N/A							Not measured	Point 13 site was dry for November. No sample taken (09/08/12).
	Potassium	mg/L	Quarterly	N/A							Not measured	Point 13 site was dry for November. No sample taken (09/08/12).
	Redox Potential	mV	Quarterly	N/A							Not measured	Point 13 site was dry for November. No sample taken (09/08/12).
	Sodium	mg/L	Quarterly	N/A							Not measured	Point 13 site was dry for November. No sample taken (09/08/12).
	Water Level	m	Quarterly	N/A							Not measured	Point 13 site was dry for November. No sample taken (09/08/12).
	Sulphate	mg/L	Quarterly	N/A							Not measured	Point 13 site was dry for November. No sample taken (09/08/12).
	Temperature	oC	Quarterly	N/A							Not measured	Point 13 site was dry for November. No sample taken (09/08/12).
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	N/A							Not measured	Point 13 site was dry for November. No sample taken (09/08/12).

EPA Licence Number: L123  
 Licensee Name: Boral CSR Bricks Pty Limited  
 Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley  
 Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	TDS	mg/L	Quarterly	N/A							Not measured	Point 13 site was dry for November. No sample taken (09/08/12).
	TDS	mg/L	Quarterly	N/A							Not measured	Point 13 site was dry for November. No sample taken (09/08/12).
	Total organic carbon	mg/L	Quarterly	N/A							Not measured	Point 13 site was dry for November. No sample taken (09/08/12).
	TSS	mg/L	Quarterly	N/A							Not measured	Point 13 site was dry for November. No sample taken (09/08/12).
	pH	pH	Quarterly	N/A							Not measured	Point 13 site was dry for November. No sample taken (09/08/12).
	Alkalinity	mg/L	Quarterly	58	20/02/13	5/03/13	31/05/13					
	BOD	mg/L	Quarterly	<2	20/02/13	5/03/13	31/05/13					
	Calcium	mg/L	Quarterly	13	20/02/13	5/03/13	31/05/13					
	Chloride	mg/L	Quarterly	42	20/02/13	5/03/13	31/05/13					
	Conductivity	µS/cm	Quarterly	332	20/02/13	5/03/13	31/05/13					
	Magnesium	mg/L	Quarterly	3	20/02/13	5/03/13	31/05/13					
	Nitrogen	mg/L	Quarterly	2.9	20/02/13	5/03/13	31/05/13					
	Ammonia	mg/L	Quarterly	0.02	20/02/13	5/03/13	31/05/13					
	Potassium	mg/L	Quarterly	6	20/02/13	5/03/13	31/05/13					
	Redox Potential	mV	Quarterly	111	20/02/13	5/03/13	31/05/13					
	Sodium	mg/L	Quarterly	31	20/02/13	5/03/13	31/05/13					
	Water Level	m	Quarterly	n/a	20/02/13	5/03/13	31/05/13				Not measured	No discharge, very low volume
	Sulphate	mg/L	Quarterly	8	20/02/13	5/03/13	31/05/13					
	Temperature	oC	Quarterly	24.7	20/02/13	5/03/13	31/05/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	2.8	20/02/13	5/03/13	31/05/13					
	TDS	mg/L	Quarterly	218	20/02/13	5/03/13	31/05/13					
	TDS	mg/L	Quarterly	218	20/02/13	5/03/13	31/05/13					
	Total organic carbon	mg/L	Quarterly	14	20/02/13	5/03/13	31/05/13					
	TSS	mg/L	Quarterly	112	20/02/13	5/03/13	31/05/13					
	pH	pH	Quarterly	7.6	20/02/13	5/03/13	31/05/13					
	Alkalinity	mg/L	Quarterly	N/A							Not measured	Site was dry for May. No sample taken
	BOD	mg/L	Quarterly	N/A							Not measured	Site was dry for May. No sample taken
	Calcium	mg/L	Quarterly	N/A							Not measured	Site was dry for May. No sample taken
	Chloride	mg/L	Quarterly	N/A							Not measured	Site was dry for May. No sample taken
	Conductivity	µS/cm	Quarterly	N/A							Not measured	Site was dry for May. No sample taken

EPA Licence Number: L123  
 Licensee Name: Boral CSR Bricks Pty Limited  
 Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley  
 Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Magnesium	mg/L	Quarterly	N/A							Not measured	was dry for May. No sample taken
	Nitrogen	mg/L	Quarterly	N/A							Not measured	was dry for May. No sample taken
	Ammonia	mg/L	Quarterly	N/A							Not measured	was dry for May. No sample taken
	Potassium	mg/L	Quarterly	N/A							Not measured	was dry for May. No sample taken
	Redox Potential	mV	Quarterly	N/A							Not measured	was dry for May. No sample taken
	Sodium	mg/L	Quarterly	N/A							Not measured	was dry for May. No sample taken
	Water Level	m	Quarterly	N/A							Not measured	was dry for May. No sample taken
	Sulphate	mg/L	Quarterly	N/A							Not measured	was dry for May. No sample taken
	Temperature	oC	Quarterly	N/A							Not measured	was dry for May. No sample taken
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	N/A							Not measured	was dry for May. No sample taken
	TDS	mg/L	Quarterly	N/A							Not measured	was dry for May. No sample taken
	TDS	mg/L	Quarterly	N/A							Not measured	was dry for May. No sample taken
	Total organic carbon	mg/L	Quarterly	N/A							Not measured	was dry for May. No sample taken
	TSS	mg/L	Quarterly	N/A							Not measured	was dry for May. No sample taken
	pH	pH	Quarterly	N/A							Not measured	was dry for May. No sample taken
	Alkalinity	mg/L	Quarterly	52	7/08/13	26/08/13	25/10/13					
	BOD	mg/L	Quarterly	7	7/08/13	26/08/13	25/10/13					
	Calcium	mg/L	Quarterly	13	7/08/13	26/08/13	25/10/13					
	Chloride	mg/L	Quarterly	31	7/08/13	26/08/13	25/10/13					
	Conductivity	µS/cm	Quarterly	322	7/08/13	26/08/13	25/10/13					
	Magnesium	mg/L	Quarterly	3	7/08/13	26/08/13	25/10/13					
	Nitrogen	mg/L	Quarterly	0.06	7/08/13	26/08/13	25/10/13					
	Ammonia	mg/L	Quarterly	0.02	7/08/13	26/08/13	25/10/13					
	Potassium	mg/L	Quarterly	4	7/08/13	26/08/13	25/10/13					
	Redox Potential	mV	Quarterly	95	7/08/13	26/08/13	25/10/13					
	Sodium	mg/L	Quarterly	25	7/08/13	26/08/13	25/10/13					
	Water Level	m	Quarterly	N/A	7/08/13	26/08/13	25/10/13				Not measured	Shallow, no discharge
	Sulphate	mg/L	Quarterly	12	7/08/13	26/08/13	25/10/13					
	Temperature	oC	Quarterly	13.5	7/08/13	26/08/13	25/10/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	1	7/08/13	26/08/13	25/10/13					
	TDS	mg/L	Quarterly	308	7/08/13	26/08/13	25/10/13					
	Total organic carbon	mg/L	Quarterly	24	7/08/13	26/08/13	25/10/13					
	TSS	mg/L	Quarterly	512	7/08/13	26/08/13	25/10/13					
	pH	pH	Quarterly	7.6	7/08/13	26/08/13	25/10/13					
	Alkalinity	mg/L	Quarterly	35	12/11/13	27/11/13	16/01/14					
	BOD	mg/L	Quarterly	<5	12/11/13	27/11/13	16/01/14					
	Calcium	mg/L	Quarterly	8	12/11/13	27/11/13	16/01/14					

EPA Licence Number: L123  
 Licensee Name: Boral CSR Bricks Pty Limited  
 Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley  
 Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Chloride	mg/L	Quarterly	29	12/11/13	27/11/13	16/01/14					
	Conductivity	µS/cm	Quarterly	193	12/11/13	27/11/13	16/01/14					
	Magnesium	mg/L	Quarterly	2	12/11/13	27/11/13	16/01/14					
	Nitrogen	mg/L	Quarterly	3.1	12/11/13	27/11/13	16/01/14					
	Ammonia	mg/L	Quarterly	0.13	12/11/13	27/11/13	16/01/14					
	Potassium	mg/L	Quarterly	4	12/11/13	27/11/13	16/01/14					
	Redox Potential	mV	Quarterly	195	12/11/13	27/11/13	16/01/14					
	Sodium	mg/L	Quarterly	24	12/11/13	27/11/13	16/01/14					
	Water Level	m	Quarterly	N/A	12/11/13	27/11/13	16/01/14				Not measured	Shallow, no discharge
	Sulphate	mg/L	Quarterly	11	12/11/13	27/11/13	16/01/14					
	Temperature	oC	Quarterly	18.2	12/11/13	27/11/13	16/01/14					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	2.3	12/11/13	27/11/13	16/01/14					
	TDS	mg/L	Quarterly	160	12/11/13	27/11/13	16/01/14					
	Total organic carbon	mg/L	Quarterly	18	12/11/13	27/11/13	16/01/14					
	TSS	mg/L	Quarterly	161	12/11/13	27/11/13	16/01/14					
	pH	pH	Quarterly	6.8	12/11/13	27/11/13	16/01/14					
	Alkalinity	mg/L	Quarterly		3/02/14	20/02/14	20/06/14				Not measured	e was dry for Feb. No sample taken
	BOD	mg/L	Quarterly		3/02/14	20/02/14	20/06/14				Not measured	e was dry for Feb. No sample taken
	Calcium	mg/L	Quarterly		3/02/14	20/02/14	20/06/14				Not measured	e was dry for Feb. No sample taken
	Chloride	mg/L	Quarterly		3/02/14	20/02/14	20/06/14				Not measured	e was dry for Feb. No sample taken
	Conductivity	µS/cm	Quarterly		3/02/14	20/02/14	20/06/14				Not measured	e was dry for Feb. No sample taken
	Magnesium	mg/L	Quarterly		3/02/14	20/02/14	20/06/14				Not measured	e was dry for Feb. No sample taken
	Nitrogen	mg/L	Quarterly		3/02/14	20/02/14	20/06/14				Not measured	e was dry for Feb. No sample taken
	Ammonia	mg/L	Quarterly		3/02/14	20/02/14	20/06/14				Not measured	e was dry for Feb. No sample taken
	Potassium	mg/L	Quarterly		3/02/14	20/02/14	20/06/14				Not measured	e was dry for Feb. No sample taken
	Redox Potential	mV	Quarterly		3/02/14	20/02/14	20/06/14				Not measured	e was dry for Feb. No sample taken
	Sodium	mg/L	Quarterly		3/02/14	20/02/14	20/06/14				Not measured	e was dry for Feb. No sample taken
	Water Level	m	Quarterly		3/02/14	20/02/14	20/06/14				Not measured	e was dry for Feb. No sample taken
	Sulphate	mg/L	Quarterly		3/02/14	20/02/14	20/06/14				Not measured	e was dry for Feb. No sample taken
	Temperature	oC	Quarterly		3/02/14	20/02/14	20/06/14				Not measured	e was dry for Feb. No sample taken
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly		3/02/14	20/02/14	20/06/14				Not measured	e was dry for Feb. No sample taken
	TDS	mg/L	Quarterly		3/02/14	20/02/14	20/06/14				Not measured	e was dry for Feb. No sample taken
	Total organic carbon	mg/L	Quarterly		3/02/14	20/02/14	20/06/14				Not measured	e was dry for Feb. No sample taken
	TSS	mg/L	Quarterly		3/02/14	20/02/14	20/06/14				Not measured	e was dry for Feb. No sample taken
	pH	pH	Quarterly		3/02/14	20/02/14	20/06/14				Not measured	e was dry for Feb. No sample taken
	Alkalinity	mg/L	Quarterly	60	7/05/14	28/05/14	20/06/14					
	BOD	mg/L	Quarterly	6	7/05/14	28/05/14	20/06/14					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Calcium	mg/L	Quarterly	17	7/05/14	28/05/14	20/06/14					
	Chloride	mg/L	Quarterly	22	7/05/14	28/05/14	20/06/14					
	Conductivity	µS/cm	Quarterly	245	7/05/14	28/05/14	20/06/14					
	Magnesium	mg/L	Quarterly	4	7/05/14	28/05/14	20/06/14					
	Nitrogen	mg/L	Quarterly	4.4	7/05/14	28/05/14	20/06/14					
	Ammonia	mg/L	Quarterly	0.24	7/05/14	28/05/14	20/06/14					
	Potassium	mg/L	Quarterly	5	7/05/14	28/05/14	20/06/14					
	Redox Potential	mV	Quarterly	130	7/05/14	28/05/14	20/06/14					
	Sodium	mg/L	Quarterly	23	7/05/14	28/05/14	20/06/14					
	Water Level	m	Quarterly	N/A	7/05/14	28/05/14	20/06/14				Not measured	Shallow, no discharge
	Sulphate	mg/L	Quarterly	8	7/05/14	28/05/14	20/06/14					
	Temperature	oC	Quarterly	13.6	7/05/14	28/05/14	20/06/14					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	4.4	7/05/14	28/05/14	20/06/14					
	TDS	mg/L	Quarterly	367	7/05/14	28/05/14	20/06/14					
	Total organic carbon	mg/L	Quarterly	12	7/05/14	28/05/14	20/06/14					
	TSS	mg/L	Quarterly	650	7/05/14	28/05/14	20/06/14					
	pH	pH	Quarterly	7.30	7/05/14	28/05/14	20/06/14					
	Alkalinity	mg/L	Quarterly	41.00	18/09/14	30/09/14	17/02/15					
	BOD	mg/L	Quarterly	<2	18/09/14	30/09/14	17/02/15					
	Calcium	mg/L	Quarterly	13.00	18/09/14	30/09/14	17/02/15					
	Chloride	mg/L	Quarterly	46.00	18/09/14	30/09/14	17/02/15					
	Conductivity	µS/cm	Quarterly	248.00	18/09/14	30/09/14	17/02/15					
	Magnesium	mg/L	Quarterly	3.00	18/09/14	30/09/14	17/02/15					
	Nitrogen	mg/L	Quarterly	2.20	18/09/14	30/09/14	17/02/15					
	Ammonia	mg/L	Quarterly	0.06	18/09/14	30/09/14	17/02/15					
	Potassium	mg/L	Quarterly	4.00	18/09/14	30/09/14	17/02/15					
	Redox Potential	mV	Quarterly	169.00	18/09/14	30/09/14	17/02/15					
	Sodium	mg/L	Quarterly	32.00	18/09/14	30/09/14	17/02/15					
	Water Level	m	Quarterly	N/A	18/09/14	30/09/14	17/02/15				Not measured	Shallow, no discharge
	Sulphate	mg/L	Quarterly	13.00	18/09/14	30/09/14	17/02/15					
	Temperature	oC	Quarterly	15.70	18/09/14	30/09/14	17/02/15					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	1.90	18/09/14	30/09/14	17/02/15					
	TDS	mg/L	Quarterly	212.00	18/09/14	30/09/14	17/02/15					
	Total organic carbon	mg/L	Quarterly	14.00	18/09/14	30/09/14	17/02/15					
	TSS	mg/L	Quarterly	67.00	18/09/14	30/09/14	17/02/15					
	pH	pH	Quarterly	7.40	18/09/14	30/09/14	17/02/15					
	Alkalinity	mg/L	Quarterly	30.00	12/11/14	5/12/14	17/02/15					



EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
Point 14	Alkalinity	mg/L	Quarterly	117	16/05/12	28/05/12	30/06/12					
OW1	BOD	mg/L	Quarterly	<2	16/05/12	28/05/12	30/06/12					
	Calcium	mg/L	Quarterly	9	16/05/12	28/05/12	30/06/12					
	Chloride	mg/L	Quarterly	98	16/05/12	28/05/12	30/06/12					
	Conductivity	µS/cm	Quarterly	616	16/05/12	28/05/12	30/06/12					
	Magnesium	mg/L	Quarterly	2	16/05/12	28/05/12	30/06/12					
	Nitrogen	mg/L	Quarterly	3.4	16/05/12	28/05/12	30/06/12					
	Ammonia	mg/L	Quarterly	0.38	16/05/12	28/05/12	30/06/12					
	Potassium	mg/L	Quarterly	3	16/05/12	28/05/12	30/06/12					
	Redox Potential	mV	Quarterly	n/a	16/05/12	28/05/12	30/06/12				Not measured	Meter Malfunction
	Sodium	mg/L	Quarterly	107	16/05/12	28/05/12	30/06/12					
	Water Level	m	Quarterly	8.75	16/05/12	28/05/12	30/06/12					
	Sulphate	mg/L	Quarterly	4	16/05/12	28/05/12	30/06/12					
	Temperature	oC	Quarterly	20.4	16/05/12	28/05/12	30/06/12					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	3.4	16/05/12	28/05/12	30/06/12					
	TDS	mg/L	Quarterly	410	16/05/12	28/05/12	30/06/12					
	TDS	mg/L	Quarterly	426	16/05/12	28/05/12	30/06/12					
	Total organic carbon	mg/L	Quarterly	18	16/05/12	28/05/12	30/06/12					
	TSS	mg/L	Quarterly	360	16/05/12	28/05/12	30/06/12					
	pH	pH	Quarterly	6.3	16/05/12	28/05/12	30/06/12					
	Alkalinity	mg/L	Quarterly	180	9/08/12	2/10/12	30/11/12					
	BOD	mg/L	Quarterly	12	9/08/12	2/10/12	30/11/12					
	Calcium	mg/L	Quarterly	10	9/08/12	2/10/12	30/11/12					
	Chloride	mg/L	Quarterly	304	9/08/12	2/10/12	30/11/12					
	Conductivity	µS/cm	Quarterly	1130	9/08/12	2/10/12	30/11/12					
	Magnesium	mg/L	Quarterly	5	9/08/12	2/10/12	30/11/12					
	Nitrogen	mg/L	Quarterly	9.5	9/08/12	2/10/12	30/11/12					
	Ammonia	mg/L	Quarterly	0.79	9/08/12	2/10/12	30/11/12					
	Potassium	mg/L	Quarterly	5	9/08/12	2/10/12	30/11/12					
	Redox Potential	mV	Quarterly	55	9/08/12	2/10/12	30/11/12					
	Sodium	mg/L	Quarterly	248	9/08/12	2/10/12	30/11/12					
	Water Level	m	Quarterly	8.82	9/08/12	2/10/12	30/11/12					
	Sulphate	mg/L	Quarterly	20	9/08/12	2/10/12	30/11/12					
	Temperature	oC	Quarterly	18.6	9/08/12	2/10/12	30/11/12					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	9.5	9/08/12	2/10/12	30/11/12					
	TDS	mg/L	Quarterly	1500	9/08/12	2/10/12	30/11/12					
	TDS	mg/L	Quarterly	1500	9/08/12	2/10/12	30/11/12					
	Total organic carbon	mg/L	Quarterly	20	9/08/12	2/10/12	30/11/12					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	TSS	mg/L	Quarterly	n/a	9/08/12	2/10/12	30/11/12				Not measured	tests
	pH	pH	Quarterly	6.5	9/08/12	2/10/12	30/11/12					
	Alkalinity	mg/L	Quarterly	253	27/11/12	5/12/12	29/01/13					
	BOD	mg/L	Quarterly	<2	27/11/12	5/12/12	29/01/13					
	Calcium	mg/L	Quarterly	14	27/11/12	5/12/12	29/01/13					
	Chloride	mg/L	Quarterly	592	27/11/12	5/12/12	29/01/13					
	Conductivity	µS/cm	Quarterly	2220	27/11/12	5/12/12	18/01/13					
	Magnesium	mg/L	Quarterly	17	27/11/12	5/12/12	29/01/13					
	Nitrogen	mg/L	Quarterly	6.5	27/11/12	5/12/12	29/01/13					
	Ammonia	mg/L	Quarterly	0.29	27/11/12	5/12/12	29/01/13					
	Potassium	mg/L	Quarterly	6	27/11/12	5/12/12	29/01/13					
	Redox Potential	mV	Quarterly	158	27/11/12	5/12/12	18/01/13					
	Sodium	mg/L	Quarterly	501	27/11/12	5/12/12	29/01/13					
	Water Level	m	Quarterly	8.72	27/11/12	5/12/12	18/01/13					
	Sulphate	mg/L	Quarterly	44	27/11/12	5/12/12	29/01/13					
	Temperature	oC	Quarterly	20.9	27/11/12	5/12/12	18/01/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	6.3	27/11/12	5/12/12	29/01/13					
	TDS	mg/L	Quarterly	1200	27/11/12	5/12/12	18/01/13					
	TDS	mg/L	Quarterly		27/11/12	5/12/12	29/01/13					
	Total organic carbon	mg/L	Quarterly	14	27/11/12	5/12/12	29/01/13					
	TSS	mg/L	Quarterly	146	27/11/12	5/12/12	18/01/13					
	pH	pH	Quarterly	6.4	27/11/12	5/12/12	18/01/13					
	Alkalinity	mg/L	Quarterly	126	20/02/13	5/03/13	31/05/13					
	BOD	mg/L	Quarterly	>2	20/02/13	5/03/13	31/05/13					
	Calcium	mg/L	Quarterly	7	20/02/13	5/03/13	31/05/13					
	Chloride	mg/L	Quarterly	178	20/02/13	5/03/13	31/05/13					
	Conductivity	µS/cm	Quarterly	897	20/02/13	5/03/13	31/05/13					
	Magnesium	mg/L	Quarterly	3	20/02/13	5/03/13	31/05/13					
	Nitrogen	mg/L	Quarterly	1.7	20/02/13	5/03/13	31/05/13					
	Ammonia	mg/L	Quarterly	0.05	20/02/13	5/03/13	31/05/13					
	Potassium	mg/L	Quarterly	4	20/02/13	5/03/13	31/05/13					
	Redox Potential	mV	Quarterly	162	20/02/13	5/03/13	31/05/13					
	Sodium	mg/L	Quarterly	170	20/02/13	5/03/13	31/05/13					
	Water Level	m	Quarterly	7.93	20/02/13	5/03/13	31/05/13					
	Sulphate	mg/L	Quarterly	35	20/02/13	5/03/13	31/05/13					
	Temperature	oC	Quarterly	21.5	20/02/13	5/03/13	31/05/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	1.7	20/02/13	5/03/13	31/05/13					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	TDS	mg/L	Quarterly	578	20/02/13	5/03/13	31/05/13					
	TDS	mg/L	Quarterly		20/02/13	5/03/13	31/05/13					
	Total organic carbon	mg/L	Quarterly	20	20/02/13	5/03/13	31/05/13					
	TSS	mg/L	Quarterly	238	20/02/13	5/03/13	31/05/13					
	pH	pH	Quarterly	6.7	20/02/13	5/03/13	31/05/13					
	Alkalinity	mg/L	Quarterly	186	15/05/13	22/05/13	31/05/13					
	BOD	mg/L	Quarterly	6	15/05/13	22/05/13	31/05/13					
	Calcium	mg/L	Quarterly	12	15/05/13	22/05/13	31/05/13					
	Chloride	mg/L	Quarterly	372	15/05/13	22/05/13	31/05/13					
	Conductivity	µS/cm	Quarterly	1470	15/05/13	22/05/13	31/05/13					
	Magnesium	mg/L	Quarterly	10	15/05/13	22/05/13	31/05/13					
	Nitrogen	mg/L	Quarterly	3.5	15/05/13	22/05/13	31/05/13					
	Ammonia	mg/L	Quarterly	0.26	15/05/13	22/05/13	31/05/13					
	Potassium	mg/L	Quarterly	5	15/05/13	22/05/13	31/05/13					
	Redox Potential	mV	Quarterly	57	15/05/13	22/05/13	31/05/13					
	Sodium	mg/L	Quarterly	325	15/05/13	22/05/13	31/05/13					
	Water Level	m	Quarterly	8.55	15/05/13	22/05/13	31/05/13					
	Sulphate	mg/L	Quarterly	26	15/05/13	22/05/13	31/05/13					
	Temperature	oC	Quarterly	18.7	15/05/13	22/05/13	31/05/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	3.5	15/05/13	22/05/13	31/05/13					
	TDS	mg/L	Quarterly	925	15/05/13	22/05/13	31/05/13					
	TDS	mg/L	Quarterly		15/05/13	22/05/13	31/05/13					
	Total organic carbon	mg/L	Quarterly	37	15/05/13	22/05/13	31/05/13					
	TSS	mg/L	Quarterly	334	15/05/13	22/05/13	31/05/13					
	pH	pH	Quarterly	6.4	15/05/13	22/05/13	31/05/13					
	Alkalinity	mg/L	Quarterly	157	7/08/13	26/08/13	25/10/13					
	BOD	mg/L	Quarterly	<2	7/08/13	26/08/13	25/10/13					
	Calcium	mg/L	Quarterly	7	7/08/13	26/08/13	25/10/13					
	Chloride	mg/L	Quarterly	254	7/08/13	26/08/13	25/10/13					
	Conductivity	µS/cm	Quarterly	1170	7/08/13	26/08/13	25/10/13					
	Magnesium	mg/L	Quarterly	4	7/08/13	26/08/13	25/10/13					
	Nitrogen	mg/L	Quarterly	3	7/08/13	26/08/13	25/10/13					
	Ammonia	mg/L	Quarterly	0.19	7/08/13	26/08/13	25/10/13					
	Potassium	mg/L	Quarterly	4	7/08/13	26/08/13	25/10/13					
	Redox Potential	mV	Quarterly	61	7/08/13	26/08/13	25/10/13					
	Sodium	mg/L	Quarterly	237	7/08/13	26/08/13	25/10/13					
	Water Level	m	Quarterly	8.32	7/08/13	26/08/13	25/10/13					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Sulphate	mg/L	Quarterly	42	7/08/13	26/08/13	25/10/13					
	Temperature	oC	Quarterly	16.7	7/08/13	26/08/13	25/10/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	3	7/08/13	26/08/13	25/10/13					
	TDS	mg/L	Quarterly	858	7/08/13	26/08/13	25/10/13					
	Total organic carbon	mg/L	Quarterly	50	7/08/13	26/08/13	25/10/13					
	TSS	mg/L	Quarterly	296	7/08/13	26/08/13	25/10/13					
	pH	pH	Quarterly	6.46	7/08/13	26/08/13	25/10/13					
	Alkalinity	mg/L	Quarterly	300	12/11/13	27/11/13	16/01/14					
	BOD	mg/L	Quarterly	<5	12/11/13	27/11/13	16/01/14					
	Calcium	mg/L	Quarterly	20	12/11/13	27/11/13	16/01/14					
	Chloride	mg/L	Quarterly	650	12/11/13	27/11/13	16/01/14					
	Conductivity	µS/cm	Quarterly	2750	12/11/13	27/11/13	16/01/14					
	Magnesium	mg/L	Quarterly	24	12/11/13	27/11/13	16/01/14					
	Nitrogen	mg/L	Quarterly	1.7	12/11/13	27/11/13	16/01/14					
	Ammonia	mg/L	Quarterly	0.18	12/11/13	27/11/13	16/01/14					
	Potassium	mg/L	Quarterly	7	12/11/13	27/11/13	16/01/14					
	Redox Potential	mV	Quarterly	87	12/11/13	27/11/13	16/01/14					
	Sodium	mg/L	Quarterly	610	12/11/13	27/11/13	16/01/14					
	Water Level	m	Quarterly	8.6	12/11/13	27/11/13	16/01/14					
	Sulphate	mg/L	Quarterly	58	12/11/13	27/11/13	16/01/14					
	Temperature	oC	Quarterly	16.5	12/11/13	27/11/13	16/01/14					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	1.7	12/11/13	27/11/13	16/01/14					
	TDS	mg/L	Quarterly	1480	12/11/13	27/11/13	16/01/14					
	Total organic carbon	mg/L	Quarterly	15	12/11/13	27/11/13	16/01/14					
	TSS	mg/L	Quarterly	140	12/11/13	27/11/13	16/01/14					
	pH	pH	Quarterly	6.5	12/11/13	27/11/13	16/01/14					
	Alkalinity	mg/L	Quarterly	350	3/02/14	20/02/14	17/06/14					
	BOD	mg/L	Quarterly	0	3/02/14	20/02/14	17/06/14					
	Calcium	mg/L	Quarterly	27	3/02/14	20/02/14	17/06/14					
	Chloride	mg/L	Quarterly	910	3/02/14	20/02/14	17/06/14					
	Conductivity	µS/cm	Quarterly	3390	3/02/14	20/02/14	17/06/14					
	Magnesium	mg/L	Quarterly	38	3/02/14	20/02/14	17/06/14					
	Nitrogen	mg/L	Quarterly	3.8	3/02/14	20/02/14	17/06/14					
	Ammonia	mg/L	Quarterly	0.41	3/02/14	20/02/14	17/06/14					
	Potassium	mg/L	Quarterly	9	3/02/14	20/02/14	17/06/14					
	Redox Potential	mV	Quarterly	103	3/02/14	20/02/14	17/06/14					
	Sodium	mg/L	Quarterly	780	3/02/14	20/02/14	17/06/14					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Water Level	m	Quarterly	8.51	3/02/14	20/02/14	17/06/14					
	Sulphate	mg/L	Quarterly	58	3/02/14	20/02/14	17/06/14					
	Temperature	oC	Quarterly	20.6	3/02/14	20/02/14	17/06/14					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	3.8	3/02/14	20/02/14	17/06/14					
	TDS	mg/L	Quarterly	1910	3/02/14	20/02/14	17/06/14					
	Total organic carbon	mg/L	Quarterly	26	3/02/14	20/02/14	17/06/14					
	TSS	mg/L	Quarterly	970	3/02/14	20/02/14	17/06/14					
	pH	pH	Quarterly	6.6	3/02/14	20/02/14	17/06/14					
	Alkalinity	mg/L	Quarterly	410	7/05/14	28/05/14	17/07/14					
	BOD	mg/L	Quarterly	6	7/05/14	28/05/14	17/07/14					
	Calcium	mg/L	Quarterly	36	7/05/14	28/05/14	17/07/14					
	Chloride	mg/L	Quarterly	1000	7/05/14	28/05/14	17/07/14					
	Conductivity	µS/cm	Quarterly	4260	7/05/14	28/05/14	17/07/14					
	Magnesium	mg/L	Quarterly	53	7/05/14	28/05/14	17/07/14					
	Nitrogen	mg/L	Quarterly	4.5	7/05/14	28/05/14	17/07/14					
	Ammonia	mg/L	Quarterly	0.20	7/05/14	28/05/14	17/07/14					
	Potassium	mg/L	Quarterly	10	7/05/14	28/05/14	17/07/14					
	Redox Potential	mV	Quarterly	81	7/05/14	28/05/14	17/07/14					
	Sodium	mg/L	Quarterly	940	7/05/14	28/05/14	17/07/14					
	Water Level	m	Quarterly	8.57	7/05/14	28/05/14	17/07/14					
	Sulphate	mg/L	Quarterly	82	7/05/14	28/05/14	17/07/14					
	Temperature	oC	Quarterly	19.1	7/05/14	28/05/14	17/07/14					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	4.5	7/05/14	28/05/14	17/07/14					
	TDS	mg/L	Quarterly	2210	7/05/14	28/05/14	17/07/14					
	Total organic carbon	mg/L	Quarterly	6	7/05/14	28/05/14	17/07/14					
	TSS	mg/L	Quarterly	364	7/05/14	28/05/14	17/07/14					
	pH	pH	Quarterly	6.60	7/05/14	28/05/14	17/07/14					
	Alkalinity	mg/L	Quarterly	504	6/08/14	30/09/14	17/02/15					
	BOD	mg/L	Quarterly	4	6/08/14	30/09/14	17/02/15					
	Calcium	mg/L	Quarterly	36	6/08/14	30/09/14	17/02/15					
	Chloride	mg/L	Quarterly	1010	6/08/14	30/09/14	17/02/15					
	Conductivity	µS/cm	Quarterly	4770	6/08/14	30/09/14	17/02/15					
	Magnesium	mg/L	Quarterly	58	6/08/14	30/09/14	17/02/15					
	Nitrogen	mg/L	Quarterly	2.7	6/08/14	30/09/14	17/02/15					
	Ammonia	mg/L	Quarterly	0.17	6/08/14	30/09/14	17/02/15					
	Potassium	mg/L	Quarterly	11	6/08/14	30/09/14	17/02/15					
	Redox Potential	mV	Quarterly	188	6/08/14	30/09/14	17/02/15					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Sodium	mg/L	Quarterly	864	6/08/14	30/09/14	17/02/15					
	Water Level	m	Quarterly	8.63	6/08/14	30/09/14	17/02/15					
	Sulphate	mg/L	Quarterly	108	6/08/14	30/09/14	17/02/15					
	Temperature	oC	Quarterly	18.4	6/08/14	30/09/14	17/02/15					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	2.6	6/08/14	30/09/14	17/02/15					
	TDS	mg/L	Quarterly	2430	6/08/14	30/09/14	17/02/15					
	Total organic carbon	mg/L	Quarterly	14	6/08/14	30/09/14	17/02/15					
	TSS	mg/L	Quarterly	402	6/08/14	30/09/14	17/02/15					
	pH	pH	Quarterly	6.9	6/08/14	30/09/14	17/02/15					
	Alkalinity	mg/L	Quarterly	338	12/11/14	5/12/14	17/02/15					
	BOD	mg/L	Quarterly	16	12/11/14	5/12/14	17/02/15					
	Calcium	mg/L	Quarterly	33	12/11/14	5/12/14	17/02/15					
	Chloride	mg/L	Quarterly	985	12/11/14	5/12/14	17/02/15					
	Conductivity	µS/cm	Quarterly	3760	12/11/14	5/12/14	17/02/15					
	Magnesium	mg/L	Quarterly	44	12/11/14	5/12/14	17/02/15					
	Nitrogen	mg/L	Quarterly	2.1	12/11/14	5/12/14	17/02/15					
	Ammonia	mg/L	Quarterly	0.05	12/11/14	5/12/14	17/02/15					
	Potassium	mg/L	Quarterly	8	12/11/14	5/12/14	17/02/15					
	Redox Potential	mV	Quarterly	181	12/11/14	5/12/14	17/02/15					
	Sodium	mg/L	Quarterly	652	12/11/14	5/12/14	17/02/15					
	Water Level	m	Quarterly	8.72	12/11/14	5/12/14	17/02/15					
	Sulphate	mg/L	Quarterly	121	12/11/14	5/12/14	17/02/15					
	Temperature	oC	Quarterly	19.6	12/11/14	5/12/14	17/02/15					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	2.1	12/11/14	5/12/14	17/02/15					
	TDS	mg/L	Quarterly	1950	12/11/14	5/12/14	17/02/15					
	Total organic carbon	mg/L	Quarterly	13	12/11/14	5/12/14	17/02/15					
	TSS	mg/L	Quarterly	144	12/11/14	5/12/14	17/02/15					
	pH	pH	Quarterly	6.7	12/11/14	5/12/14	17/02/15					
	Alkalinity	mg/L	Quarterly	146	4/02/15	19/02/15	10/06/15					
	BOD	mg/L	Quarterly	<2	4/02/15	19/02/15	10/06/15					
	Calcium	mg/L	Quarterly	6	4/02/15	19/02/15	10/06/15					
	Chloride	mg/L	Quarterly	130	4/02/15	19/02/15	10/06/15					
	Conductivity	µS/cm	Quarterly	1,000	4/02/15	19/02/15	10/06/15					
	Magnesium	mg/L	Quarterly	3	4/02/15	19/02/15	10/06/15					
	Nitrogen	mg/L	Quarterly	1.7	4/02/15	19/02/15	10/06/15					
	Ammonia	mg/L	Quarterly	0.08	4/02/15	19/02/15	10/06/15					
	Potassium	mg/L	Quarterly	4	4/02/15	19/02/15	10/06/15					

**EPA Licence Number:** L123  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 1 DP 106143 Old Wallgrove Road, Horsley  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Redox Potential	mV	Quarterly	204	4/02/15	19/02/15	10/06/15					
	Sodium	mg/L	Quarterly	161	4/02/15	19/02/15	10/06/15					
	Water Level	m	Quarterly	6.94	4/02/15	19/02/15	10/06/15					
	Sulphate	mg/L	Quarterly	30	4/02/15	19/02/15	10/06/15					
	Temperature	oC	Quarterly	19.9	4/02/15	19/02/15	10/06/15					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	1.7	4/02/15	19/02/15	10/06/15					
	TDS	mg/L	Quarterly	457	4/02/15	19/02/15	10/06/15					
	Total organic carbon	mg/L	Quarterly	15	4/02/15	19/02/15	10/06/15					
	TSS	mg/L	Quarterly	193	4/02/15	19/02/15	10/06/15					
	pH	pH	Quarterly	6.7	4/02/15	19/02/15	10/06/15					
Point 15	Alkalinity	mg/L	Quarterly	190	16/05/12	28/05/12	30/06/12					
OW2	BOD	mg/L	Quarterly	5	16/05/12	28/05/12	30/06/12					
	Calcium	mg/L	Quarterly	45	16/05/12	28/05/12	30/06/12					
	Chloride	mg/L	Quarterly	324	16/05/12	28/05/12	30/06/12					
	Conductivity	µS/cm	Quarterly	3,410	16/05/12	28/05/12	30/06/12					
	Magnesium	mg/L	Quarterly	21	16/05/12	28/05/12	30/06/12					
	Nitrogen	mg/L	Quarterly	4	16/05/12	28/05/12	30/06/12					
	Ammonia	mg/L	Quarterly	0.58	16/05/12	28/05/12	30/06/12					
	Potassium	mg/L	Quarterly	12	16/05/12	28/05/12	30/06/12					
	Redox Potential	mV	Quarterly	n/a	16/05/12	28/05/12	30/06/12				Not measured	Meter Malfunction
	Sodium	mg/L	Quarterly	227	16/05/12	28/05/12	30/06/12					
	Water Level	m	Quarterly	4.77	16/05/12	28/05/12	30/06/12					
	Sulphate	mg/L	Quarterly	27	16/05/12	28/05/12	30/06/12					
	Temperature	oC	Quarterly	20.4	16/05/12	28/05/12	30/06/12					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	4	16/05/12	28/05/12	30/06/12					
	TDS	mg/L	Quarterly	1,030	16/05/12	28/05/12	30/06/12					
	TDS	mg/L	Quarterly	1,050	16/05/12	28/05/12	30/06/12					
	Total organic carbon	mg/L	Quarterly	11	16/05/12	28/05/12	30/06/12					
	TSS	mg/L	Quarterly	562	16/05/12	28/05/12	30/06/12					
	pH	pH	Quarterly	7.1	16/05/12	28/05/12	30/06/12					
	Alkalinity	mg/L	Quarterly	393	9/08/12	2/10/12	30/11/12					
	BOD	mg/L	Quarterly	<2	9/08/12	2/10/12	30/11/12					
	Calcium	mg/L	Quarterly	77	9/08/12	2/10/12	30/11/12					
	Chloride	mg/L	Quarterly	2560	9/08/12	2/10/12	30/11/12					
	Conductivity	µS/cm	Quarterly	7570	9/08/12	2/10/12	30/11/12					
	Magnesium	mg/L	Quarterly	166	9/08/12	2/10/12	30/11/12					
	Nitrogen	mg/L	Quarterly	2.2	9/08/12	2/10/12	30/11/12					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Ammonia	mg/L	Quarterly	<0.1	9/08/12	2/10/12	30/11/12					
	Potassium	mg/L	Quarterly	15	9/08/12	2/10/12	30/11/12					
	Redox Potential	mV	Quarterly	-161	9/08/12	2/10/12	30/11/12					
	Sodium	mg/L	Quarterly	1410	9/08/12	2/10/12	30/11/12					
	Water Level	m	Quarterly	4.91	9/08/12	2/10/12	30/11/12					
	Sulphate	mg/L	Quarterly	265	9/08/12	2/10/12	30/11/12					
	Temperature	oC	Quarterly	20.2	9/08/12	2/10/12	30/11/12					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	2.2	9/08/12	2/10/12	30/11/12					
	TDS	mg/L	Quarterly	5150	9/08/12	2/10/12	30/11/12					
	TDS	mg/L	Quarterly	4310	9/08/12	2/10/12	30/11/12					
	Total organic carbon	mg/L	Quarterly	7	9/08/12	2/10/12	30/11/12					
	TSS	mg/L	Quarterly	404	9/08/12	2/10/12	30/11/12					
	pH	pH	Quarterly	6.8	9/08/12	2/10/12	30/11/12					
	Alkalinity	mg/L	Quarterly	467	27/11/12	5/12/12	29/01/13					
	BOD	mg/L	Quarterly	6	27/11/12	5/12/12	29/01/13					
	Calcium	mg/L	Quarterly	165	27/11/12	5/12/12	29/01/13					
	Chloride	mg/L	Quarterly	4530	27/11/12	5/12/12	29/01/13					
	Conductivity	µS/cm	Quarterly	12200	27/11/12	5/12/12	18/01/13					
	Magnesium	mg/L	Quarterly	383	27/11/12	5/12/12	29/01/13					
	Nitrogen	mg/L	Quarterly	2.8	27/11/12	5/12/12	29/01/13					
	Ammonia	mg/L	Quarterly	0.87	27/11/12	5/12/12	29/01/13					
	Potassium	mg/L	Quarterly	20	27/11/12	5/12/12	29/01/13					
	Redox Potential	mV	Quarterly	-8	27/11/12	5/12/12	18/01/13					
	Sodium	mg/L	Quarterly	2230	27/11/12	5/12/12	29/01/13					
	Water Level	m	Quarterly	4.89	27/11/12	5/12/12	18/01/13					
	Sulphate	mg/L	Quarterly	426	27/11/12	5/12/12	29/01/13					
	Temperature	oC	Quarterly	20.6	27/11/12	5/12/12	18/01/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	2.6	27/11/12	5/12/12	29/01/13					
	TDS	mg/L	Quarterly	6880	27/11/12	5/12/12	18/01/13					
	TDS	mg/L	Quarterly		27/11/12	5/12/12	29/01/13					
	Total organic carbon	mg/L	Quarterly	9	27/11/12	5/12/12	29/01/13					
	TSS	mg/L	Quarterly	99	27/11/12	5/12/12	18/01/13					
	pH	pH	Quarterly	6.7	27/11/12	5/12/12	18/01/13					
	Alkalinity	mg/L	Quarterly	428	20/02/13	5/03/13	31/05/13					
	BOD	mg/L	Quarterly	8	20/02/13	5/03/13	31/05/13					
	Calcium	mg/L	Quarterly	115	20/02/13	5/03/13	31/05/13					
	Chloride	mg/L	Quarterly	2730	20/02/13	5/03/13	31/05/13					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Conductivity	µS/cm	Quarterly	8690	20/02/13	5/03/13	31/05/13					
	Magnesium	mg/L	Quarterly	250	20/02/13	5/03/13	31/05/13					
	Nitrogen	mg/L	Quarterly	3.5	20/02/13	5/03/13	31/05/13					
	Ammonia	mg/L	Quarterly	0.28	20/02/13	5/03/13	31/05/13					
	Potassium	mg/L	Quarterly	18	20/02/13	5/03/13	31/05/13					
	Redox Potential	mV	Quarterly	20	20/02/13	5/03/13	31/05/13					
	Sodium	mg/L	Quarterly	1640	20/02/13	5/03/13	31/05/13					
	Water Level	m	Quarterly	4.84	20/02/13	5/03/13	31/05/13					
	Sulphate	mg/L	Quarterly	299	20/02/13	5/03/13	31/05/13					
	Temperature	oC	Quarterly	23.2	20/02/13	5/03/13	31/05/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	1.1	20/02/13	5/03/13	31/05/13					
	TDS	mg/L	Quarterly	6600	20/02/13	5/03/13	31/05/13					
	TDS	mg/L	Quarterly		20/02/13	5/03/13	31/05/13					
	Total organic carbon	mg/L	Quarterly	2	20/02/13	5/03/13	31/05/13					
	TSS	mg/L	Quarterly	432	20/02/13	5/03/13	31/05/13					
	pH	pH	Quarterly	7.0	20/02/13	5/03/13	31/05/13					
	Alkalinity	mg/L	Quarterly	352	15/05/13	22/05/13	31/05/13					
	BOD	mg/L	Quarterly	3	15/05/13	22/05/13	31/05/13					
	Calcium	mg/L	Quarterly	86	15/05/13	22/05/13	31/05/13					
	Chloride	mg/L	Quarterly	1850	15/05/13	22/05/13	31/05/13					
	Conductivity	µS/cm	Quarterly	7300	15/05/13	22/05/13	31/05/13					
	Magnesium	mg/L	Quarterly	154	15/05/13	22/05/13	31/05/13					
	Nitrogen	mg/L	Quarterly	1.8	15/05/13	22/05/13	31/05/13					
	Ammonia	mg/L	Quarterly	0.26	15/05/13	22/05/13	31/05/13					
	Potassium	mg/L	Quarterly	18	15/05/13	22/05/13	31/05/13					
	Redox Potential	mV	Quarterly	64	15/05/13	22/05/13	31/05/13					
	Sodium	mg/L	Quarterly	1200	15/05/13	22/05/13	31/05/13					
	Water Level	m	Quarterly	4.68	15/05/13	22/05/13	31/05/13					
	Sulphate	mg/L	Quarterly	209	15/05/13	22/05/13	31/05/13					
	Temperature	oC	Quarterly	20	15/05/13	22/05/13	31/05/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	1.6	15/05/13	22/05/13	31/05/13					
	TDS	mg/L	Quarterly	3980	15/05/13	22/05/13	31/05/13					
	TDS	mg/L	Quarterly		15/05/13	22/05/13	31/05/13					
	Total organic carbon	mg/L	Quarterly	10	15/05/13	22/05/13	31/05/13					
	TSS	mg/L	Quarterly	79	15/05/13	22/05/13	31/05/13					
	pH	pH	Quarterly	6.9	15/05/13	22/05/13	31/05/13					
	Alkalinity	mg/L	Quarterly	736	7/08/13	26/08/13	25/10/13					

**EPA Licence Number:** L123  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 1 DP 106143 Old Wallgrove Road, Horsley  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	BOD	mg/L	Quarterly	17	7/08/13	26/08/13	25/10/13					
	Calcium	mg/L	Quarterly	154	7/08/13	26/08/13	25/10/13					
	Chloride	mg/L	Quarterly	4370	7/08/13	26/08/13	25/10/13					
	Conductivity	µS/cm	Quarterly	13400	7/08/13	26/08/13	25/10/13					
	Magnesium	mg/L	Quarterly	414	7/08/13	26/08/13	25/10/13					
	Nitrogen	mg/L	Quarterly	7.7	7/08/13	26/08/13	25/10/13					
	Ammonia	mg/L	Quarterly	6.13	7/08/13	26/08/13	25/10/13					
	Potassium	mg/L	Quarterly	27	7/08/13	26/08/13	25/10/13					
	Redox Potential	mV	Quarterly	-159	7/08/13	26/08/13	25/10/13					
	Sodium	mg/L	Quarterly	2440	7/08/13	26/08/13	25/10/13					
	Water Level	m	Quarterly	4.84	7/08/13	26/08/13	25/10/13					
	Sulphate	mg/L	Quarterly	237	7/08/13	26/08/13	25/10/13					
	Temperature	oC	Quarterly	19.6	7/08/13	26/08/13	25/10/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	7.7	7/08/13	26/08/13	25/10/13					
	TDS	mg/L	Quarterly	7960	7/08/13	26/08/13	25/10/13					
	Total organic carbon	mg/L	Quarterly	14	7/08/13	26/08/13	25/10/13					
	TSS	mg/L	Quarterly	345	7/08/13	26/08/13	25/10/13					
	pH	pH	Quarterly	7	7/08/13	26/08/13	25/10/13					
	Alkalinity	mg/L	Quarterly	720	12/11/13	27/11/13	16/01/14					
	BOD	mg/L	Quarterly	5	12/11/13	27/11/13	16/01/14					
	Calcium	mg/L	Quarterly	200	12/11/13	27/11/13	16/01/14					
	Chloride	mg/L	Quarterly	5400	12/11/13	27/11/13	16/01/14					
	Conductivity	µS/cm	Quarterly	15900	12/11/13	27/11/13	16/01/14					
	Magnesium	mg/L	Quarterly	510	12/11/13	27/11/13	16/01/14					
	Nitrogen	mg/L	Quarterly	4.2	12/11/13	27/11/13	16/01/14					
	Ammonia	mg/L	Quarterly	2.4	12/11/13	27/11/13	16/01/14					
	Potassium	mg/L	Quarterly	19	12/11/13	27/11/13	16/01/14					
	Redox Potential	mV	Quarterly	8	12/11/13	27/11/13	16/01/14					
	Sodium	mg/L	Quarterly	3300	12/11/13	27/11/13	16/01/14					
	Water Level	m	Quarterly	5.42	12/11/13	27/11/13	16/01/14					
	Sulphate	mg/L	Quarterly	530	12/11/13	27/11/13	16/01/14					
	Temperature	oC	Quarterly	18.9	12/11/13	27/11/13	16/01/14					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	4.2	12/11/13	27/11/13	16/01/14					
	TDS	mg/L	Quarterly	10000	12/11/13	27/11/13	16/01/14					
	Total organic carbon	mg/L	Quarterly	17	12/11/13	27/11/13	16/01/14					
	TSS	mg/L	Quarterly	460	12/11/13	27/11/13	16/01/14					
	Alkalinity	mg/L	Quarterly	690	3/02/14	20/02/14	17/06/14					



EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Alkalinity	mg/L	Quarterly	702	6/08/14	30/09/14	17/02/15					
	BOD	mg/L	Quarterly	5	6/08/14	30/09/14	17/02/15					
	Calcium	mg/L	Quarterly	182	6/08/14	30/09/14	17/02/15					
	Chloride	mg/L	Quarterly	5160	6/08/14	30/09/14	17/02/15					
	Conductivity	µS/cm	Quarterly	16600	6/08/14	30/09/14	17/02/15					
	Magnesium	mg/L	Quarterly	501	6/08/14	30/09/14	17/02/15					
	Nitrogen	mg/L	Quarterly	2.1	6/08/14	30/09/14	17/02/15					
	Ammonia	mg/L	Quarterly	0.85	6/08/14	30/09/14	17/02/15					
	Potassium	mg/L	Quarterly	24	6/08/14	30/09/14	17/02/15					
	Redox Potential	mV	Quarterly	39	6/08/14	30/09/14	17/02/15					
	Sodium	mg/L	Quarterly	2880	6/08/14	30/09/14	17/02/15					
	Water Level	m	Quarterly	5.61	6/08/14	30/09/14	17/02/15					
	Sulphate	mg/L	Quarterly	576	6/08/14	30/09/14	17/02/15					
	Temperature	oC	Quarterly	19.8	6/08/14	30/09/14	17/02/15					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	2.1	6/08/14	30/09/14	17/02/15					
	TDS	mg/L	Quarterly	10000	6/08/14	30/09/14	17/02/15					
	Total organic carbon	mg/L	Quarterly	13	6/08/14	30/09/14	17/02/15					
	TSS	mg/L	Quarterly	108	6/08/14	30/09/14	17/02/15					
	pH	pH	Quarterly	6.7	6/08/14	30/09/14	17/02/15					
	Alkalinity	mg/L	Quarterly	650	12/11/14	5/12/14	17/02/15					
	BOD	mg/L	Quarterly	20	12/11/14	5/12/14	17/02/15					
	Calcium	mg/L	Quarterly	234	12/11/14	5/12/14	17/02/15					
	Chloride	mg/L	Quarterly	5660	12/11/14	5/12/14	17/02/15					
	Conductivity	µS/cm	Quarterly	16700	12/11/14	5/12/14	17/02/15					
	Magnesium	mg/L	Quarterly	535	12/11/14	5/12/14	17/02/15					
	Nitrogen	mg/L	Quarterly	1.5	12/11/14	5/12/14	17/02/15					
	Ammonia	mg/L	Quarterly	0.71	12/11/14	5/12/14	17/02/15					
	Potassium	mg/L	Quarterly	20	12/11/14	5/12/14	17/02/15					
	Redox Potential	mV	Quarterly	103	12/11/14	5/12/14	17/02/15					
	Sodium	mg/L	Quarterly	2680	12/11/14	5/12/14	17/02/15					
	Water Level	m	Quarterly	5.46	12/11/14	5/12/14	17/02/15					
	Sulphate	mg/L	Quarterly	580	12/11/14	5/12/14	17/02/15					
	Temperature	oC	Quarterly	20.1	12/11/14	5/12/14	17/02/15					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	1.5	12/11/14	5/12/14	17/02/15					
	TDS	mg/L	Quarterly	11000	12/11/14	5/12/14	17/02/15					
	Total organic carbon	mg/L	Quarterly	10	12/11/14	5/12/14	17/02/15					
	TSS	mg/L	Quarterly	104	12/11/14	5/12/14	17/02/15					
	pH	pH	Quarterly	6.8	12/11/14	5/12/14	17/02/15					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Alkalinity	mg/L	Quarterly	744	4/02/15	19/02/15	10/06/15					
	BOD	mg/L	Quarterly	<2	4/02/15	19/02/15	10/06/15					
	Calcium	mg/L	Quarterly	196	4/02/15	19/02/15	10/06/15					
	Chloride	mg/L	Quarterly	5,530	4/02/15	19/02/15	10/06/15					
	Conductivity	µS/cm	Quarterly	16,700	4/02/15	19/02/15	10/06/15					
	Magnesium	mg/L	Quarterly	520	4/02/15	19/02/15	10/06/15					
	Nitrogen	mg/L	Quarterly	1	4/02/15	19/02/15	10/06/15					
	Ammonia	mg/L	Quarterly	0.53	4/02/15	19/02/15	10/06/15					
	Potassium	mg/L	Quarterly	20	4/02/15	19/02/15	10/06/15					
	Redox Potential	mV	Quarterly	84	4/02/15	19/02/15	10/06/15					
	Sodium	mg/L	Quarterly	2,940	4/02/15	19/02/15	10/06/15					
	Water Level	m	Quarterly	5.44	4/02/15	19/02/15	10/06/15					
	Sulphate	mg/L	Quarterly	652	4/02/15	19/02/15	10/06/15					
	Temperature	oC	Quarterly	21.2	4/02/15	19/02/15	10/06/15					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	1	4/02/15	19/02/15	10/06/15					
	TDS	mg/L	Quarterly	11,600	4/02/15	19/02/15	10/06/15					
	Total organic carbon	mg/L	Quarterly	8	4/02/15	19/02/15	10/06/15					
	TSS	mg/L	Quarterly	209	4/02/15	19/02/15	10/06/15					
	pH	pH	Quarterly	6.8	4/02/15	19/02/15	10/06/15					
Point 16	Alkalinity	mg/L	Quarterly	602	16/05/12	28/05/12	30/06/12					
OW4A	BOD	mg/L	Quarterly	<2	16/05/12	28/05/12	30/06/12					
	Calcium	mg/L	Quarterly	167	16/05/12	28/05/12	30/06/12					
	Chloride	mg/L	Quarterly	4920	16/05/12	28/05/12	30/06/12					
	Conductivity	µS/cm	Quarterly	14,100	16/05/12	28/05/12	30/06/12					
	Magnesium	mg/L	Quarterly	145	16/05/12	28/05/12	30/06/12					
	Nitrogen	mg/L	Quarterly	4.9	16/05/12	28/05/12	30/06/12					
	Ammonia	mg/L	Quarterly	2.54	16/05/12	28/05/12	30/06/12					
	Potassium	mg/L	Quarterly	33	16/05/12	28/05/12	30/06/12					
	Redox Potential	mV	Quarterly	n/a	16/05/12	28/05/12	30/06/12				Not measured	Meter Malfunction
	Sodium	mg/L	Quarterly	2760	16/05/12	28/05/12	30/06/12					
	Water Level	m	Quarterly	17.6	16/05/12	28/05/12	30/06/12					
	Sulphate	mg/L	Quarterly	<1	16/05/12	28/05/12	30/06/12					
	Temperature	oC	Quarterly	19.2	16/05/12	28/05/12	30/06/12					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	4.9	16/05/12	28/05/12	30/06/12					
	TDS	mg/L	Quarterly	8,530	16/05/12	28/05/12	30/06/12					
	TDS	mg/L	Quarterly	8,340	16/05/12	28/05/12	30/06/12					
	Total organic carbon	mg/L	Quarterly	<1	16/05/12	28/05/12	30/06/12					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	TSS	mg/L	Quarterly	69	16/05/12	28/05/12	30/06/12					
	pH	pH	Quarterly	7.3	16/05/12	28/05/12	30/06/12					
	Alkalinity	mg/L	Quarterly	664	9/08/12	2/10/12	30/11/12					
	BOD	mg/L	Quarterly	9	9/08/12	2/10/12	30/11/12					
	Calcium	mg/L	Quarterly	150	9/08/12	2/10/12	30/11/12					
	Chloride	mg/L	Quarterly	5020	9/08/12	2/10/12	30/11/12					
	Conductivity	µS/cm	Quarterly	13800	9/08/12	2/10/12	30/11/12					
	Magnesium	mg/L	Quarterly	137	9/08/12	2/10/12	30/11/12					
	Nitrogen	mg/L	Quarterly	5.3	9/08/12	2/10/12	30/11/12					
	Ammonia	mg/L	Quarterly	4.09	9/08/12	2/10/12	30/11/12					
	Potassium	mg/L	Quarterly	35	9/08/12	2/10/12	30/11/12					
	Redox Potential	mV	Quarterly	-54	9/08/12	2/10/12	30/11/12					
	Sodium	mg/L	Quarterly	2770	9/08/12	2/10/12	30/11/12					
	Water Level	m	Quarterly	17.51	9/08/12	2/10/12	30/11/12					
	Sulphate	mg/L	Quarterly	2	9/08/12	2/10/12	30/11/12					
	Temperature	oC	Quarterly	18.7	9/08/12	2/10/12	30/11/12					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	5.1	9/08/12	2/10/12	30/11/12					
	TDS	mg/L	Quarterly	8830	9/08/12	2/10/12	30/11/12					
	TDS	mg/L	Quarterly	7970	9/08/12	2/10/12	30/11/12					
	Total organic carbon	mg/L	Quarterly	2	9/08/12	2/10/12	30/11/12					
	TSS	mg/L	Quarterly	266	9/08/12	2/10/12	30/11/12					
	pH	pH	Quarterly	7.2	9/08/12	2/10/12	30/11/12					
	Alkalinity	mg/L	Quarterly	601	27/11/12	5/12/12	29/01/13					
	BOD	mg/L	Quarterly	4	27/11/12	5/12/12	29/01/13					
	Calcium	mg/L	Quarterly	180	27/11/12	5/12/12	29/01/13					
	Chloride	mg/L	Quarterly	5290	27/11/12	5/12/12	29/01/13					
	Conductivity	µS/cm	Quarterly	14100	27/11/12	5/12/12	18/01/13					
	Magnesium	mg/L	Quarterly	149	27/11/12	5/12/12	29/01/13					
	Nitrogen	mg/L	Quarterly	5.4	27/11/12	5/12/12	29/01/13					
	Ammonia	mg/L	Quarterly	4.88	27/11/12	5/12/12	29/01/13					
	Potassium	mg/L	Quarterly	33	27/11/12	5/12/12	29/01/13					
	Redox Potential	mV	Quarterly	-1	27/11/12	5/12/12	18/01/13					
	Sodium	mg/L	Quarterly	2860	27/11/12	5/12/12	29/01/13					
	Water Level	m	Quarterly	17.5	27/11/12	5/12/12	18/01/13					
	Sulphate	mg/L	Quarterly	<1	27/11/12	5/12/12	29/01/13					
	Temperature	oC	Quarterly	20.6	27/11/12	5/12/12	18/01/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	5.1	27/11/12	5/12/12	29/01/13					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	TDS	mg/L	Quarterly	8270	27/11/12	5/12/12	18/01/13					
	TDS	mg/L	Quarterly		27/11/12	5/12/12	29/01/13					
	Total organic carbon	mg/L	Quarterly	3	27/11/12	5/12/12	29/01/13					
	TSS	mg/L	Quarterly	61	27/11/12	5/12/12	18/01/13					
	pH	pH	Quarterly	7.2	27/11/12	5/12/12	18/01/13					
	Alkalinity	mg/L	Quarterly	644	20/02/13	5/03/13	31/05/13					
	BOD	mg/L	Quarterly	4	20/02/13	5/03/13	31/05/13					
	Calcium	mg/L	Quarterly	171	20/02/13	5/03/13	31/05/13					
	Chloride	mg/L	Quarterly	4620	20/02/13	5/03/13	31/05/13					
	Conductivity	µS/cm	Quarterly	14100	20/02/13	5/03/13	31/05/13					
	Magnesium	mg/L	Quarterly	151	20/02/13	5/03/13	31/05/13					
	Nitrogen	mg/L	Quarterly	4.8	20/02/13	5/03/13	31/05/13					
	Ammonia	mg/L	Quarterly	4.82	20/02/13	5/03/13	31/05/13					
	Potassium	mg/L	Quarterly	37	20/02/13	5/03/13	31/05/13					
	Redox Potential	mV	Quarterly	-27	20/02/13	5/03/13	31/05/13					
	Sodium	mg/L	Quarterly	2940	20/02/13	5/03/13	31/05/13					
	Water Level	m	Quarterly	17.54	20/02/13	5/03/13	31/05/13					
	Sulphate	mg/L	Quarterly	<1	20/02/13	5/03/13	31/05/13					
	Temperature	oC	Quarterly	23.9	20/02/13	5/03/13	31/05/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	4.7	20/02/13	5/03/13	31/05/13					
	TDS	mg/L	Quarterly	9000	20/02/13	5/03/13	31/05/13					
	TDS	mg/L	Quarterly		20/02/13	5/03/13	31/05/13					
	Total organic carbon	mg/L	Quarterly	<1	20/02/13	5/03/13	31/05/13					
	TSS	mg/L	Quarterly	60	20/02/13	5/03/13	31/05/13					
	pH	pH	Quarterly	7.5	20/02/13	5/03/13	31/05/13					
	Alkalinity	mg/L	Quarterly	612	15/05/13	22/05/13	31/05/13					
	BOD	mg/L	Quarterly	5	15/05/13	22/05/13	31/05/13					
	Calcium	mg/L	Quarterly	182	15/05/13	22/05/13	31/05/13					
	Chloride	mg/L	Quarterly	4500	15/05/13	22/05/13	31/05/13					
	Conductivity	µS/cm	Quarterly	14000	15/05/13	22/05/13	31/05/13					
	Magnesium	mg/L	Quarterly	145	15/05/13	22/05/13	31/05/13					
	Nitrogen	mg/L	Quarterly	5.8	15/05/13	22/05/13	31/05/13					
	Ammonia	mg/L	Quarterly	5.88	15/05/13	22/05/13	31/05/13					
	Potassium	mg/L	Quarterly	42	15/05/13	22/05/13	31/05/13					
	Redox Potential	mV	Quarterly	150	15/05/13	22/05/13	31/05/13					
	Sodium	mg/L	Quarterly	2700	15/05/13	22/05/13	31/05/13					
	Water Level	m	Quarterly	17.44	15/05/13	22/05/13	31/05/13					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Sulphate	mg/L	Quarterly	<1	15/05/13	22/05/13	31/05/13					
	Temperature	oC	Quarterly	18.6	15/05/13	22/05/13	31/05/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	5.7	15/05/13	22/05/13	31/05/13					
	TDS	mg/L	Quarterly	8750	15/05/13	22/05/13	31/05/13					
	TDS	mg/L	Quarterly		15/05/13	22/05/13	31/05/13					
	Total organic carbon	mg/L	Quarterly	4	15/05/13	22/05/13	31/05/13					
	TSS	mg/L	Quarterly	59	15/05/13	22/05/13	31/05/13					
	pH	pH	Quarterly	7.1	15/05/13	22/05/13	31/05/13					
	Alkalinity	mg/L	Quarterly	554	7/08/13	26/08/13	25/10/13					
	BOD	mg/L	Quarterly	<2	7/08/13	26/08/13	25/10/13					
	Calcium	mg/L	Quarterly	177	7/08/13	26/08/13	25/10/13					
	Chloride	mg/L	Quarterly	4630	7/08/13	26/08/13	25/10/13					
	Conductivity	µS/cm	Quarterly	13800	7/08/13	26/08/13	25/10/13					
	Magnesium	mg/L	Quarterly	150	7/08/13	26/08/13	25/10/13					
	Nitrogen	mg/L	Quarterly	5.1	7/08/13	26/08/13	25/10/13					
	Ammonia	mg/L	Quarterly	4.86	7/08/13	26/08/13	25/10/13					
	Potassium	mg/L	Quarterly	41	7/08/13	26/08/13	25/10/13					
	Redox Potential	mV	Quarterly	24	7/08/13	26/08/13	25/10/13					
	Sodium	mg/L	Quarterly	2830	7/08/13	26/08/13	25/10/13					
	Water Level	m	Quarterly	17.42	7/08/13	26/08/13	25/10/13					
	Sulphate	mg/L	Quarterly	<1	7/08/13	26/08/13	25/10/13					
	Temperature	oC	Quarterly	19	7/08/13	26/08/13	25/10/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	5.1	7/08/13	26/08/13	25/10/13					
	TDS	mg/L	Quarterly	8360	7/08/13	26/08/13	25/10/13					
	Total organic carbon	mg/L	Quarterly	2	7/08/13	26/08/13	25/10/13					
	TSS	mg/L	Quarterly	140	7/08/13	26/08/13	25/10/13					
	pH	pH	Quarterly	7.1	7/08/13	26/08/13	25/10/13					
	Alkalinity	mg/L	Quarterly	650	12/11/13	27/11/13	16/01/14					
	BOD	mg/L	Quarterly	<5	12/11/13	27/11/13	16/01/14					
	Calcium	mg/L	Quarterly	190	12/11/13	27/11/13	16/01/14					
	Chloride	mg/L	Quarterly	4800	12/11/13	27/11/13	16/01/14					
	Conductivity	µS/cm	Quarterly	14600	12/11/13	27/11/13	16/01/14					
	Magnesium	mg/L	Quarterly	140	12/11/13	27/11/13	16/01/14					
	Nitrogen	mg/L	Quarterly	5.6	12/11/13	27/11/13	16/01/14					
	Ammonia	mg/L	Quarterly	5.6	12/11/13	27/11/13	16/01/14					
	Potassium	mg/L	Quarterly	28	12/11/13	27/11/13	16/01/14					
	Redox Potential	mV	Quarterly	59	12/11/13	27/11/13	16/01/14					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Sodium	mg/L	Quarterly	3400	12/11/13	27/11/13	16/01/14					
	Water Level	m	Quarterly	17.49	12/11/13	27/11/13	16/01/14					
	Sulphate	mg/L	Quarterly	2	12/11/13	27/11/13	16/01/14					
	Temperature	oC	Quarterly	20.7	12/11/13	27/11/13	16/01/14					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	5.6	12/11/13	27/11/13	16/01/14					
	TDS	mg/L	Quarterly	8620	12/11/13	27/11/13	16/01/14					
	Total organic carbon	mg/L	Quarterly	2	12/11/13	27/11/13	16/01/14					
	TSS	mg/L	Quarterly	54	12/11/13	27/11/13	16/01/14					
	pH	pH	Quarterly	7.1	12/11/13	27/11/13	16/01/14					
	Alkalinity	mg/L	Quarterly	640	3/02/14	20/02/14	20/06/14					
	BOD	mg/L	Quarterly	11	3/02/14	20/02/14	20/06/14					
	Calcium	mg/L	Quarterly	180	3/02/14	20/02/14	20/06/14					
	Chloride	mg/L	Quarterly	4700	3/02/14	20/02/14	20/06/14					
	Conductivity	µS/cm	Quarterly	14400	3/02/14	20/02/14	20/06/14					
	Magnesium	mg/L	Quarterly	140	3/02/14	20/02/14	20/06/14					
	Nitrogen	mg/L	Quarterly	5.7	3/02/14	20/02/14	20/06/14					
	Ammonia	mg/L	Quarterly	5.50	3/02/14	20/02/14	20/06/14					
	Potassium	mg/L	Quarterly	31	3/02/14	20/02/14	20/06/14					
	Redox Potential	mV	Quarterly	78	3/02/14	20/02/14	20/06/14					
	Sodium	mg/L	Quarterly	3500	3/02/14	20/02/14	20/06/14					
	Water Level	m	Quarterly	17.44	3/02/14	20/02/14	20/06/14					
	Sulphate	mg/L	Quarterly	0	3/02/14	20/02/14	20/06/14					
	Temperature	oC	Quarterly	20.0	3/02/14	20/02/14	20/06/14					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	5.7	3/02/14	20/02/14	20/06/14					
	TDS	mg/L	Quarterly	8920	3/02/14	20/02/14	20/06/14					
	Total organic carbon	mg/L	Quarterly	1	3/02/14	20/02/14	20/06/14					
	TSS	mg/L	Quarterly	129	3/02/14	20/02/14	20/06/14					
	pH	pH	Quarterly	7.2	3/02/14	20/02/14	20/06/14					
	Alkalinity	mg/L	Quarterly	640	7/05/14	28/05/14	17/07/14					
	BOD	mg/L	Quarterly	6	7/05/14	28/05/14	17/07/14					
	Calcium	mg/L	Quarterly	180	7/05/14	28/05/14	17/07/14					
	Chloride	mg/L	Quarterly	4700	7/05/14	28/05/14	17/07/14					
	Conductivity	µS/cm	Quarterly	14400	7/05/14	28/05/14	17/07/14					
	Magnesium	mg/L	Quarterly	140	7/05/14	28/05/14	17/07/14					
	Nitrogen	mg/L	Quarterly	7.4	7/05/14	28/05/14	17/07/14					
	Ammonia	mg/L	Quarterly	5.50	7/05/14	28/05/14	17/07/14					
	Potassium	mg/L	Quarterly	35	7/05/14	28/05/14	17/07/14					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Redox Potential	mV	Quarterly	28	7/05/14	28/05/14	17/07/14					
	Sodium	mg/L	Quarterly	3500	7/05/14	28/05/14	17/07/14					
	Water Level	m	Quarterly	17.52	7/05/14	28/05/14	17/07/14					
	Sulphate	mg/L	Quarterly	<1	7/05/14	28/05/14	17/07/14					
	Temperature	oC	Quarterly	18.2	7/05/14	28/05/14	17/07/14					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	7.4	7/05/14	28/05/14	17/07/14					
	TDS	mg/L	Quarterly	8650	7/05/14	28/05/14	17/07/14					
	Total organic carbon	mg/L	Quarterly	2	7/05/14	28/05/14	17/07/14					
	TSS	mg/L	Quarterly	116	7/05/14	28/05/14	17/07/14					
	pH	pH	Quarterly	7.00	7/05/14	28/05/14	17/07/14					
	Alkalinity	mg/L	Quarterly	696	6/08/14	30/09/14	20/02/15					
	BOD	mg/L	Quarterly	5	6/08/14	30/09/14	20/02/15					
	Calcium	mg/L	Quarterly	185	6/08/14	30/09/14	20/02/15					
	Chloride	mg/L	Quarterly	4500	6/08/14	30/09/14	20/02/15					
	Conductivity	µS/cm	Quarterly	14200	6/08/14	30/09/14	20/02/15					
	Magnesium	mg/L	Quarterly	154	6/08/14	30/09/14	20/02/15					
	Nitrogen	mg/L	Quarterly	5.1	6/08/14	30/09/14	20/02/15					
	Ammonia	mg/L	Quarterly	5.07	6/08/14	30/09/14	20/02/15					
	Potassium	mg/L	Quarterly	43	6/08/14	30/09/14	20/02/15					
	Redox Potential	mV	Quarterly	39	6/08/14	30/09/14	20/02/15					
	Sodium	mg/L	Quarterly	2810	6/08/14	30/09/14	20/02/15					
	Water Level	m	Quarterly	17.58	6/08/14	30/09/14	20/02/15					
	Sulphate	mg/L	Quarterly	<1	6/08/14	30/09/14	20/02/15					
	Temperature	oC	Quarterly	19	6/08/14	30/09/14	20/02/15					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	5.1	6/08/14	30/09/14	20/02/15					
	TDS	mg/L	Quarterly	8620	6/08/14	30/09/14	20/02/15					
	Total organic carbon	mg/L	Quarterly	3	6/08/14	30/09/14	20/02/15					
	TSS	mg/L	Quarterly	26	6/08/14	30/09/14	20/02/15					
	pH	pH	Quarterly	7.1	6/08/14	30/09/14	20/02/15					
	Alkalinity	mg/L	Quarterly	562	12/11/14	5/12/14	20/02/15					
	BOD	mg/L	Quarterly	15	12/11/14	5/12/14	20/02/15					
	Calcium	mg/L	Quarterly	272	12/11/14	5/12/14	20/02/15					
	Chloride	mg/L	Quarterly	4950	12/11/14	5/12/14	20/02/15					
	Conductivity	µS/cm	Quarterly	14200	12/11/14	5/12/14	20/02/15					
	Magnesium	mg/L	Quarterly	148	12/11/14	5/12/14	20/02/15					
	Nitrogen	mg/L	Quarterly	7.5	12/11/14	5/12/14	20/02/15					
	Ammonia	mg/L	Quarterly	5.26	12/11/14	5/12/14	20/02/15					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Potassium	mg/L	Quarterly	29	12/11/14	5/12/14	20/02/15					
	Redox Potential	mV	Quarterly	56	12/11/14	5/12/14	20/02/15					
	Sodium	mg/L	Quarterly	2610	12/11/14	5/12/14	20/02/15					
	Water Level	m	Quarterly	17.38	12/11/14	5/12/14	20/02/15					
	Sulphate	mg/L	Quarterly	<10	12/11/14	5/12/14	20/02/15					
	Temperature	oC	Quarterly	20	12/11/14	5/12/14	20/02/15					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	7.5	12/11/14	5/12/14	20/02/15					
	TDS	mg/L	Quarterly	8180	12/11/14	5/12/14	20/02/15					
	Total organic carbon	mg/L	Quarterly	3	12/11/14	5/12/14	20/02/15					
	TSS	mg/L	Quarterly	190	12/11/14	5/12/14	20/02/15					
	pH	pH	Quarterly	7.1	12/11/14	5/12/14	20/02/15					
	Alkalinity	mg/L	Quarterly	663	4/02/15	19/02/15	10/06/15					
	BOD	mg/L	Quarterly	<2	4/02/15	19/02/15	10/06/15					
	Calcium	mg/L	Quarterly	156	4/02/15	19/02/15	10/06/15					
	Chloride	mg/L	Quarterly	4,890	4/02/15	19/02/15	10/06/15					
	Conductivity	µS/cm	Quarterly	14,000	4/02/15	19/02/15	10/06/15					
	Magnesium	mg/L	Quarterly	139	4/02/15	19/02/15	10/06/15					
	Nitrogen	mg/L	Quarterly	5.1	4/02/15	19/02/15	10/06/15					
	Ammonia	mg/L	Quarterly	4.66	4/02/15	19/02/15	10/06/15					
	Potassium	mg/L	Quarterly	28	4/02/15	19/02/15	10/06/15					
	Redox Potential	mV	Quarterly	122	4/02/15	19/02/15	10/06/15					
	Sodium	mg/L	Quarterly	2,990	4/02/15	19/02/15	10/06/15					
	Water Level	m	Quarterly	17.4	4/02/15	19/02/15	10/06/15					
	Sulphate	mg/L	Quarterly	<1	4/02/15	19/02/15	10/06/15					
	Temperature	oC	Quarterly	19.4	4/02/15	19/02/15	10/06/15					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	5.1	4/02/15	19/02/15	10/06/15					
	TDS	mg/L	Quarterly	8,850	4/02/15	19/02/15	10/06/15					
	Total organic carbon	mg/L	Quarterly	<1	4/02/15	19/02/15	10/06/15					
	TSS	mg/L	Quarterly	47	4/02/15	19/02/15	10/06/15					
	pH	pH	Quarterly	7	4/02/15	19/02/15	10/06/15					
Point 17	Alkalinity	mg/L	Quarterly	855	16/05/12	28/05/12	30/06/12					
OW5	BOD	mg/L	Quarterly	4	16/05/12	28/05/12	30/06/12					
	Calcium	mg/L	Quarterly	188	16/05/12	28/05/12	30/06/12					
	Chloride	mg/L	Quarterly	3660	16/05/12	28/05/12	30/06/12					
	Conductivity	µS/cm	Quarterly	12,700	16/05/12	28/05/12	30/06/12					
	Magnesium	mg/L	Quarterly	282	16/05/12	28/05/12	30/06/12					
	Nitrogen	mg/L	Quarterly	3.3	16/05/12	28/05/12	30/06/12					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Ammonia	mg/L	Quarterly	2.68	16/05/12	28/05/12	30/06/12					
	Potassium	mg/L	Quarterly	27	16/05/12	28/05/12	30/06/12					
	Redox Potential	mV	Quarterly	n/a	16/05/12	28/05/12	30/06/12				Not measured	Meter Malfunction
	Sodium	mg/L	Quarterly	2020	16/05/12	28/05/12	30/06/12					
	Water Level	m	Quarterly	11.03	16/05/12	28/05/12	30/06/12					
	Sulphate	mg/L	Quarterly	185	16/05/12	28/05/12	30/06/12					
	Temperature	oC	Quarterly	20.2	16/05/12	28/05/12	30/06/12					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	3	16/05/12	28/05/12	30/06/12					
	TDS	mg/L	Quarterly	7,420	16/05/12	28/05/12	30/06/12					
	TDS	mg/L	Quarterly	6,700	16/05/12	28/05/12	30/06/12					
	Total organic carbon	mg/L	Quarterly	5	16/05/12	28/05/12	30/06/12					
	TSS	mg/L	Quarterly	28	16/05/12	28/05/12	30/06/12					
	pH	pH	Quarterly	6.9	16/05/12	28/05/12	30/06/12					
	Alkalinity	mg/L	Quarterly	985	9/08/12	2/10/12	30/11/12					
	BOD	mg/L	Quarterly	4	9/08/12	2/10/12	30/11/12					
	Calcium	mg/L	Quarterly	197	9/08/12	2/10/12	30/11/12					
	Chloride	mg/L	Quarterly	4640	9/08/12	2/10/12	30/11/12					
	Conductivity	µS/cm	Quarterly	13200	9/08/12	2/10/12	30/11/12					
	Magnesium	mg/L	Quarterly	313	9/08/12	2/10/12	30/11/12					
	Nitrogen	mg/L	Quarterly	3.5	9/08/12	2/10/12	30/11/12					
	Ammonia	mg/L	Quarterly	2.77	9/08/12	2/10/12	30/11/12					
	Potassium	mg/L	Quarterly	31	9/08/12	2/10/12	30/11/12					
	Redox Potential	mV	Quarterly	131	9/08/12	2/10/12	30/11/12					
	Sodium	mg/L	Quarterly	2420	9/08/12	2/10/12	30/11/12					
	Water Level	m	Quarterly	10.66	9/08/12	2/10/12	30/11/12					
	Sulphate	mg/L	Quarterly	288	9/08/12	2/10/12	30/11/12					
	Temperature	oC	Quarterly	19.7	9/08/12	2/10/12	30/11/12					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	3.3	9/08/12	2/10/12	30/11/12					
	TDS	mg/L	Quarterly	8670	9/08/12	2/10/12	30/11/12					
	TDS	mg/L	Quarterly	8040	9/08/12	2/10/12	30/11/12					
	Total organic carbon	mg/L	Quarterly	4	9/08/12	2/10/12	30/11/12					
	TSS	mg/L	Quarterly	32	9/08/12	2/10/12	30/11/12					
	pH	pH	Quarterly	6.7	9/08/12	2/10/12	30/11/12					
	Alkalinity	mg/L	Quarterly	875	27/11/12	5/12/12	29/01/13					
	BOD	mg/L	Quarterly	19	27/11/12	5/12/12	29/01/13					
	Calcium	mg/L	Quarterly	236	27/11/12	5/12/12	29/01/13					
	Chloride	mg/L	Quarterly	4970	27/11/12	5/12/12	29/01/13					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Conductivity	µS/cm	Quarterly	13700	27/11/12	5/12/12	18/01/13					
	Magnesium	mg/L	Quarterly	346	27/11/12	5/12/12	29/01/13					
	Nitrogen	mg/L	Quarterly	4.5	27/11/12	5/12/12	29/01/13					
	Ammonia	mg/L	Quarterly	1.45	27/11/12	5/12/12	29/01/13					
	Potassium	mg/L	Quarterly	31	27/11/12	5/12/12	29/01/13					
	Redox Potential	mV	Quarterly	145	27/11/12	5/12/12	18/01/13					
	Sodium	mg/L	Quarterly	2470	27/11/12	5/12/12	29/01/13					
	Water Level	m	Quarterly	10.96	27/11/12	5/12/12	18/01/13					
	Sulphate	mg/L	Quarterly	303	27/11/12	5/12/12	29/01/13					
	Temperature	oC	Quarterly	20.8	27/11/12	5/12/12	18/01/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	4	27/11/12	5/12/12	29/01/13					
	TDS	mg/L	Quarterly	8090	27/11/12	5/12/12	18/01/13					
	TDS	mg/L	Quarterly		27/11/12	5/12/12	29/01/13					
	Total organic carbon	mg/L	Quarterly	5	27/11/12	5/12/12	29/01/13					
	TSS	mg/L	Quarterly	30	27/11/12	5/12/12	18/01/13					
	pH	pH	Quarterly	6.9	27/11/12	5/12/12	18/01/13					
	Alkalinity	mg/L	Quarterly	921	20/02/13	5/03/13	3/06/13					
	BOD	mg/L	Quarterly	15	20/02/13	5/03/13	3/06/13					
	Calcium	mg/L	Quarterly	229	20/02/13	5/03/13	3/06/13					
	Chloride	mg/L	Quarterly	4350	20/02/13	5/03/13	3/06/13					
	Conductivity	µS/cm	Quarterly	13800	20/02/13	5/03/13	3/06/13					
	Magnesium	mg/L	Quarterly	371	20/02/13	5/03/13	3/06/13					
	Nitrogen	mg/L	Quarterly	2.2	20/02/13	5/03/13	3/06/13					
	Ammonia	mg/L	Quarterly	1.41	20/02/13	5/03/13	3/06/13					
	Potassium	mg/L	Quarterly	37	20/02/13	5/03/13	3/06/13					
	Redox Potential	mV	Quarterly	161	20/02/13	5/03/13	3/06/13					
	Sodium	mg/L	Quarterly	2630	20/02/13	5/03/13	3/06/13					
	Water Level	m	Quarterly	10.99	20/02/13	5/03/13	3/06/13					
	Sulphate	mg/L	Quarterly	285	20/02/13	5/03/13	3/06/13					
	Temperature	oC	Quarterly	22.6	20/02/13	5/03/13	3/06/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	1.7	20/02/13	5/03/13	3/06/13					
	TDS	mg/L	Quarterly	9310	20/02/13	5/03/13	3/06/13					
	TDS	mg/L	Quarterly		20/02/13	5/03/13	3/06/13					
	Total organic carbon	mg/L	Quarterly	<1	20/02/13	5/03/13	3/06/13					
	TSS	mg/L	Quarterly	18	20/02/13	5/03/13	3/06/13					
	pH	pH	Quarterly	7.1	20/02/13	5/03/13	3/06/13					
	Alkalinity	mg/L	Quarterly	868	15/05/13	22/05/13	3/06/13					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	BOD	mg/L	Quarterly	11	15/05/13	22/05/13	3/06/13					
	Calcium	mg/L	Quarterly	237	15/05/13	22/05/13	3/06/13					
	Chloride	mg/L	Quarterly	4300	15/05/13	22/05/13	3/06/13					
	Conductivity	µS/cm	Quarterly	13600	15/05/13	22/05/13	3/06/13					
	Magnesium	mg/L	Quarterly	350	15/05/13	22/05/13	3/06/13					
	Nitrogen	mg/L	Quarterly	2.2	15/05/13	22/05/13	3/06/13					
	Ammonia	mg/L	Quarterly	1.38	15/05/13	22/05/13	3/06/13					
	Potassium	mg/L	Quarterly	40	15/05/13	22/05/13	3/06/13					
	Redox Potential	mV	Quarterly	128	15/05/13	22/05/13	3/06/13					
	Sodium	mg/L	Quarterly	2370	15/05/13	22/05/13	3/06/13					
	Water Level	m	Quarterly	10.9	15/05/13	22/05/13	3/06/13					
	Sulphate	mg/L	Quarterly	268	15/05/13	22/05/13	3/06/13					
	Temperature	oC	Quarterly	20.2	15/05/13	22/05/13	3/06/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	1.8	15/05/13	22/05/13	3/06/13					
	TDS	mg/L	Quarterly	8790	15/05/13	22/05/13	3/06/13					
	TDS	mg/L	Quarterly		15/05/13	22/05/13	3/06/13					
	Total organic carbon	mg/L	Quarterly	4	15/05/13	22/05/13	3/06/13					
	TSS	mg/L	Quarterly	12	15/05/13	22/05/13	3/06/13					
	pH	pH	Quarterly	6.9	15/05/13	22/05/13	3/06/13					
	Alkalinity	mg/L	Quarterly	798	7/08/13	26/08/13	25/10/13					
	BOD	mg/L	Quarterly	9	7/08/13	26/08/13	25/10/13					
	Calcium	mg/L	Quarterly	234	7/08/13	26/08/13	25/10/13					
	Chloride	mg/L	Quarterly	4390	7/08/13	26/08/13	25/10/13					
	Conductivity	µS/cm	Quarterly	13500	7/08/13	26/08/13	25/10/13					
	Magnesium	mg/L	Quarterly	367	7/08/13	26/08/13	25/10/13					
	Nitrogen	mg/L	Quarterly	1.7	7/08/13	26/08/13	25/10/13					
	Ammonia	mg/L	Quarterly	1.23	7/08/13	26/08/13	25/10/13					
	Potassium	mg/L	Quarterly	39	7/08/13	26/08/13	25/10/13					
	Redox Potential	mV	Quarterly	130	7/08/13	26/08/13	25/10/13					
	Sodium	mg/L	Quarterly	2480	7/08/13	26/08/13	25/10/13					
	Water Level	m	Quarterly	10.87	7/08/13	26/08/13	25/10/13					
	Sulphate	mg/L	Quarterly	305	7/08/13	26/08/13	25/10/13					
	Temperature	oC	Quarterly	19.9	7/08/13	26/08/13	25/10/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	1.4	7/08/13	26/08/13	25/10/13					
	TDS	mg/L	Quarterly	9720	7/08/13	26/08/13	25/10/13					
	Total organic carbon	mg/L	Quarterly	3	7/08/13	26/08/13	25/10/13					
	TSS	mg/L	Quarterly	10	7/08/13	26/08/13	25/10/13					
	pH	pH	Quarterly	7	7/08/13	26/08/13	25/10/13					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Alkalinity	mg/L	Quarterly	920	12/11/13	27/11/13	16/01/14					
	BOD	mg/L	Quarterly	<5	12/11/13	27/11/13	16/01/14					
	Calcium	mg/L	Quarterly	250	12/11/13	27/11/13	16/01/14					
	Chloride	mg/L	Quarterly	4500	12/11/13	27/11/13	16/01/14					
	Conductivity	µS/cm	Quarterly	14300	12/11/13	27/11/13	16/01/14					
	Magnesium	mg/L	Quarterly	350	12/11/13	27/11/13	16/01/14					
	Nitrogen	mg/L	Quarterly	1.7	12/11/13	27/11/13	16/01/14					
	Ammonia	mg/L	Quarterly	0.93	12/11/13	27/11/13	16/01/14					
	Potassium	mg/L	Quarterly	28	12/11/13	27/11/13	16/01/14					
	Redox Potential	mV	Quarterly	158	12/11/13	27/11/13	16/01/14					
	Sodium	mg/L	Quarterly	3000	12/11/13	27/11/13	16/01/14					
	Water Level	m	Quarterly	10.94	12/11/13	27/11/13	16/01/14					
	Sulphate	mg/L	Quarterly	290	12/11/13	27/11/13	16/01/14					
	Temperature	oC	Quarterly	21.7	12/11/13	27/11/13	16/01/14					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	1.3	12/11/13	27/11/13	16/01/14					
	TDS	mg/L	Quarterly	9180	12/11/13	27/11/13	16/01/14					
	Total organic carbon	mg/L	Quarterly	3	12/11/13	27/11/13	16/01/14					
	TSS	mg/L	Quarterly	12	12/11/13	27/11/13	16/01/14					
	pH	pH	Quarterly	6.9	12/11/13	27/11/13	16/01/14					
	Alkalinity	mg/L	Quarterly	900	3/02/14	20/02/14	20/06/14					
	BOD	mg/L	Quarterly	11	3/02/14	20/02/14	20/06/14					
	Calcium	mg/L	Quarterly	240	3/02/14	20/02/14	20/06/14					
	Chloride	mg/L	Quarterly	4400	3/02/14	20/02/14	20/06/14					
	Conductivity	µS/cm	Quarterly	13500	3/02/14	20/02/14	20/06/14					
	Magnesium	mg/L	Quarterly	360	3/02/14	20/02/14	20/06/14					
	Nitrogen	mg/L	Quarterly	2.8	3/02/14	20/02/14	20/06/14					
	Ammonia	mg/L	Quarterly	0.88	3/02/14	20/02/14	20/06/14					
	Potassium	mg/L	Quarterly	34	3/02/14	20/02/14	20/06/14					
	Redox Potential	mV	Quarterly	203	3/02/14	20/02/14	20/06/14					
	Sodium	mg/L	Quarterly	3200	3/02/14	20/02/14	20/06/14					
	Water Level	m	Quarterly	10.97	3/02/14	20/02/14	20/06/14					
	Sulphate	mg/L	Quarterly	260	3/02/14	20/02/14	20/06/14					
	Temperature	oC	Quarterly	20.5	3/02/14	20/02/14	20/06/14					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	2.8	3/02/14	20/02/14	20/06/14					
	TDS	mg/L	Quarterly	9580	3/02/14	20/02/14	20/06/14					
	Total organic carbon	mg/L	Quarterly	1	3/02/14	20/02/14	20/06/14					
	TSS	mg/L	Quarterly	19	3/02/14	20/02/14	20/06/14					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	pH	pH	Quarterly	7.1	3/02/14	20/02/14	20/06/14					
	Alkalinity	mg/L	Quarterly	900	7/05/14	28/05/14	17/07/14					
	BOD	mg/L	Quarterly	9	7/05/14	28/05/14	17/07/14					
	Calcium	mg/L	Quarterly	250	7/05/14	28/05/14	17/07/14					
	Chloride	mg/L	Quarterly	4400	7/05/14	28/05/14	17/07/14					
	Conductivity	µS/cm	Quarterly	14300	7/05/14	28/05/14	17/07/14					
	Magnesium	mg/L	Quarterly	360	7/05/14	28/05/14	17/07/14					
	Nitrogen	mg/L	Quarterly	2.9	7/05/14	28/05/14	17/07/14					
	Ammonia	mg/L	Quarterly	0.76	7/05/14	28/05/14	17/07/14					
	Potassium	mg/L	Quarterly	33	7/05/14	28/05/14	17/07/14					
	Redox Potential	mV	Quarterly	158	7/05/14	28/05/14	17/07/14					
	Sodium	mg/L	Quarterly	3000	7/05/14	28/05/14	17/07/14					
	Water Level	m	Quarterly	11.05	7/05/14	28/05/14	17/07/14					
	Sulphate	mg/L	Quarterly	260	7/05/14	28/05/14	17/07/14					
	Temperature	oC	Quarterly	19.4	7/05/14	28/05/14	17/07/14					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	2.9	7/05/14	28/05/14	17/07/14					
	TDS	mg/L	Quarterly	9280	7/05/14	28/05/14	17/07/14					
	Total organic carbon	mg/L	Quarterly	2	7/05/14	28/05/14	17/07/14					
	TSS	mg/L	Quarterly	9	7/05/14	28/05/14	17/07/14					
	pH	pH	Quarterly	6.90	7/05/14	28/05/14	17/07/14					
	Alkalinity	mg/L	Quarterly	982	6/08/14	30/09/14	20/02/15					
	BOD	mg/L	Quarterly	13	6/08/14	30/09/14	20/02/15					
	Calcium	mg/L	Quarterly	253	6/08/14	30/09/14	20/02/15					
	Chloride	mg/L	Quarterly	4290	6/08/14	30/09/14	20/02/15					
	Conductivity	µS/cm	Quarterly	14100	6/08/14	30/09/14	20/02/15					
	Magnesium	mg/L	Quarterly	385	6/08/14	30/09/14	20/02/15					
	Nitrogen	mg/L	Quarterly	1.4	6/08/14	30/09/14	20/02/15					
	Ammonia	mg/L	Quarterly	0.87	6/08/14	30/09/14	20/02/15					
	Potassium	mg/L	Quarterly	43	6/08/14	30/09/14	20/02/15					
	Redox Potential	mV	Quarterly	144	6/08/14	30/09/14	20/02/15					
	Sodium	mg/L	Quarterly	2460	6/08/14	30/09/14	20/02/15					
	Water Level	m	Quarterly	11.11	6/08/14	30/09/14	20/02/15					
	Sulphate	mg/L	Quarterly	309	6/08/14	30/09/14	20/02/15					
	Temperature	oC	Quarterly	19.4	6/08/14	30/09/14	20/02/15					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	1.4	6/08/14	30/09/14	20/02/15					
	TDS	mg/L	Quarterly	9060	6/08/14	30/09/14	20/02/15					
	Total organic carbon	mg/L	Quarterly	2	6/08/14	30/09/14	20/02/15					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	TSS	mg/L	Quarterly	9	6/08/14	30/09/14	20/02/15					
	pH	pH	Quarterly	6.9	6/08/14	30/09/14	20/02/15					
	Alkalinity	mg/L	Quarterly	710	12/11/14	5/12/14	20/02/15					
	BOD	mg/L	Quarterly	12	12/11/14	5/12/14	20/02/15					
	Calcium	mg/L	Quarterly	271	12/11/14	5/12/14	20/02/15					
	Chloride	mg/L	Quarterly	4050	12/11/14	5/12/14	20/02/15					
	Conductivity	µS/cm	Quarterly	11900	12/11/14	5/12/14	20/02/15					
	Magnesium	mg/L	Quarterly	290	12/11/14	5/12/14	20/02/15					
	Nitrogen	mg/L	Quarterly	2.1	12/11/14	5/12/14	20/02/15					
	Ammonia	mg/L	Quarterly	1.6	12/11/14	5/12/14	20/02/15					
	Potassium	mg/L	Quarterly	23	12/11/14	5/12/14	20/02/15					
	Redox Potential	mV	Quarterly	133	12/11/14	5/12/14	20/02/15					
	Sodium	mg/L	Quarterly	1870	12/11/14	5/12/14	20/02/15					
	Water Level	m	Quarterly	11.04	12/11/14	5/12/14	20/02/15					
	Sulphate	mg/L	Quarterly	280	12/11/14	5/12/14	20/02/15					
	Temperature	oC	Quarterly	20.6	12/11/14	5/12/14	20/02/15					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	2.1	12/11/14	5/12/14	20/02/15					
	TDS	mg/L	Quarterly	7800	12/11/14	5/12/14	20/02/15					
	Total organic carbon	mg/L	Quarterly	2	12/11/14	5/12/14	20/02/15					
	TSS	mg/L	Quarterly	28	12/11/14	5/12/14	20/02/15					
	pH	pH	Quarterly	7	12/11/14	5/12/14	20/02/15					
	Alkalinity	mg/L	Quarterly	941	4/02/15	19/02/15	10/06/15					
	BOD	mg/L	Quarterly	<2	4/02/15	19/02/15	10/06/15					
	Calcium	mg/L	Quarterly	215	4/02/15	19/02/15	10/06/15					
	Chloride	mg/L	Quarterly	4,580	4/02/15	19/02/15	10/06/15					
	Conductivity	µS/cm	Quarterly	13,300	4/02/15	19/02/15	10/06/15					
	Magnesium	mg/L	Quarterly	340	4/02/15	19/02/15	10/06/15					
	Nitrogen	mg/L	Quarterly	2.6	4/02/15	19/02/15	10/06/15					
	Ammonia	mg/L	Quarterly	1.58	4/02/15	19/02/15	10/06/15					
	Potassium	mg/L	Quarterly	28	4/02/15	19/02/15	10/06/15					
	Redox Potential	mV	Quarterly	123	4/02/15	19/02/15	10/06/15					
	Sodium	mg/L	Quarterly	2,650	4/02/15	19/02/15	10/06/15					
	Water Level	m	Quarterly	11.12	4/02/15	19/02/15	10/06/15					
	Sulphate	mg/L	Quarterly	322	4/02/15	19/02/15	10/06/15					
	Temperature	oC	Quarterly	20.1	4/02/15	19/02/15	10/06/15					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	2.6	4/02/15	19/02/15	10/06/15					
	TDS	mg/L	Quarterly	9,330	4/02/15	19/02/15	10/06/15					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Total organic carbon	mg/L	Quarterly	2	4/02/15	19/02/15	10/06/15					
	TSS	mg/L	Quarterly	21	4/02/15	19/02/15	10/06/15					
	pH	pH	Quarterly	6.9	4/02/15	19/02/15	10/06/15					
Point 18	Alkalinity	mg/L	Quarterly	87	16/05/12	28/05/12	30/06/12					
OW7	BOD	mg/L	Quarterly	<2	16/05/12	28/05/12	30/06/12					
	Calcium	mg/L	Quarterly	24	16/05/12	28/05/12	30/06/12					
	Chloride	mg/L	Quarterly	2120	16/05/12	28/05/12	30/06/12					
	Conductivity	µS/cm	Quarterly	8,350	16/05/12	28/05/12	30/06/12					
	Magnesium	mg/L	Quarterly	121	16/05/12	28/05/12	30/06/12					
	Nitrogen	mg/L	Quarterly	1.3	16/05/12	28/05/12	30/06/12					
	Ammonia	mg/L	Quarterly	<0.1	16/05/12	28/05/12	30/06/12					
	Potassium	mg/L	Quarterly	10	16/05/12	28/05/12	30/06/12					
	Redox Potential	mV	Quarterly	n/a	16/05/12	28/05/12	30/06/12				Not measured	Meter Malfunction
	Sodium	mg/L	Quarterly	1500	16/05/12	28/05/12	30/06/12					
	Water Level	m	Quarterly	2.83	16/05/12	28/05/12	30/06/12					
	Sulphate	mg/L	Quarterly	379	16/05/12	28/05/12	30/06/12					
	Temperature	oC	Quarterly	20.2	16/05/12	28/05/12	30/06/12					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	1.1	16/05/12	28/05/12	30/06/12					
	TDS	mg/L	Quarterly	4,660	16/05/12	28/05/12	30/06/12					
	TDS	mg/L	Quarterly	4,410	16/05/12	28/05/12	30/06/12					
	Total organic carbon	mg/L	Quarterly	14	16/05/12	28/05/12	30/06/12					
	TSS	mg/L	Quarterly	37	16/05/12	28/05/12	30/06/12					
	pH	pH	Quarterly	5.6	16/05/12	28/05/12	30/06/12					
	Alkalinity	mg/L	Quarterly	50	9/08/12	2/10/12	30/11/12					
	BOD	mg/L	Quarterly	<2	9/08/12	2/10/12	30/11/12					
	Calcium	mg/L	Quarterly	16	9/08/12	2/10/12	30/11/12					
	Chloride	mg/L	Quarterly	2830	9/08/12	2/10/12	30/11/12					
	Conductivity	µS/cm	Quarterly	8650	9/08/12	2/10/12	30/11/12					
	Magnesium	mg/L	Quarterly	136	9/08/12	2/10/12	30/11/12					
	Nitrogen	mg/L	Quarterly	1.4	9/08/12	2/10/12	30/11/12					
	Ammonia	mg/L	Quarterly	<0.1	9/08/12	2/10/12	30/11/12					
	Potassium	mg/L	Quarterly	5	9/08/12	2/10/12	30/11/12					
	Redox Potential	mV	Quarterly	262	9/08/12	2/10/12	30/11/12					
	Sodium	mg/L	Quarterly	1770	9/08/12	2/10/12	30/11/12					
	Water Level	m	Quarterly	2.68	9/08/12	2/10/12	30/11/12					
	Sulphate	mg/L	Quarterly	779	9/08/12	2/10/12	30/11/12					
	Temperature	oC	Quarterly	20.0	9/08/12	2/10/12	30/11/12					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	1.4	9/08/12	2/10/12	30/11/12					
	TDS	mg/L	Quarterly	5500	9/08/12	2/10/12	30/11/12					
	TDS	mg/L	Quarterly	5150	9/08/12	2/10/12	30/11/12					
	Total organic carbon	mg/L	Quarterly	15	9/08/12	2/10/12	30/11/12					
	TSS	mg/L	Quarterly	35	9/08/12	2/10/12	30/11/12					
	pH	pH	Quarterly	5.5	9/08/12	2/10/12	30/11/12					
	Alkalinity	mg/L	Quarterly	74	27/11/12	5/12/12	29/01/13					
	BOD	mg/L	Quarterly	<2	27/11/12	5/12/12	29/01/13					
	Calcium	mg/L	Quarterly	27	27/11/12	5/12/12	29/01/13					
	Chloride	mg/L	Quarterly	2960	27/11/12	5/12/12	29/01/13					
	Conductivity	µS/cm	Quarterly	8960	27/11/12	5/12/12	18/01/13					
	Magnesium	mg/L	Quarterly	148	27/11/12	5/12/12	29/01/13					
	Nitrogen	mg/L	Quarterly	1.9	27/11/12	5/12/12	29/01/13					
	Ammonia	mg/L	Quarterly	0.77	27/11/12	5/12/12	29/01/13					
	Potassium	mg/L	Quarterly	6	27/11/12	5/12/12	29/01/13					
	Redox Potential	mV	Quarterly	137	27/11/12	5/12/12	18/01/13					
	Sodium	mg/L	Quarterly	1840	27/11/12	5/12/12	29/01/13					
	Water Level	m	Quarterly	2.85	27/11/12	5/12/12	18/01/13					
	Sulphate	mg/L	Quarterly	785	27/11/12	5/12/12	29/01/13					
	Temperature	oC	Quarterly	20.5	27/11/12	5/12/12	18/01/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	1.8	27/11/12	5/12/12	29/01/13					
	TDS	mg/L	Quarterly	5370	27/11/12	5/12/12	18/01/13					
	TDS	mg/L	Quarterly		27/11/12	5/12/12	29/01/13					
	Total organic carbon	mg/L	Quarterly	12	27/11/12	5/12/12	29/01/13					
	TSS	mg/L	Quarterly	14	27/11/12	5/12/12	18/01/13					
	pH	pH	Quarterly	6.2	27/11/12	5/12/12	18/01/13					
	Alkalinity	mg/L	Quarterly	921	20/02/13	5/03/13	3/06/13					
	BOD	mg/L	Quarterly	15	20/02/13	5/03/13	3/06/13					
	Calcium	mg/L	Quarterly	229	20/02/13	5/03/13	3/06/13					
	Chloride	mg/L	Quarterly	4350	20/02/13	5/03/13	3/06/13					
	Conductivity	µS/cm	Quarterly	9280	20/02/13	5/03/13	3/06/13					
	Magnesium	mg/L	Quarterly	371	20/02/13	5/03/13	3/06/13					
	Nitrogen	mg/L	Quarterly	2.2	20/02/13	5/03/13	3/06/13					
	Ammonia	mg/L	Quarterly	1.41	20/02/13	5/03/13	3/06/13					
	Potassium	mg/L	Quarterly	37	20/02/13	5/03/13	3/06/13					
	Redox Potential	mV	Quarterly	93	20/02/13	5/03/13	3/06/13					
	Sodium	mg/L	Quarterly	2630	20/02/13	5/03/13	3/06/13					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Water Level	m	Quarterly	2.88	20/02/13	5/03/13	3/06/13					
	Sulphate	mg/L	Quarterly	285	20/02/13	5/03/13	3/06/13					
	Temperature	oC	Quarterly	22.5	20/02/13	5/03/13	3/06/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	1.7	20/02/13	5/03/13	3/06/13					
	TDS	mg/L	Quarterly	5760	20/02/13	5/03/13	3/06/13					
	TDS	mg/L	Quarterly		20/02/13	5/03/13	3/06/13					
	Total organic carbon	mg/L	Quarterly	<1	20/02/13	5/03/13	3/06/13					
	TSS	mg/L	Quarterly	7	20/02/13	5/03/13	3/06/13					
	pH	pH	Quarterly	6.3	20/02/13	5/03/13	3/06/13					
	Alkalinity	mg/L	Quarterly	323	15/05/13	22/05/13	3/06/13					
	BOD	mg/L	Quarterly	<2	15/05/13	22/05/13	3/06/13					
	Calcium	mg/L	Quarterly	94	15/05/13	22/05/13	3/06/13					
	Chloride	mg/L	Quarterly	3250	15/05/13	22/05/13	3/06/13					
	Conductivity	µS/cm	Quarterly	10000	15/05/13	22/05/13	3/06/13					
	Magnesium	mg/L	Quarterly	230	15/05/13	22/05/13	3/06/13					
	Nitrogen	mg/L	Quarterly	2.6	15/05/13	22/05/13	3/06/13					
	Ammonia	mg/L	Quarterly	1.47	15/05/13	22/05/13	3/06/13					
	Potassium	mg/L	Quarterly	18	15/05/13	22/05/13	3/06/13					
	Redox Potential	mV	Quarterly	76	15/05/13	22/05/13	3/06/13					
	Sodium	mg/L	Quarterly	1950	15/05/13	22/05/13	3/06/13					
	Water Level	m	Quarterly	2.81	15/05/13	22/05/13	3/06/13					
	Sulphate	mg/L	Quarterly	553	15/05/13	22/05/13	3/06/13					
	Temperature	oC	Quarterly	20.7	15/05/13	22/05/13	3/06/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	2.6	15/05/13	22/05/13	3/06/13					
	TDS	mg/L	Quarterly	6620	15/05/13	22/05/13	3/06/13					
	TDS	mg/L	Quarterly		15/05/13	22/05/13	3/06/13					
	Total organic carbon	mg/L	Quarterly	20	15/05/13	22/05/13	3/06/13					
	TSS	mg/L	Quarterly	20	15/05/13	22/05/13	3/06/13					
	pH	pH	Quarterly	6.2	15/05/13	22/05/13	3/06/13					
	Alkalinity	mg/L	Quarterly	358	7/08/13	26/08/13	25/10/13					
	BOD	mg/L	Quarterly	<2	7/08/13	26/08/13	25/10/13					
	Calcium	mg/L	Quarterly	116	7/08/13	26/08/13	25/10/13					
	Chloride	mg/L	Quarterly	3860	7/08/13	26/08/13	25/10/13					
	Conductivity	µS/cm	Quarterly	11700	7/08/13	26/08/13	25/10/13					
	Magnesium	mg/L	Quarterly	291	7/08/13	26/08/13	25/10/13					
	Nitrogen	mg/L	Quarterly	4	7/08/13	26/08/13	25/10/13					
	Ammonia	mg/L	Quarterly	2.3	7/08/13	26/08/13	25/10/13					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Potassium	mg/L	Quarterly	22	7/08/13	26/08/13	25/10/13					
	Redox Potential	mV	Quarterly	11	7/08/13	26/08/13	25/10/13					
	Sodium	mg/L	Quarterly	2280	7/08/13	26/08/13	25/10/13					
	Water Level	m	Quarterly	2.83	7/08/13	26/08/13	25/10/13					
	Sulphate	mg/L	Quarterly	580	7/08/13	26/08/13	25/10/13					
	Temperature	oC	Quarterly	19.1	7/08/13	26/08/13	25/10/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	4	7/08/13	26/08/13	25/10/13					
	TDS	mg/L	Quarterly	8480	7/08/13	26/08/13	25/10/13					
	Total organic carbon	mg/L	Quarterly	30	7/08/13	26/08/13	25/10/13					
	TSS	mg/L	Quarterly	25	7/08/13	26/08/13	25/10/13					
	pH	pH	Quarterly	6.3	7/08/13	26/08/13	25/10/13					
	Alkalinity	mg/L	Quarterly	590	12/11/13	27/11/13	16/01/14					
	BOD	mg/L	Quarterly	<5	12/11/13	27/11/13	16/01/14					
	Calcium	mg/L	Quarterly	190	12/11/13	27/11/13	16/01/14					
	Chloride	mg/L	Quarterly	5800	12/11/13	27/11/13	16/01/14					
	Conductivity	µS/cm	Quarterly	15900	12/11/13	27/11/13	16/01/14					
	Magnesium	mg/L	Quarterly	390	12/11/13	27/11/13	16/01/14					
	Nitrogen	mg/L	Quarterly	4.7	12/11/13	27/11/13	16/01/14					
	Ammonia	mg/L	Quarterly	0.85	12/11/13	27/11/13	16/01/14					
	Potassium	mg/L	Quarterly	24	12/11/13	27/11/13	16/01/14					
	Redox Potential	mV	Quarterly	135	12/11/13	27/11/13	16/01/14					
	Sodium	mg/L	Quarterly	3500	12/11/13	27/11/13	16/01/14					
	Water Level	m	Quarterly	2.9	12/11/13	27/11/13	16/01/14					
	Sulphate	mg/L	Quarterly	420	12/11/13	27/11/13	16/01/14					
	Temperature	oC	Quarterly	18.5	12/11/13	27/11/13	16/01/14					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	2.8	12/11/13	27/11/13	16/01/14					
	TDS	mg/L	Quarterly	9860	12/11/13	27/11/13	16/01/14					
	Total organic carbon	mg/L	Quarterly	30	12/11/13	27/11/13	16/01/14					
	TSS	mg/L	Quarterly	55	12/11/13	27/11/13	16/01/14					
	pH	pH	Quarterly	6.9	12/11/13	27/11/13	16/01/14					
	Alkalinity	mg/L	Quarterly	430	3/02/14	20/02/14	20/06/14					
	BOD	mg/L	Quarterly	0	3/02/14	20/02/14	20/06/14					
	Calcium	mg/L	Quarterly	130	3/02/14	20/02/14	20/06/14					
	Chloride	mg/L	Quarterly	4200	3/02/14	20/02/14	20/06/14					
	Conductivity	µS/cm	Quarterly	12000	3/02/14	20/02/14	20/06/14					
	Magnesium	mg/L	Quarterly	300	3/02/14	20/02/14	20/06/14					
	Nitrogen	mg/L	Quarterly	3.6	3/02/14	20/02/14	20/06/14					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Ammonia	mg/L	Quarterly	2.00	3/02/14	20/02/14	20/06/14					
	Potassium	mg/L	Quarterly	18	3/02/14	20/02/14	20/06/14					
	Redox Potential	mV	Quarterly	62	3/02/14	20/02/14	20/06/14					
	Sodium	mg/L	Quarterly	2900	3/02/14	20/02/14	20/06/14					
	Water Level	m	Quarterly	2.92	3/02/14	20/02/14	20/06/14					
	Sulphate	mg/L	Quarterly	510	3/02/14	20/02/14	20/06/14					
	Temperature	oC	Quarterly	20.8	3/02/14	20/02/14	20/06/14					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	3.6	3/02/14	20/02/14	20/06/14					
	TDS	mg/L	Quarterly	8800	3/02/14	20/02/14	20/06/14					
	Total organic carbon	mg/L	Quarterly	18	3/02/14	20/02/14	20/06/14					
	TSS	mg/L	Quarterly	49	3/02/14	20/02/14	20/06/14					
	pH	pH	Quarterly	6.3	3/02/14	20/02/14	20/06/14					
	Alkalinity	mg/L	Quarterly	930	7/05/14	28/05/14	17/07/14					
	BOD	mg/L	Quarterly	13	7/05/14	28/05/14	17/07/14					
	Calcium	mg/L	Quarterly	310	7/05/14	28/05/14	17/07/14					
	Chloride	mg/L	Quarterly	7500	7/05/14	28/05/14	17/07/14					
	Conductivity	µS/cm	Quarterly	20900	7/05/14	28/05/14	17/07/14					
	Magnesium	mg/L	Quarterly	610	7/05/14	28/05/14	17/07/14					
	Nitrogen	mg/L	Quarterly	9.1	7/05/14	28/05/14	17/07/14					
	Ammonia	mg/L	Quarterly	5.30	7/05/14	28/05/14	17/07/14					
	Potassium	mg/L	Quarterly	48	7/05/14	28/05/14	17/07/14					
	Redox Potential	mV	Quarterly	-14	7/05/14	28/05/14	17/07/14					
	Sodium	mg/L	Quarterly	4700	7/05/14	28/05/14	17/07/14					
	Water Level	m	Quarterly	2.92	7/05/14	28/05/14	17/07/14					
	Sulphate	mg/L	Quarterly	150	7/05/14	28/05/14	17/07/14					
	Temperature	oC	Quarterly	18.9	7/05/14	28/05/14	17/07/14					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	9.1	7/05/14	28/05/14	17/07/14					
	TDS	mg/L	Quarterly	14900	7/05/14	28/05/14	17/07/14					
	Total organic carbon	mg/L	Quarterly	47	7/05/14	28/05/14	17/07/14					
	TSS	mg/L	Quarterly	23	7/05/14	28/05/14	17/07/14					
	pH	pH	Quarterly	6.70	7/05/14	28/05/14	17/07/14					
	Alkalinity	mg/L	Quarterly	809	6/08/14	30/09/14	20/02/15					
	BOD	mg/L	Quarterly	11	6/08/14	30/09/14	20/02/15					
	Calcium	mg/L	Quarterly	206	6/08/14	30/09/14	20/02/15					
	Chloride	mg/L	Quarterly	5190	6/08/14	30/09/14	20/02/15					
	Conductivity	µS/cm	Quarterly	13100	6/08/14	30/09/14	20/02/15					
	Magnesium	mg/L	Quarterly	468	6/08/14	30/09/14	20/02/15					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Nitrogen	mg/L	Quarterly	5.7	6/08/14	30/09/14	20/02/15					
	Ammonia	mg/L	Quarterly	2.93	6/08/14	30/09/14	20/02/15					
	Potassium	mg/L	Quarterly	41	6/08/14	30/09/14	20/02/15					
	Redox Potential	mV	Quarterly	70	6/08/14	30/09/14	20/02/15					
	Sodium	mg/L	Quarterly	2980	6/08/14	30/09/14	20/02/15					
	Water Level	m	Quarterly	3.15	6/08/14	30/09/14	20/02/15					
	Sulphate	mg/L	Quarterly	308	6/08/14	30/09/14	20/02/15					
	Temperature	oC	Quarterly	19.5	6/08/14	30/09/14	20/02/15					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	5.6	6/08/14	30/09/14	20/02/15					
	TDS	mg/L	Quarterly	9000	6/08/14	30/09/14	20/02/15					
	Total organic carbon	mg/L	Quarterly	41	6/08/14	30/09/14	20/02/15					
	TSS	mg/L	Quarterly	27	6/08/14	30/09/14	20/02/15					
	pH	pH	Quarterly	6.7	6/08/14	30/09/14	20/02/15					
	Alkalinity	mg/L	Quarterly	260	12/11/14	5/12/14	20/02/15					
	BOD	mg/L	Quarterly	17	12/11/14	5/12/14	20/02/15					
	Calcium	mg/L	Quarterly	84	12/11/14	5/12/14	20/02/15					
	Chloride	mg/L	Quarterly	2800	12/11/14	5/12/14	20/02/15					
	Conductivity	µS/cm	Quarterly	9170	12/11/14	5/12/14	20/02/15					
	Magnesium	mg/L	Quarterly	181	12/11/14	5/12/14	20/02/15					
	Nitrogen	mg/L	Quarterly	2.2	12/11/14	5/12/14	20/02/15					
	Ammonia	mg/L	Quarterly	0.91	12/11/14	5/12/14	20/02/15					
	Potassium	mg/L	Quarterly	11	12/11/14	5/12/14	20/02/15					
	Redox Potential	mV	Quarterly	157	12/11/14	5/12/14	20/02/15					
	Sodium	mg/L	Quarterly	1530	12/11/14	5/12/14	20/02/15					
	Water Level	m	Quarterly	2.99	12/11/14	5/12/14	20/02/15					
	Sulphate	mg/L	Quarterly	617	12/11/14	5/12/14	20/02/15					
	Temperature	oC	Quarterly	20.5	12/11/14	5/12/14	20/02/15					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	2.2	12/11/14	5/12/14	20/02/15					
	TDS	mg/L	Quarterly	4960	12/11/14	5/12/14	20/02/15					
	Total organic carbon	mg/L	Quarterly	21	12/11/14	5/12/14	20/02/15					
	TSS	mg/L	Quarterly	21	12/11/14	5/12/14	20/02/15					
	pH	pH	Quarterly	6.6	12/11/14	5/12/14	20/02/15					
	Alkalinity	mg/L	Quarterly	190	4/02/15	19/02/15	10/06/15					
	BOD	mg/L	Quarterly	<2	4/02/15	19/02/15	10/06/15					
	Calcium	mg/L	Quarterly	32	4/02/15	19/02/15	10/06/15					
	Chloride	mg/L	Quarterly	2230	4/02/15	19/02/15	10/06/15					
	Conductivity	µS/cm	Quarterly	7610	4/02/15	19/02/15	10/06/15					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Magnesium	mg/L	Quarterly	131	4/02/15	19/02/15	10/06/15					
	Nitrogen	mg/L	Quarterly	1.5	4/02/15	19/02/15	10/06/15					
	Ammonia	mg/L	Quarterly	0.48	4/02/15	19/02/15	10/06/15					
	Potassium	mg/L	Quarterly	6	4/02/15	19/02/15	10/06/15					
	Redox Potential	mV	Quarterly	103	4/02/15	19/02/15	10/06/15					
	Sodium	mg/L	Quarterly	1860	4/02/15	19/02/15	10/06/15					
	Water Level	m	Quarterly	2.97	4/02/15	19/02/15	10/06/15					
	Sulphate	mg/L	Quarterly	748	4/02/15	19/02/15	10/06/15					
	Temperature	oC	Quarterly	20.6	4/02/15	19/02/15	10/06/15					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	1.5	4/02/15	19/02/15	10/06/15					
	TDS	mg/L	Quarterly	4850	4/02/15	19/02/15	10/06/15					
	Total organic carbon	mg/L	Quarterly	14	4/02/15	19/02/15	10/06/15					
	TSS	mg/L	Quarterly	17	4/02/15	19/02/15	10/06/15					
	pH	pH	Quarterly	5.9	4/02/15	19/02/15	10/06/15					
Point 19	Alkalinity	mg/L	Quarterly	946	16/05/12	28/05/12	30/06/12					
OW8	BOD	mg/L	Quarterly	<2	16/05/12	28/05/12	30/06/12					
	Calcium	mg/L	Quarterly	244	16/05/12	28/05/12	30/06/12					
	Chloride	mg/L	Quarterly	6640	16/05/12	28/05/12	30/06/12					
	Conductivity	µS/cm	Quarterly	18,100	16/05/12	28/05/12	30/06/12					
	Magnesium	mg/L	Quarterly	548	16/05/12	28/05/12	30/06/12					
	Nitrogen	mg/L	Quarterly	2.4	16/05/12	28/05/12	30/06/12					
	Ammonia	mg/L	Quarterly	2.91	16/05/12	28/05/12	30/06/12					
	Potassium	mg/L	Quarterly	44	16/05/12	28/05/12	30/06/12					
	Redox Potential	mV	Quarterly	n/a	16/05/12	28/05/12	30/06/12				Not measured	Meter Malfunction
	Sodium	mg/L	Quarterly	3810	16/05/12	28/05/12	30/06/12					
	Water Level	m	Quarterly	3.71	16/05/12	28/05/12	30/06/12					
	Sulphate	mg/L	Quarterly	282	16/05/12	28/05/12	30/06/12					
	Temperature	oC	Quarterly	19.7	16/05/12	28/05/12	30/06/12					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	2.4	16/05/12	28/05/12	30/06/12					
	TDS	mg/L	Quarterly	11,300	16/05/12	28/05/12	30/06/12					
	TDS	mg/L	Quarterly	11,200	16/05/12	28/05/12	30/06/12					
	Total organic carbon	mg/L	Quarterly	3	16/05/12	28/05/12	30/06/12					
	TSS	mg/L	Quarterly	31	16/05/12	28/05/12	30/06/12					
	pH	pH	Quarterly	7	16/05/12	28/05/12	30/06/12					
	Alkalinity	mg/L	Quarterly	1040	9/08/12	2/10/12	30/11/12					
	BOD	mg/L	Quarterly	<2	9/08/12	2/10/12	30/11/12					
	Calcium	mg/L	Quarterly	189	9/08/12	2/10/12	30/11/12					



EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Alkalinity	mg/L	Quarterly	996	20/02/13	5/03/13	3/06/13					
	BOD	mg/L	Quarterly	4	20/02/13	5/03/13	3/06/13					
	Calcium	mg/L	Quarterly	225	20/02/13	5/03/13	3/06/13					
	Chloride	mg/L	Quarterly	5870	20/02/13	5/03/13	3/06/13					
	Conductivity	µS/cm	Quarterly	17900	20/02/13	5/03/13	3/06/13					
	Magnesium	mg/L	Quarterly	498	20/02/13	5/03/13	3/06/13					
	Nitrogen	mg/L	Quarterly	2.6	20/02/13	5/03/13	3/06/13					
	Ammonia	mg/L	Quarterly	2.45	20/02/13	5/03/13	3/06/13					
	Potassium	mg/L	Quarterly	46	20/02/13	5/03/13	3/06/13					
	Redox Potential	mV	Quarterly	-32	20/02/13	5/03/13	3/06/13					
	Sodium	mg/L	Quarterly	3650	20/02/13	5/03/13	3/06/13					
	Water Level	m	Quarterly	3.67	20/02/13	5/03/13	3/06/13					
	Sulphate	mg/L	Quarterly	426	20/02/13	5/03/13	3/06/13					
	Temperature	oC	Quarterly	23.1	20/02/13	5/03/13	3/06/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	2.5	20/02/13	5/03/13	3/06/13					
	TDS	mg/L	Quarterly	12200	20/02/13	5/03/13	3/06/13					
	TDS	mg/L	Quarterly		20/02/13	5/03/13	3/06/13					
	Total organic carbon	mg/L	Quarterly	<1	20/02/13	5/03/13	3/06/13					
	TSS	mg/L	Quarterly	20	20/02/13	5/03/13	3/06/13					
	pH	pH	Quarterly	7.0	20/02/13	5/03/13	3/06/13					
	Alkalinity	mg/L	Quarterly	931	15/05/13	22/05/13	3/06/13					
	BOD	mg/L	Quarterly	<2	15/05/13	22/05/13	3/06/13					
	Calcium	mg/L	Quarterly	244	15/05/13	22/05/13	3/06/13					
	Chloride	mg/L	Quarterly	6420	15/05/13	22/05/13	3/06/13					
	Conductivity	µS/cm	Quarterly	17800	15/05/13	22/05/13	3/06/13					
	Magnesium	mg/L	Quarterly	503	15/05/13	22/05/13	3/06/13					
	Nitrogen	mg/L	Quarterly	3.9	15/05/13	22/05/13	3/06/13					
	Ammonia	mg/L	Quarterly	3.96	15/05/13	22/05/13	3/06/13					
	Potassium	mg/L	Quarterly	47	15/05/13	22/05/13	3/06/13					
	Redox Potential	mV	Quarterly	-39	15/05/13	22/05/13	3/06/13					
	Sodium	mg/L	Quarterly	4020	15/05/13	22/05/13	3/06/13					
	Water Level	m	Quarterly	3.6	15/05/13	22/05/13	3/06/13					
	Sulphate	mg/L	Quarterly	395	15/05/13	22/05/13	3/06/13					
	Temperature	oC	Quarterly	20.3	15/05/13	22/05/13	3/06/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	3.7	15/05/13	22/05/13	3/06/13					
	TDS	mg/L	Quarterly	11300	15/05/13	22/05/13	3/06/13					
	TDS	mg/L	Quarterly		15/05/13	22/05/13	3/06/13					
	Total organic carbon	mg/L	Quarterly	3	15/05/13	22/05/13	3/06/13					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	TSS	mg/L	Quarterly	15	15/05/13	22/05/13	3/06/13					
	pH	pH	Quarterly	6.9	15/05/13	22/05/13	3/06/13					
	Alkalinity	mg/L	Quarterly	884	7/08/13	26/08/13	25/10/13					
	BOD	mg/L	Quarterly	<2	7/08/13	26/08/13	25/10/13					
	Calcium	mg/L	Quarterly	211	7/08/13	26/08/13	25/10/13					
	Chloride	mg/L	Quarterly	5830	7/08/13	26/08/13	25/10/13					
	Conductivity	µS/cm	Quarterly	18100	7/08/13	26/08/13	25/10/13					
	Magnesium	mg/L	Quarterly	452	7/08/13	26/08/13	25/10/13					
	Nitrogen	mg/L	Quarterly	3.5	7/08/13	26/08/13	25/10/13					
	Ammonia	mg/L	Quarterly	3.24	7/08/13	26/08/13	25/10/13					
	Potassium	mg/L	Quarterly	42	7/08/13	26/08/13	25/10/13					
	Redox Potential	mV	Quarterly	-29	7/08/13	26/08/13	25/10/13					
	Sodium	mg/L	Quarterly	3550	7/08/13	26/08/13	25/10/13					
	Water Level	m	Quarterly	3.59	7/08/13	26/08/13	25/10/13					
	Sulphate	mg/L	Quarterly	461	7/08/13	26/08/13	25/10/13					
	Temperature	oC	Quarterly	20.2	7/08/13	26/08/13	25/10/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	3.5	7/08/13	26/08/13	25/10/13					
	TDS	mg/L	Quarterly	12200	7/08/13	26/08/13	25/10/13					
	Total organic carbon	mg/L	Quarterly	4	7/08/13	26/08/13	25/10/13					
	TSS	mg/L	Quarterly	16	7/08/13	26/08/13	25/10/13					
	pH	pH	Quarterly	6.8	7/08/13	26/08/13	25/10/13					
	Alkalinity	mg/L	Quarterly	1000	12/11/13	27/11/13	16/01/14					
	BOD	mg/L	Quarterly	6	12/11/13	27/11/13	16/01/14					
	Calcium	mg/L	Quarterly	260	12/11/13	27/11/13	16/01/14					
	Chloride	mg/L	Quarterly	6400	12/11/13	27/11/13	16/01/14					
	Conductivity	µS/cm	Quarterly	19200	12/11/13	27/11/13	16/01/14					
	Magnesium	mg/L	Quarterly	490	12/11/13	27/11/13	16/01/14					
	Nitrogen	mg/L	Quarterly	3	12/11/13	27/11/13	16/01/14					
	Ammonia	mg/L	Quarterly	3	12/11/13	27/11/13	16/01/14					
	Potassium	mg/L	Quarterly	37	12/11/13	27/11/13	16/01/14					
	Redox Potential	mV	Quarterly	130	12/11/13	27/11/13	16/01/14					
	Sodium	mg/L	Quarterly	4300	12/11/13	27/11/13	16/01/14					
	Water Level	m	Quarterly	3.63	12/11/13	27/11/13	16/01/14					
	Sulphate	mg/L	Quarterly	470	12/11/13	27/11/13	16/01/14					
	Temperature	oC	Quarterly	19	12/11/13	27/11/13	16/01/14					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	2.9	12/11/13	27/11/13	16/01/14					
	TDS	mg/L	Quarterly	12300	12/11/13	27/11/13	16/01/14					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Total organic carbon	mg/L	Quarterly	3	12/11/13	27/11/13	16/01/14					
	TSS	mg/L	Quarterly	31	12/11/13	27/11/13	16/01/14					
	pH	pH	Quarterly	6.9	12/11/13	27/11/13	16/01/14					
	Alkalinity	mg/L	Quarterly	1000	3/02/14	20/02/14	20/06/14					
	BOD	mg/L	Quarterly	0	3/02/14	20/02/14	20/06/14					
	Calcium	mg/L	Quarterly	250	3/02/14	20/02/14	20/06/14					
	Chloride	mg/L	Quarterly	7900	3/02/14	20/02/14	20/06/14					
	Conductivity	µS/cm	Quarterly	19000	3/02/14	20/02/14	20/06/14					
	Magnesium	mg/L	Quarterly	460	3/02/14	20/02/14	20/06/14					
	Nitrogen	mg/L	Quarterly	4.8	3/02/14	20/02/14	20/06/14					
	Ammonia	mg/L	Quarterly	3.70	3/02/14	20/02/14	20/06/14					
	Potassium	mg/L	Quarterly	41	3/02/14	20/02/14	20/06/14					
	Redox Potential	mV	Quarterly	53	3/02/14	20/02/14	20/06/14					
	Sodium	mg/L	Quarterly	4500	3/02/14	20/02/14	20/06/14					
	Water Level	m	Quarterly	3.69	3/02/14	20/02/14	20/06/14					
	Sulphate	mg/L	Quarterly	560	3/02/14	20/02/14	20/06/14					
	Temperature	oC	Quarterly	20.8	3/02/14	20/02/14	20/06/14					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	4.8	3/02/14	20/02/14	20/06/14					
	TDS	mg/L	Quarterly	13700	3/02/14	20/02/14	20/06/14					
	Total organic carbon	mg/L	Quarterly	0	3/02/14	20/02/14	20/06/14					
	TSS	mg/L	Quarterly	26	3/02/14	20/02/14	20/06/14					
	pH	pH	Quarterly	7.00	3/02/14	20/02/14	20/06/14					
	Alkalinity	mg/L	Quarterly	1000	7/05/14	28/05/14	17/07/14					
	BOD	mg/L	Quarterly	<5	7/05/14	28/05/14	17/07/14					
	Calcium	mg/L	Quarterly	260	7/05/14	28/05/14	17/07/14					
	Chloride	mg/L	Quarterly	6500	7/05/14	28/05/14	17/07/14					
	Conductivity	µS/cm	Quarterly	19100	7/05/14	28/05/14	17/07/14					
	Magnesium	mg/L	Quarterly	510	7/05/14	28/05/14	17/07/14					
	Nitrogen	mg/L	Quarterly	5.5	7/05/14	28/05/14	17/07/14					
	Ammonia	mg/L	Quarterly	3.80	7/05/14	28/05/14	17/07/14					
	Potassium	mg/L	Quarterly	42	7/05/14	28/05/14	17/07/14					
	Redox Potential	mV	Quarterly	-15	7/05/14	28/05/14	17/07/14					
	Sodium	mg/L	Quarterly	4300	7/05/14	28/05/14	17/07/14					
	Water Level	m	Quarterly	3.76	7/05/14	28/05/14	17/07/14					
	Sulphate	mg/L	Quarterly	450	7/05/14	28/05/14	17/07/14					
	Temperature	oC	Quarterly	19.2	7/05/14	28/05/14	17/07/14					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	5.5	7/05/14	28/05/14	17/07/14					

EPA Licence Number: L123  
 Licensee Name: Boral CSR Bricks Pty Limited  
 Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley  
 Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	TDS	mg/L	Quarterly	12900	7/05/14	28/05/14	17/07/14					
	Total organic carbon	mg/L	Quarterly	3	7/05/14	28/05/14	17/07/14					
	TSS	mg/L	Quarterly	15	7/05/14	28/05/14	17/07/14					
	pH	pH	Quarterly	6.90	7/05/14	28/05/14	17/07/14					
	Alkalinity	mg/L	Quarterly	1070	6/08/14	30/09/14	23/02/15					
	BOD	mg/L	Quarterly	13	6/08/14	30/09/14	23/02/15					
	Calcium	mg/L	Quarterly	242	6/08/14	30/09/14	23/02/15					
	Chloride	mg/L	Quarterly	5710	6/08/14	30/09/14	23/02/15					
	Conductivity	µS/cm	Quarterly	18900	6/08/14	30/09/14	23/02/15					
	Magnesium	mg/L	Quarterly	517	6/08/14	30/09/14	23/02/15					
	Nitrogen	mg/L	Quarterly	3.1	6/08/14	30/09/14	23/02/15					
	Ammonia	mg/L	Quarterly	1.28	6/08/14	30/09/14	23/02/15					
	Potassium	mg/L	Quarterly	54	6/08/14	30/09/14	23/02/15					
	Redox Potential	mV	Quarterly	177	6/08/14	30/09/14	23/02/15					
	Sodium	mg/L	Quarterly	3370	6/08/14	30/09/14	23/02/15					
	Water Level	m	Quarterly	3.86	6/08/14	30/09/14	23/02/15					
	Sulphate	mg/L	Quarterly	493	6/08/14	30/09/14	23/02/15					
	Temperature	oC	Quarterly	19.4	6/08/14	30/09/14	23/02/15					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	1.9	6/08/14	30/09/14	23/02/15					
	TDS	mg/L	Quarterly	11200	6/08/14	30/09/14	23/02/15					
	Total organic carbon	mg/L	Quarterly	3	6/08/14	30/09/14	23/02/15					
	TSS	mg/L	Quarterly	23	6/08/14	30/09/14	23/02/15					
	pH	pH	Quarterly	7.2	6/08/14	30/09/14	23/02/15					
	Alkalinity	mg/L	Quarterly	907	12/11/14	5/12/14	23/02/15					
	BOD	mg/L	Quarterly	21	12/11/14	5/12/14	23/02/15					
	Calcium	mg/L	Quarterly	297	12/11/14	5/12/14	23/02/15					
	Chloride	mg/L	Quarterly	6690	12/11/14	5/12/14	23/02/15					
	Conductivity	µS/cm	Quarterly	18900	12/11/14	5/12/14	23/02/15					
	Magnesium	mg/L	Quarterly	449	12/11/14	5/12/14	23/02/15					
	Nitrogen	mg/L	Quarterly	3.2	12/11/14	5/12/14	23/02/15					
	Ammonia	mg/L	Quarterly	3.13	12/11/14	5/12/14	23/02/15					
	Potassium	mg/L	Quarterly	34	12/11/14	5/12/14	23/02/15					
	Redox Potential	mV	Quarterly	197	12/11/14	5/12/14	23/02/15					
	Sodium	mg/L	Quarterly	3400	12/11/14	5/12/14	23/02/15					
	Water Level	m	Quarterly	3.8	12/11/14	5/12/14	23/02/15					
	Sulphate	mg/L	Quarterly	481	12/11/14	5/12/14	23/02/15					
	Temperature	oC	Quarterly	20.2	12/11/14	5/12/14	23/02/15					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	3.2	12/11/14	5/12/14	23/02/15					
	TDS	mg/L	Quarterly	12300	12/11/14	5/12/14	23/02/15					
	Total organic carbon	mg/L	Quarterly	3	12/11/14	5/12/14	23/02/15					
	TSS	mg/L	Quarterly	38	12/11/14	5/12/14	23/02/15					
	pH	pH	Quarterly	7	12/11/14	5/12/14	23/02/15					
	Alkalinity	mg/L	Quarterly	1060	4/02/15	19/02/15	10/06/15					
	BOD	mg/L	Quarterly	<2	4/02/15	19/02/15	10/06/15					
	Calcium	mg/L	Quarterly	266	4/02/15	19/02/15	10/06/15					
	Chloride	mg/L	Quarterly	6450	4/02/15	19/02/15	10/06/15					
	Conductivity	µS/cm	Quarterly	18700	4/02/15	19/02/15	10/06/15					
	Magnesium	mg/L	Quarterly	511	4/02/15	19/02/15	10/06/15					
	Nitrogen	mg/L	Quarterly	3.6	4/02/15	19/02/15	10/06/15					
	Ammonia	mg/L	Quarterly	3.12	4/02/15	19/02/15	10/06/15					
	Potassium	mg/L	Quarterly	50	4/02/15	19/02/15	10/06/15					
	Redox Potential	mV	Quarterly	143	4/02/15	19/02/15	10/06/15					
	Sodium	mg/L	Quarterly	4750	4/02/15	19/02/15	10/06/15					
	Water Level	m	Quarterly	3.84	4/02/15	19/02/15	10/06/15					
	Sulphate	mg/L	Quarterly	460	4/02/15	19/02/15	10/06/15					
	Temperature	oC	Quarterly	20	4/02/15	19/02/15	10/06/15					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	3.6	4/02/15	19/02/15	10/06/15					
	TDS	mg/L	Quarterly	13200	4/02/15	19/02/15	10/06/15					
	Total organic carbon	mg/L	Quarterly	2	4/02/15	19/02/15	10/06/15					
	TSS	mg/L	Quarterly	27	4/02/15	19/02/15	10/06/15					
	pH	pH	Quarterly	6.7	4/02/15	19/02/15	10/06/15					
Point 20	Alkalinity	mg/L	Quarterly	1490	16/05/12	28/05/12	30/06/12					
DW1	BOD	mg/L	Quarterly	16	16/05/12	28/05/12	30/06/12					
	Calcium	mg/L	Quarterly	82	16/05/12	28/05/12	30/06/12					
	Chloride	mg/L	Quarterly	1280	16/05/12	28/05/12	30/06/12					
	Conductivity	µS/cm	Quarterly	10,100	16/05/12	28/05/12	30/06/12					
	Magnesium	mg/L	Quarterly	76	16/05/12	28/05/12	30/06/12					
	Nitrogen	mg/L	Quarterly	208	16/05/12	28/05/12	30/06/12					
	Ammonia	mg/L	Quarterly	210	16/05/12	28/05/12	30/06/12					
	Potassium	mg/L	Quarterly	156	16/05/12	28/05/12	30/06/12					
	Redox Potential	mV	Quarterly	n/a	16/05/12	28/05/12	30/06/12				Not measured	Meter Malfunction
	Sodium	mg/L	Quarterly	1050	16/05/12	28/05/12	30/06/12					
	Water Level	m	Quarterly	12.24	16/05/12	28/05/12	30/06/12					
	Sulphate	mg/L	Quarterly	<10	16/05/12	28/05/12	30/06/12					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Temperature	oC	Quarterly	31.6	16/05/12	28/05/12	30/06/12					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	207	16/05/12	28/05/12	30/06/12					
	TDS	mg/L	Quarterly	4,410	16/05/12	28/05/12	30/06/12					
	TDS	mg/L	Quarterly	3,510	16/05/12	28/05/12	30/06/12					
	Total organic carbon	mg/L	Quarterly	137	16/05/12	28/05/12	30/06/12					
	TSS	mg/L	Quarterly	34	16/05/12	28/05/12	30/06/12					
	pH	pH	Quarterly	7	16/05/12	28/05/12	30/06/12					
	Alkalinity	mg/L	Quarterly	1420	9/08/12	2/10/12	30/11/12					
	BOD	mg/L	Quarterly	12	9/08/12	2/10/12	30/11/12					
	Calcium	mg/L	Quarterly	60	9/08/12	2/10/12	30/11/12					
	Chloride	mg/L	Quarterly	1380	9/08/12	2/10/12	30/11/12					
	Conductivity	µS/cm	Quarterly	8820	9/08/12	2/10/12	30/11/12					
	Magnesium	mg/L	Quarterly	61	9/08/12	2/10/12	30/11/12					
	Nitrogen	mg/L	Quarterly	103	9/08/12	2/10/12	30/11/12					
	Ammonia	mg/L	Quarterly	94.9	9/08/12	2/10/12	30/11/12					
	Potassium	mg/L	Quarterly	132	9/08/12	2/10/12	30/11/12					
	Redox Potential	mV	Quarterly	-125	9/08/12	2/10/12	30/11/12					
	Sodium	mg/L	Quarterly	996	9/08/12	2/10/12	30/11/12					
	Water Level	m	Quarterly	12.44	9/08/12	2/10/12	30/11/12					
	Sulphate	mg/L	Quarterly	<1	9/08/12	2/10/12	30/11/12					
	Temperature	oC	Quarterly	27.4	9/08/12	2/10/12	30/11/12					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	103	9/08/12	2/10/12	30/11/12					
	TDS	mg/L	Quarterly	3590	9/08/12	2/10/12	30/11/12					
	TDS	mg/L	Quarterly	3630	9/08/12	2/10/12	30/11/12					
	Total organic carbon	mg/L	Quarterly	56	9/08/12	2/10/12	30/11/12					
	TSS	mg/L	Quarterly	31	9/08/12	2/10/12	30/11/12					
	pH	pH	Quarterly	7.2	9/08/12	2/10/12	30/11/12					
	Alkalinity	mg/L	Quarterly	1760	27/11/12	5/12/12	29/01/13					
	BOD	mg/L	Quarterly	20	27/11/12	5/12/12	29/01/13					
	Calcium	mg/L	Quarterly	86	27/11/12	5/12/12	29/01/13					
	Chloride	mg/L	Quarterly	2330	27/11/12	5/12/12	29/01/13					
	Conductivity	µS/cm	Quarterly	9950	27/11/12	5/12/12	18/01/13					
	Magnesium	mg/L	Quarterly	97	27/11/12	5/12/12	29/01/13					
	Nitrogen	mg/L	Quarterly	208	27/11/12	5/12/12	29/01/13					
	Ammonia	mg/L	Quarterly	201	27/11/12	5/12/12	29/01/13					
	Potassium	mg/L	Quarterly	200	27/11/12	5/12/12	29/01/13					
	Redox Potential	mV	Quarterly	-106	27/11/12	5/12/12	18/01/13					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Sodium	mg/L	Quarterly	1460	27/11/12	5/12/12	29/01/13					
	Water Level	m	Quarterly	11.43	27/11/12	5/12/12	18/01/13					
	Sulphate	mg/L	Quarterly	<10	27/11/12	5/12/12	29/01/13					
	Temperature	oC	Quarterly	31.4	27/11/12	5/12/12	18/01/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	208	27/11/12	5/12/12	29/01/13					
	TDS	mg/L	Quarterly	4750	27/11/12	5/12/12	18/01/13					
	TDS	mg/L	Quarterly									
	Total organic carbon	mg/L	Quarterly	79	27/11/12	5/12/12	29/01/13					
	TSS	mg/L	Quarterly	44	27/11/12	5/12/12	18/01/13					
	pH	pH	Quarterly	7.3	27/11/12	5/12/12	18/01/13					
	Alkalinity	mg/L	Quarterly	2110	20/02/13	5/03/13	4/06/13					
	BOD	mg/L	Quarterly	27	20/02/13	5/03/13	4/06/13					
	Calcium	mg/L	Quarterly	88	20/02/13	5/03/13	4/06/13					
	Chloride	mg/L	Quarterly	1940	20/02/13	5/03/13	4/06/13					
	Conductivity	µS/cm	Quarterly	10300	20/02/13	5/03/13	4/06/13					
	Magnesium	mg/L	Quarterly	119	20/02/13	5/03/13	4/06/13					
	Nitrogen	mg/L	Quarterly	217	20/02/13	5/03/13	4/06/13					
	Ammonia	mg/L	Quarterly	189	20/02/13	5/03/13	4/06/13					
	Potassium	mg/L	Quarterly	260	20/02/13	5/03/13	4/06/13					
	Redox Potential	mV	Quarterly	16	20/02/13	5/03/13	4/06/13					
	Sodium	mg/L	Quarterly	1600	20/02/13	5/03/13	4/06/13					
	Water Level	m	Quarterly	12.23	20/02/13	5/03/13	4/06/13					
	Sulphate	mg/L	Quarterly	<10	20/02/13	5/03/13	4/06/13					
	Temperature	oC	Quarterly	30.1	20/02/13	5/03/13	4/06/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	217	20/02/13	5/03/13	4/06/13					
	TDS	mg/L	Quarterly	5560	20/02/13	5/03/13	4/06/13					
	TDS	mg/L	Quarterly		20/02/13	5/03/13	4/06/13					
	Total organic carbon	mg/L	Quarterly	61	20/02/13	5/03/13	4/06/13					
	TSS	mg/L	Quarterly	306	20/02/13	5/03/13	4/06/13					
	pH	pH	Quarterly	7.6	20/02/13	5/03/13	4/06/13					
	Alkalinity	mg/L	Quarterly	1980	15/05/13	22/05/13	4/06/13					
	BOD	mg/L	Quarterly	19	15/05/13	22/05/13	4/06/13					
	Calcium	mg/L	Quarterly	90	15/05/13	22/05/13	4/06/13					
	Chloride	mg/L	Quarterly	1880	15/05/13	22/05/13	4/06/13					
	Conductivity	µS/cm	Quarterly	10100	15/05/13	22/05/13	4/06/13					
	Magnesium	mg/L	Quarterly	106	15/05/13	22/05/13	4/06/13					
	Nitrogen	mg/L	Quarterly	210	15/05/13	22/05/13	4/06/13					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Ammonia	mg/L	Quarterly	239	15/05/13	22/05/13	4/06/13					
	Potassium	mg/L	Quarterly	218	15/05/13	22/05/13	4/06/13					
	Redox Potential	mV	Quarterly	-75	15/05/13	22/05/13	4/06/13					
	Sodium	mg/L	Quarterly	1380	15/05/13	22/05/13	4/06/13					
	Water Level	m	Quarterly	12.32	15/05/13	22/05/13	4/06/13					
	Sulphate	mg/L	Quarterly	<1	15/05/13	22/05/13	4/06/13					
	Temperature	oC	Quarterly	28.6	15/05/13	22/05/13	4/06/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	210	15/05/13	22/05/13	4/06/13					
	TDS	mg/L	Quarterly	5530	15/05/13	22/05/13	4/06/13					
	TDS	mg/L	Quarterly		15/05/13	22/05/13	4/06/13					
	Total organic carbon	mg/L	Quarterly	99	15/05/13	22/05/13	4/06/13					
	TSS	mg/L	Quarterly	28	15/05/13	22/05/13	4/06/13					
	pH	pH	Quarterly	7.5	15/05/13	22/05/13	4/06/13					
	Alkalinity	mg/L	Quarterly	1940	7/08/13	26/08/13	25/10/13					
	BOD	mg/L	Quarterly	25	7/08/13	26/08/13	25/10/13					
	Calcium	mg/L	Quarterly	92	7/08/13	26/08/13	25/10/13					
	Chloride	mg/L	Quarterly	2370	7/08/13	26/08/13	25/10/13					
	Conductivity	µS/cm	Quarterly	10300	7/08/13	26/08/13	25/10/13					
	Magnesium	mg/L	Quarterly	118	7/08/13	26/08/13	25/10/13					
	Nitrogen	mg/L	Quarterly	209	7/08/13	26/08/13	25/10/13					
	Ammonia	mg/L	Quarterly	211	7/08/13	26/08/13	25/10/13					
	Potassium	mg/L	Quarterly	245	7/08/13	26/08/13	25/10/13					
	Redox Potential	mV	Quarterly	-78	7/08/13	26/08/13	25/10/13					
	Sodium	mg/L	Quarterly	1560	7/08/13	26/08/13	25/10/13					
	Water Level	m	Quarterly	13.12	7/08/13	26/08/13	25/10/13					
	Sulphate	mg/L	Quarterly	<1	7/08/13	26/08/13	25/10/13					
	Temperature	oC	Quarterly	31.1	7/08/13	26/08/13	25/10/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	209	7/08/13	26/08/13	25/10/13					
	TDS	mg/L	Quarterly	5420	7/08/13	26/08/13	25/10/13					
	Total organic carbon	mg/L	Quarterly	137	7/08/13	26/08/13	25/10/13					
	TSS	mg/L	Quarterly	175	7/08/13	26/08/13	25/10/13					
	pH	pH	Quarterly	7.4	7/08/13	26/08/13	25/10/13					
	Alkalinity	mg/L	Quarterly	2200	12/11/13	27/11/13	16/01/14					
	BOD	mg/L	Quarterly	17	12/11/13	27/11/13	16/01/14					
	Calcium	mg/L	Quarterly	75	12/11/13	27/11/13	16/01/14					
	Chloride	mg/L	Quarterly	2300	12/11/13	27/11/13	16/01/14					
	Conductivity	µS/cm	Quarterly	10500	12/11/13	27/11/13	16/01/14					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Magnesium	mg/L	Quarterly	110	12/11/13	27/11/13	16/01/14					
	Nitrogen	mg/L	Quarterly	240	12/11/13	27/11/13	16/01/14					
	Ammonia	mg/L	Quarterly	230	12/11/13	27/11/13	16/01/14					
	Potassium	mg/L	Quarterly	250	12/11/13	27/11/13	16/01/14					
	Redox Potential	mV	Quarterly	-78	12/11/13	27/11/13	16/01/14					
	Sodium	mg/L	Quarterly	2000	12/11/13	27/11/13	16/01/14					
	Water Level	m	Quarterly	14.55	12/11/13	27/11/13	16/01/14					
	Sulphate	mg/L	Quarterly	<1	12/11/13	27/11/13	16/01/14					
	Temperature	oC	Quarterly	32	12/11/13	27/11/13	16/01/14					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	240	12/11/13	27/11/13	16/01/14					
	TDS	mg/L	Quarterly	5280	12/11/13	27/11/13	16/01/14					
	Total organic carbon	mg/L	Quarterly	140	12/11/13	27/11/13	16/01/14					
	TSS	mg/L	Quarterly	64	12/11/13	27/11/13	16/01/14					
	pH	pH	Quarterly	7.5	12/11/13	27/11/13	16/01/14					
	Alkalinity	mg/L	Quarterly	2200	3/02/14	20/02/14	17/06/14					
	BOD	mg/L	Quarterly	19	3/02/14	20/02/14	17/06/14					
	Calcium	mg/L	Quarterly	93	3/02/14	20/02/14	17/06/14					
	Chloride	mg/L	Quarterly	2200	3/02/14	20/02/14	17/06/14					
	Conductivity	µS/cm	Quarterly	10400	3/02/14	20/02/14	17/06/14					
	Magnesium	mg/L	Quarterly	120	3/02/14	20/02/14	17/06/14					
	Nitrogen	mg/L	Quarterly	250	3/02/14	20/02/14	17/06/14					
	Ammonia	mg/L	Quarterly	210	3/02/14	20/02/14	17/06/14					
	Potassium	mg/L	Quarterly	270	3/02/14	20/02/14	17/06/14					
	Redox Potential	mV	Quarterly	9	3/02/14	20/02/14	17/06/14					
	Sodium	mg/L	Quarterly	2000	3/02/14	20/02/14	17/06/14					
	Water Level	m	Quarterly	11.68	3/02/14	20/02/14	17/06/14					
	Sulphate	mg/L	Quarterly	7	3/02/14	20/02/14	17/06/14					
	Temperature	oC	Quarterly	34	3/02/14	20/02/14	17/06/14					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	250	3/02/14	20/02/14	17/06/14					
	TDS	mg/L	Quarterly	5380	3/02/14	20/02/14	17/06/14					
	Total organic carbon	mg/L	Quarterly	150	3/02/14	20/02/14	17/06/14					
	TSS	mg/L	Quarterly	111	3/02/14	20/02/14	17/06/14					
	pH	pH	Quarterly	7.5	3/02/14	20/02/14	17/06/14					
	Alkalinity	mg/L	Quarterly	2100	7/05/14	28/05/14	17/07/14					
	BOD	mg/L	Quarterly	20	7/05/14	28/05/14	17/07/14					
	Calcium	mg/L	Quarterly	75	7/05/14	28/05/14	17/07/14					
	Chloride	mg/L	Quarterly	2200	7/05/14	28/05/14	17/07/14					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Conductivity	µS/cm	Quarterly	10400	7/05/14	28/05/14	17/07/14					
	Magnesium	mg/L	Quarterly	100	7/05/14	28/05/14	17/07/14					
	Nitrogen	mg/L	Quarterly	230	7/05/14	28/05/14	17/07/14					
	Ammonia	mg/L	Quarterly	210.00	7/05/14	28/05/14	17/07/14					
	Potassium	mg/L	Quarterly	240	7/05/14	28/05/14	17/07/14					
	Redox Potential	mV	Quarterly	-105	7/05/14	28/05/14	17/07/14					
	Sodium	mg/L	Quarterly	1700	7/05/14	28/05/14	17/07/14					
	Water Level	m	Quarterly	13.17	7/05/14	28/05/14	17/07/14					
	Sulphate	mg/L	Quarterly	4	7/05/14	28/05/14	17/07/14					
	Temperature	oC	Quarterly	31.9	7/05/14	28/05/14	17/07/14					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	230	7/05/14	28/05/14	17/07/14					
	TDS	mg/L	Quarterly	5490	7/05/14	28/05/14	17/07/14					
	Total organic carbon	mg/L	Quarterly	120	7/05/14	28/05/14	17/07/14					
	TSS	mg/L	Quarterly	109	7/05/14	28/05/14	17/07/14					
	pH	pH	Quarterly	7.30	7/05/14	28/05/14	17/07/14					
	Alkalinity	mg/L	Quarterly	2020	6/08/14	30/09/14	23/02/15					
	BOD	mg/L	Quarterly	18	6/08/14	30/09/14	23/02/15					
	Calcium	mg/L	Quarterly	79	6/08/14	30/09/14	23/02/15					
	Chloride	mg/L	Quarterly	1870	6/08/14	30/09/14	23/02/15					
	Conductivity	µS/cm	Quarterly	10200	6/08/14	30/09/14	23/02/15					
	Magnesium	mg/L	Quarterly	113	6/08/14	30/09/14	23/02/15					
	Nitrogen	mg/L	Quarterly	210	6/08/14	30/09/14	23/02/15					
	Ammonia	mg/L	Quarterly	220	6/08/14	30/09/14	23/02/15					
	Potassium	mg/L	Quarterly	218	6/08/14	30/09/14	23/02/15					
	Redox Potential	mV	Quarterly	-66	6/08/14	30/09/14	23/02/15					
	Sodium	mg/L	Quarterly	1520	6/08/14	30/09/14	23/02/15					
	Water Level	m	Quarterly	13.28	6/08/14	30/09/14	23/02/15					
	Sulphate	mg/L	Quarterly	17	6/08/14	30/09/14	23/02/15					
	Temperature	oC	Quarterly	32.1	6/08/14	30/09/14	23/02/15					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	210	6/08/14	30/09/14	23/02/15					
	TDS	mg/L	Quarterly	4580	6/08/14	30/09/14	23/02/15					
	Total organic carbon	mg/L	Quarterly	124	6/08/14	30/09/14	23/02/15					
	TSS	mg/L	Quarterly	28	6/08/14	30/09/14	23/02/15					
	pH	pH	Quarterly	7.3	6/08/14	30/09/14	23/02/15					
	Alkalinity	mg/L	Quarterly	1860	12/11/14	5/12/14	23/02/15					
	BOD	mg/L	Quarterly	110	12/11/14	5/12/14	23/02/15					
	Calcium	mg/L	Quarterly	76	12/11/14	5/12/14	23/02/15					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Chloride	mg/L	Quarterly	2430	12/11/14	5/12/14	23/02/15					
	Conductivity	µS/cm	Quarterly	10400	12/11/14	5/12/14	23/02/15					
	Magnesium	mg/L	Quarterly	108	12/11/14	5/12/14	23/02/15					
	Nitrogen	mg/L	Quarterly	194	12/11/14	5/12/14	23/02/15					
	Ammonia	mg/L	Quarterly	201	12/11/14	5/12/14	23/02/15					
	Potassium	mg/L	Quarterly	205	12/11/14	5/12/14	23/02/15					
	Redox Potential	mV	Quarterly	-32	12/11/14	5/12/14	23/02/15					
	Sodium	mg/L	Quarterly	1340	12/11/14	5/12/14	23/02/15					
	Water Level	m	Quarterly	13.09	12/11/14	5/12/14	23/02/15					
	Sulphate	mg/L	Quarterly	<10	12/11/14	5/12/14	23/02/15					
	Temperature	oC	Quarterly	31.5	12/11/14	5/12/14	23/02/15					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	194	12/11/14	5/12/14	23/02/15					
	TDS	mg/L	Quarterly	5100	12/11/14	5/12/14	23/02/15					
	Total organic carbon	mg/L	Quarterly	126	12/11/14	5/12/14	23/02/15					
	TSS	mg/L	Quarterly	146	12/11/14	5/12/14	23/02/15					
	pH	pH	Quarterly	7.2	12/11/14	5/12/14	23/02/15					
	Alkalinity	mg/L	Quarterly	2130	4/02/15	19/02/15	10/06/15					
	BOD	mg/L	Quarterly	13	4/02/15	19/02/15	10/06/15					
	Calcium	mg/L	Quarterly	76	4/02/15	19/02/15	10/06/15					
	Chloride	mg/L	Quarterly	2220	4/02/15	19/02/15	10/06/15					
	Conductivity	µS/cm	Quarterly	9990	4/02/15	19/02/15	10/06/15					
	Magnesium	mg/L	Quarterly	112	4/02/15	19/02/15	10/06/15					
	Nitrogen	mg/L	Quarterly	238	4/02/15	19/02/15	10/06/15					
	Ammonia	mg/L	Quarterly	198	4/02/15	19/02/15	10/06/15					
	Potassium	mg/L	Quarterly	208	4/02/15	19/02/15	10/06/15					
	Redox Potential	mV	Quarterly	17	4/02/15	19/02/15	10/06/15					
	Sodium	mg/L	Quarterly	1740	4/02/15	19/02/15	10/06/15					
	Water Level	m	Quarterly	12.28	4/02/15	19/02/15	10/06/15					
	Sulphate	mg/L	Quarterly	1	4/02/15	19/02/15	10/06/15					
	Temperature	oC	Quarterly	32.5	4/02/15	19/02/15	10/06/15					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	238	4/02/15	19/02/15	10/06/15					
	TDS	mg/L	Quarterly	5160	4/02/15	19/02/15	10/06/15					
	Total organic carbon	mg/L	Quarterly	107	4/02/15	19/02/15	10/06/15					
	TSS	mg/L	Quarterly	531	4/02/15	19/02/15	10/06/15					
	pH	pH	Quarterly	7.3	4/02/15	19/02/15	10/06/15					
Point 21	Alkalinity	mg/L	Quarterly	998	16/05/12	28/05/12	30/06/12					
DW3	BOD	mg/L	Quarterly	7	16/05/12	28/05/12	30/06/12					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Calcium	mg/L	Quarterly	64	16/05/12	28/05/12	30/06/12					
	Chloride	mg/L	Quarterly	241	16/05/12	28/05/12	30/06/12					
	Conductivity	µS/cm	Quarterly	2,940	16/05/12	28/05/12	30/06/12					
	Magnesium	mg/L	Quarterly	24	16/05/12	28/05/12	30/06/12					
	Nitrogen	mg/L	Quarterly	143	16/05/12	28/05/12	30/06/12					
	Ammonia	mg/L	Quarterly	142	16/05/12	28/05/12	30/06/12					
	Potassium	mg/L	Quarterly	122	16/05/12	28/05/12	30/06/12					
	Redox Potential	mV	Quarterly	n/a	16/05/12	28/05/12	30/06/12				Not measured	Meter Malfunction
	Sodium	mg/L	Quarterly	170	16/05/12	28/05/12	30/06/12					
	Water Level	m	Quarterly	7.92	16/05/12	28/05/12	30/06/12					
	Sulphate	mg/L	Quarterly	<10	16/05/12	28/05/12	30/06/12					
	Temperature	oC	Quarterly	40.3	16/05/12	28/05/12	30/06/12					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	143	16/05/12	28/05/12	30/06/12					
	TDS	mg/L	Quarterly	1,070	16/05/12	28/05/12	30/06/12					
	TDS	mg/L	Quarterly	1,020	16/05/12	28/05/12	30/06/12					
	Total organic carbon	mg/L	Quarterly	63	16/05/12	28/05/12	30/06/12					
	TSS	mg/L	Quarterly	21	16/05/12	28/05/12	30/06/12					
	pH	pH	Quarterly	6.9	16/05/12	28/05/12	30/06/12					
	Alkalinity	mg/L	Quarterly	1080	9/08/12	2/10/12	30/11/12					
	BOD	mg/L	Quarterly	5	9/08/12	2/10/12	30/11/12					
	Calcium	mg/L	Quarterly	60	9/08/12	2/10/12	30/11/12					
	Chloride	mg/L	Quarterly	227	9/08/12	2/10/12	30/11/12					
	Conductivity	µS/cm	Quarterly	2830	9/08/12	2/10/12	30/11/12					
	Magnesium	mg/L	Quarterly	22	9/08/12	2/10/12	30/11/12					
	Nitrogen	mg/L	Quarterly	117	9/08/12	2/10/12	30/11/12					
	Ammonia	mg/L	Quarterly	88.9	9/08/12	2/10/12	30/11/12					
	Potassium	mg/L	Quarterly	117	9/08/12	2/10/12	30/11/12					
	Redox Potential	mV	Quarterly	-140	9/08/12	2/10/12	30/11/12					
	Sodium	mg/L	Quarterly	178	9/08/12	2/10/12	30/11/12					
	Water Level	m	Quarterly	8.14	9/08/12	2/10/12	30/11/12					
	Sulphate	mg/L	Quarterly	<10	9/08/12	2/10/12	30/11/12					
	Temperature	oC	Quarterly	34.3	9/08/12	2/10/12	30/11/12					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	117	9/08/12	2/10/12	30/11/12					
	TDS	mg/L	Quarterly	972	9/08/12	2/10/12	30/11/12					
	TDS	mg/L	Quarterly	n/a	9/08/12	2/10/12	30/11/12					
	Total organic carbon	mg/L	Quarterly	65	9/08/12	2/10/12	30/11/12					
	TSS	mg/L	Quarterly	77	9/08/12	2/10/12	30/11/12					
	pH	pH	Quarterly	7.2	9/08/12	2/10/12	30/11/12					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Alkalinity	mg/L	Quarterly	954	27/11/12	5/12/12	18/01/13					
	BOD	mg/L	Quarterly	10	27/11/12	5/12/12	29/01/13					
	Calcium	mg/L	Quarterly	68	27/11/12	5/12/12	29/01/13					
	Chloride	mg/L	Quarterly	268	27/11/12	5/12/12	29/01/13					
	Conductivity	µS/cm	Quarterly	2910	27/11/12	5/12/12	18/01/13					
	Magnesium	mg/L	Quarterly	25	27/11/12	5/12/12	29/01/13					
	Nitrogen	mg/L	Quarterly	168	27/11/12	5/12/12	29/01/13					
	Ammonia	mg/L	Quarterly	107	27/11/12	5/12/12	29/01/13					
	Potassium	mg/L	Quarterly	133	27/11/12	5/12/12	29/01/13					
	Redox Potential	mV	Quarterly	-116	27/11/12	5/12/12	18/01/13					
	Sodium	mg/L	Quarterly	190	27/11/12	5/12/12	29/01/13					
	Water Level	m	Quarterly	8.2	27/11/12	5/12/12	18/01/13					
	Sulphate	mg/L	Quarterly	<1	27/11/12	5/12/12	29/01/13					
	Temperature	oC	Quarterly	39	27/11/12	5/12/12	18/01/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	168	27/11/12	5/12/12	29/01/13					
	TDS	mg/L	Quarterly	1090	27/11/12	5/12/12	18/01/13					
	TDS	mg/L	Quarterly		27/11/12	5/12/12	29/01/13					
	Total organic carbon	mg/L	Quarterly	48	27/11/12	5/12/12	29/01/13					
	TSS	mg/L	Quarterly	15	27/11/12	5/12/12	18/01/13					
	pH	pH	Quarterly	7.1	27/11/12	5/12/12	18/01/13					
	Alkalinity	mg/L	Quarterly	963	20/02/13	5/03/13	4/06/13					
	BOD	mg/L	Quarterly	11	20/02/13	5/03/13	4/06/13					
	Calcium	mg/L	Quarterly	72	20/02/13	5/03/13	4/06/13					
	Chloride	mg/L	Quarterly	252	20/02/13	5/03/13	4/06/13					
	Conductivity	µS/cm	Quarterly	2730	20/02/13	5/03/13	4/06/13					
	Magnesium	mg/L	Quarterly	26	20/02/13	5/03/13	4/06/13					
	Nitrogen	mg/L	Quarterly	125	20/02/13	5/03/13	4/06/13					
	Ammonia	mg/L	Quarterly	118	20/02/13	5/03/13	4/06/13					
	Potassium	mg/L	Quarterly	132	20/02/13	5/03/13	4/06/13					
	Redox Potential	mV	Quarterly	-64	20/02/13	5/03/13	4/06/13					
	Sodium	mg/L	Quarterly	178	20/02/13	5/03/13	4/06/13					
	Water Level	m	Quarterly	8.73	20/02/13	5/03/13	4/06/13					
	Sulphate	mg/L	Quarterly	<1	20/02/13	5/03/13	4/06/13					
	Temperature	oC	Quarterly	40.2	20/02/13	5/03/13	4/06/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	125	20/02/13	5/03/13	4/06/13					
	TDS	mg/L	Quarterly	1190	20/02/13	5/03/13	4/06/13					
	TDS	mg/L	Quarterly		20/02/13	5/03/13	4/06/13					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Total organic carbon	mg/L	Quarterly	38	20/02/13	5/03/13	4/06/13					
	TSS	mg/L	Quarterly	10	20/02/13	5/03/13	4/06/13					
	pH	pH	Quarterly	7.2	20/02/13	5/03/13	4/06/13					
	Alkalinity	mg/L	Quarterly	860	15/05/13	22/05/13	4/06/13					
	BOD	mg/L	Quarterly	7	15/05/13	22/05/13	4/06/13					
	Calcium	mg/L	Quarterly	73	15/05/13	22/05/13	4/06/13					
	Chloride	mg/L	Quarterly	236	15/05/13	22/05/13	4/06/13					
	Conductivity	µS/cm	Quarterly	2650	15/05/13	22/05/13	4/06/13					
	Magnesium	mg/L	Quarterly	24	15/05/13	22/05/13	4/06/13					
	Nitrogen	mg/L	Quarterly	161	15/05/13	22/05/13	4/06/13					
	Ammonia	mg/L	Quarterly	143	15/05/13	22/05/13	4/06/13					
	Potassium	mg/L	Quarterly	119	15/05/13	22/05/13	4/06/13					
	Redox Potential	mV	Quarterly	-90	15/05/13	22/05/13	4/06/13					
	Sodium	mg/L	Quarterly	164	15/05/13	22/05/13	4/06/13					
	Water Level	m	Quarterly	8.13	15/05/13	22/05/13	4/06/13					
	Sulphate	mg/L	Quarterly	<1	15/05/13	22/05/13	4/06/13					
	Temperature	oC	Quarterly	36.5	15/05/13	22/05/13	4/06/13					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	161	15/05/13	22/05/13	4/06/13					
	TDS	mg/L	Quarterly	1110	15/05/13	22/05/13	4/06/13					
	TDS	mg/L	Quarterly		15/05/13	22/05/13	4/06/13					
	Total organic carbon	mg/L	Quarterly	66	15/05/13	22/05/13	4/06/13					
	TSS	mg/L	Quarterly	21	15/05/13	22/05/13	4/06/13					
	pH	pH	Quarterly	7.1	15/05/13	22/05/13	4/06/13					
	Alkalinity	mg/L	Quarterly	793	7/08/13	26/08/13	25/10/13					
	BOD	mg/L	Quarterly	5	7/08/13	26/08/13	25/10/13					
	Calcium	mg/L	Quarterly	72	7/08/13	26/08/13	25/10/13					
	Chloride	mg/L	Quarterly	247	7/08/13	26/08/13	25/10/13					
	Conductivity	µS/cm	Quarterly	2760	7/08/13	26/08/13	25/10/13					
	Magnesium	mg/L	Quarterly	24	7/08/13	26/08/13	25/10/13					
	Nitrogen	mg/L	Quarterly	121	7/08/13	26/08/13	25/10/13					
	Ammonia	mg/L	Quarterly	122	7/08/13	26/08/13	25/10/13					
	Potassium	mg/L	Quarterly	125	7/08/13	26/08/13	25/10/13					
	Redox Potential	mV	Quarterly	-150	7/08/13	26/08/13	25/10/13					
	Sodium	mg/L	Quarterly	175	7/08/13	26/08/13	25/10/13					
	Water Level	m	Quarterly	8.13	7/08/13	26/08/13	25/10/13					
	Sulphate	mg/L	Quarterly	<1	7/08/13	26/08/13	25/10/13					
	Temperature	oC	Quarterly	39.7	7/08/13	26/08/13	25/10/13					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	121	7/08/13	26/08/13	25/10/13					
	TDS	mg/L	Quarterly	1130	7/08/13	26/08/13	25/10/13					
	Total organic carbon	mg/L	Quarterly	74	7/08/13	26/08/13	25/10/13					
	TSS	mg/L	Quarterly	29	7/08/13	26/08/13	25/10/13					
	pH	pH	Quarterly	7	7/08/13	26/08/13	25/10/13					
	Alkalinity	mg/L	Quarterly	900	12/11/13	27/11/13	16/01/14					
	BOD	mg/L	Quarterly	15	12/11/13	27/11/13	16/01/14					
	Calcium	mg/L	Quarterly	66	12/11/13	27/11/13	16/01/14					
	Chloride	mg/L	Quarterly	220	12/11/13	27/11/13	16/01/14					
	Conductivity	µS/cm	Quarterly	2510	12/11/13	27/11/13	16/01/14					
	Magnesium	mg/L	Quarterly	23	12/11/13	27/11/13	16/01/14					
	Nitrogen	mg/L	Quarterly	130	12/11/13	27/11/13	16/01/14					
	Ammonia	mg/L	Quarterly	120	12/11/13	27/11/13	16/01/14					
	Potassium	mg/L	Quarterly	120	12/11/13	27/11/13	16/01/14					
	Redox Potential	mV	Quarterly	-27	12/11/13	27/11/13	16/01/14					
	Sodium	mg/L	Quarterly	180	12/11/13	27/11/13	16/01/14					
	Water Level	m	Quarterly	8.18	12/11/13	27/11/13	16/01/14					
	Sulphate	mg/L	Quarterly	3	12/11/13	27/11/13	16/01/14					
	Temperature	oC	Quarterly	41.7	12/11/13	27/11/13	16/01/14					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	130	12/11/13	27/11/13	16/01/14					
	TDS	mg/L	Quarterly	1030	12/11/13	27/11/13	16/01/14					
	Total organic carbon	mg/L	Quarterly	66	12/11/13	27/11/13	16/01/14					
	TSS	mg/L	Quarterly	25	12/11/13	27/11/13	16/01/14					
	Alkalinity	mg/L	Quarterly	860	3/02/14	20/02/14	17/06/14					
	BOD	mg/L	Quarterly	13	3/02/14	20/02/14	17/06/14					
	Calcium	mg/L	Quarterly	64	3/02/14	20/02/14	17/06/14					
	Chloride	mg/L	Quarterly	210	3/02/14	20/02/14	17/06/14					
	Conductivity	µS/cm	Quarterly	2550	3/02/14	20/02/14	17/06/14					
	Magnesium	mg/L	Quarterly	22	3/02/14	20/02/14	17/06/14					
	Nitrogen	mg/L	Quarterly	150	3/02/14	20/02/14	17/06/14					
	Ammonia	mg/L	Quarterly	120	3/02/14	20/02/14	17/06/14					
	Potassium	mg/L	Quarterly	140	3/02/14	20/02/14	17/06/14					
	Redox Potential	mV	Quarterly	65	3/02/14	20/02/14	17/06/14					
	Sodium	mg/L	Quarterly	180	3/02/14	20/02/14	17/06/14					
	Water Level	m	Quarterly	8.23	3/02/14	20/02/14	17/06/14					
	Sulphate	mg/L	Quarterly	3	3/02/14	20/02/14	17/06/14					
	Temperature	oC	Quarterly	42.4	3/02/14	20/02/14	17/06/14					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	150	3/02/14	20/02/14	17/06/14					
	TDS	mg/L	Quarterly	1070	3/02/14	20/02/14	17/06/14					
	Total organic carbon	mg/L	Quarterly	73	3/02/14	20/02/14	17/06/14					
	TSS	mg/L	Quarterly	25	3/02/14	20/02/14	17/06/14					
	pH	pH	Quarterly	7.2	3/02/14	20/02/14	17/06/14					
	Alkalinity	mg/L	Quarterly	910	7/05/14	28/05/14	17/07/14					
	BOD	mg/L	Quarterly	34	7/05/14	28/05/14	17/07/14					
	Calcium	mg/L	Quarterly	69	7/05/14	28/05/14	17/07/14					
	Chloride	mg/L	Quarterly	220	7/05/14	28/05/14	17/07/14					
	Conductivity	µS/cm	Quarterly	2730	7/05/14	28/05/14	17/07/14					
	Magnesium	mg/L	Quarterly	24	7/05/14	28/05/14	17/07/14					
	Nitrogen	mg/L	Quarterly	130	7/05/14	28/05/14	17/07/14					
	Ammonia	mg/L	Quarterly	110.00	7/05/14	28/05/14	17/07/14					
	Potassium	mg/L	Quarterly	140	7/05/14	28/05/14	17/07/14					
	Redox Potential	mV	Quarterly	-60	7/05/14	28/05/14	17/07/14					
	Sodium	mg/L	Quarterly	180	7/05/14	28/05/14	17/07/14					
	Water Level	m	Quarterly	8.17	7/05/14	28/05/14	17/07/14					
	Sulphate	mg/L	Quarterly	2	7/05/14	28/05/14	17/07/14					
	Temperature	oC	Quarterly	39.4	7/05/14	28/05/14	17/07/14					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	130	7/05/14	28/05/14	17/07/14					
	TDS	mg/L	Quarterly	1150	7/05/14	28/05/14	17/07/14					
	Total organic carbon	mg/L	Quarterly	56	7/05/14	28/05/14	17/07/14					
	TSS	mg/L	Quarterly	15	7/05/14	28/05/14	17/07/14					
	pH	pH	Quarterly	7.00	7/05/14	28/05/14	17/07/14					
	Alkalinity	mg/L	Quarterly	861	6/08/14	30/09/14	23/02/15					
	BOD	mg/L	Quarterly	7	6/08/14	30/09/14	23/02/15					
	Calcium	mg/L	Quarterly	64	6/08/14	30/09/14	23/02/15					
	Chloride	mg/L	Quarterly	252	6/08/14	30/09/14	23/02/15					
	Conductivity	µS/cm	Quarterly	2610	6/08/14	30/09/14	23/02/15					
	Magnesium	mg/L	Quarterly	23	6/08/14	30/09/14	23/02/15					
	Nitrogen	mg/L	Quarterly	116	6/08/14	30/09/14	23/02/15					
	Ammonia	mg/L	Quarterly	114	6/08/14	30/09/14	23/02/15					
	Potassium	mg/L	Quarterly	121	6/08/14	30/09/14	23/02/15					
	Redox Potential	mV	Quarterly	-54	6/08/14	30/09/14	23/02/15					
	Sodium	mg/L	Quarterly	178	6/08/14	30/09/14	23/02/15					
	Water Level	m	Quarterly	8.18	6/08/14	30/09/14	23/02/15					
	Sulphate	mg/L	Quarterly	11	6/08/14	30/09/14	23/02/15					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/View>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Temperature	oC	Quarterly	38.8	6/08/14	30/09/14	23/02/15					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	116	6/08/14	30/09/14	23/02/15					
	TDS	mg/L	Quarterly	1050	6/08/14	30/09/14	23/02/15					
	Total organic carbon	mg/L	Quarterly	61	6/08/14	30/09/14	23/02/15					
	TSS	mg/L	Quarterly	18	6/08/14	30/09/14	23/02/15					
	pH	pH	Quarterly	7	6/08/14	30/09/14	23/02/15					
	Alkalinity	mg/L	Quarterly	748	12/11/14	5/12/14	23/02/15					
	BOD	mg/L	Quarterly	29	12/11/14	5/12/14	23/02/15					
	Calcium	mg/L	Quarterly	66	12/11/14	5/12/14	23/02/15					
	Chloride	mg/L	Quarterly	260	12/11/14	5/12/14	23/02/15					
	Conductivity	µS/cm	Quarterly	2410	12/11/14	5/12/14	23/02/15					
	Magnesium	mg/L	Quarterly	24	12/11/14	5/12/14	23/02/15					
	Nitrogen	mg/L	Quarterly	94.5	12/11/14	5/12/14	23/02/15					
	Ammonia	mg/L	Quarterly	101	12/11/14	5/12/14	23/02/15					
	Potassium	mg/L	Quarterly	128	12/11/14	5/12/14	23/02/15					
	Redox Potential	mV	Quarterly	-10	12/11/14	5/12/14	23/02/15					
	Sodium	mg/L	Quarterly	156	12/11/14	5/12/14	23/02/15					
	Water Level	m	Quarterly	8.19	12/11/14	5/12/14	23/02/15					
	Sulphate	mg/L	Quarterly	<10	12/11/14	5/12/14	23/02/15					
	Temperature	oC	Quarterly	40.2	12/11/14	5/12/14	23/02/15					
	Kjeldahl N <sub>2</sub>	mg/L	Quarterly	94.5	12/11/14	5/12/14	23/02/15					
	TDS	mg/L	Quarterly	1060	12/11/14	5/12/14	23/02/15					
	Total organic carbon	mg/L	Quarterly	65	12/11/14	5/12/14	23/02/15					
	TSS	mg/L	Quarterly	25	12/11/14	5/12/14	23/02/15					
	pH	pH	Quarterly	7	12/11/14	5/12/14	23/02/15					
	Alkalinity	mg/L	Quarterly	914	4/02/15	19/02/15	10/06/15					
	BOD	mg/L	Quarterly	5	4/02/15	19/02/15	10/06/15					
	Calcium	mg/L	Quarterly	60	4/02/15	19/02/15	10/06/15					
	Chloride	mg/L	Quarterly	242	4/02/15	19/02/15	10/06/15					
	Conductivity	µS/cm	Quarterly	2590	4/02/15	19/02/15	10/06/15					
	Magnesium	mg/L	Quarterly	22	4/02/15	19/02/15	10/06/15					
	Nitrogen	mg/L	Quarterly	123	4/02/15	19/02/15	10/06/15					
	Ammonia	mg/L	Quarterly	121	4/02/15	19/02/15	10/06/15					
	Potassium	mg/L	Quarterly	117	4/02/15	19/02/15	10/06/15					
	Redox Potential	mV	Quarterly	105	4/02/15	19/02/15	10/06/15					
	Sodium	mg/L	Quarterly	215	4/02/15	19/02/15	10/06/15					
	Water Level	m	Quarterly	8.17	4/02/15	19/02/15	10/06/15					



EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
Point 13	Cadmium	mg/L	Annual	<0.0001	13/08/12	2/10/12	30/11/12					
SW	Chromium	mg/L	Annual	0.001	13/08/12	2/10/12	30/11/12					
	Copper	mg/L	Annual	0.004	13/08/12	2/10/12	30/11/12					
	Fluoride	mg/L	Annual	0.3	9/08/12	2/10/12	30/11/12					
	Iron	mg/L	Annual	1.64	13/08/12	2/10/12	30/11/12					
	Lead	mg/L	Annual	0.001	13/08/12	2/10/12	30/11/12					
	Manganese	mg/L	Annual	0.022	13/08/12	2/10/12	30/11/12					
	Phosphorous (total)	mg/L	Annual	0.34	9/08/12	2/10/12	30/11/12					
	Total Phenolics	mg/L	Annual	<0.05	9/08/12	2/10/12	30/11/12					
	Zinc	mg/L	Annual	0.154	13/08/12	2/10/12	30/11/12					
	Cadmium	mg/L	Annual	<0.0001	7/08/13	26/08/13	25/10/13					
	Chromium	mg/L	Annual	<0.001	7/08/13	26/08/13	25/10/13					
	Copper	mg/L	Annual	0.011	7/08/13	26/08/13	25/10/13					
	Fluoride	mg/L	Annual	0.2	7/08/13	26/08/13	25/10/13					
	Iron	mg/L	Annual	0.58	7/08/13	26/08/13	25/10/13					
	Lead	mg/L	Annual	<0.001	7/08/13	26/08/13	25/10/13					
	Manganese	mg/L	Annual	0.008	7/08/13	26/08/13	25/10/13					
	Phosphorous (total)	mg/L	Annual	0.14	7/08/13	26/08/13	25/10/13					
	Total Phenolics	mg/L	Annual	<0.05	7/08/13	26/08/13	25/10/13					
	Zinc	mg/L	Annual	0.412	7/08/13	26/08/13	25/10/13					
	Cadmium	mg/L	Annual	<0.0001	6/08/14	30/09/14	3/02/15					
	Chromium	mg/L	Annual	0.008	6/08/14	30/09/14	3/02/15					
	Copper	mg/L	Annual	<0.001	6/08/14	30/09/14	3/02/15					
	Fluoride	mg/L	Annual	0.4	6/08/14	30/09/14	3/02/15					
	Iron	mg/L	Annual	2.37	6/08/14	30/09/14	3/02/15					
	Lead	mg/L	Annual	<0.001	6/08/14	30/09/14	3/02/15					
	Manganese	mg/L	Annual	0.054	6/08/14	30/09/14	3/02/15					
	Phosphorous (total)	mg/L	Annual	0.31	6/08/14	30/09/14	3/02/15					
	Total Phenolics	mg/L	Annual	<0.1	6/08/14	30/09/14	3/02/15					
	Zinc	mg/L	Annual	0.008	6/08/14	30/09/14	3/02/15					
Point 14	Cadmium	mg/L	Annual	n/a							Test not conducted	Insufficient water available
OW1	Chromium	mg/L	Annual	n/a							Test not conducted	Insufficient water available
	Copper	mg/L	Annual	n/a							Test not conducted	Insufficient water available
	Fluoride	mg/L	Annual	0.2	9/08/12	2/10/12	30/11/12					
	Iron	mg/L	Annual	n/a							Test not conducted	Insufficient water available
	Lead	mg/L	Annual	n/a							Test not conducted	Insufficient water available
	Manganese	mg/L	Annual	n/a							Test not conducted	Insufficient water available

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Phosphorous (total)	mg/L	Annual	1.68	9/08/12	2/10/12	30/11/12					
	Total Phenolics	mg/L	Annual	<0.05	9/08/12	2/10/12	30/11/12					
	Zinc	mg/L	Annual	n/a							Test not conducted	Insufficient water available
	Cadmium	mg/L	Annual	<0.0001	7/08/13	26/08/13	25/10/13					
	Chromium	mg/L	Annual	<0.001	7/08/13	26/08/13	25/10/13					
	Copper	mg/L	Annual	0.006	7/08/13	26/08/13	25/10/13					
	Fluoride	mg/L	Annual	0.3	7/08/13	26/08/13	25/10/13					
	Iron	mg/L	Annual	1.29	7/08/13	26/08/13	25/10/13					
	Lead	mg/L	Annual	0.002	7/08/13	26/08/13	25/10/13					
	Manganese	mg/L	Annual	0.116	7/08/13	26/08/13	25/10/13					
	Phosphorous (total)	mg/L	Annual	0.34	7/08/13	26/08/13	25/10/13					
	Total Phenolics	mg/L	Annual	<0.05	7/08/13	26/08/13	25/10/13					
	Zinc	mg/L	Annual	0.012	7/08/13	26/08/13	25/10/13					
	Cadmium	mg/L	Annual	<0.0001	6/08/14	30/09/14	4/02/15					
	Chromium	mg/L	Annual	<0.001	6/08/14	30/09/14	4/02/15					
	Copper	mg/L	Annual	<0.001	6/08/14	30/09/14	4/02/15					
	Fluoride	mg/L	Annual	0.2	6/08/14	30/09/14	4/02/15					
	Iron	mg/L	Annual	<0.05	6/08/14	30/09/14	4/02/15					
	Lead	mg/L	Annual	<0.001	6/08/14	30/09/14	4/02/15					
	Manganese	mg/L	Annual	0.549	6/08/14	30/09/14	4/02/15					
	Phosphorous (total)	mg/L	Annual	0.25	6/08/14	30/09/14	4/02/15					
	Total Phenolics	mg/L	Annual	<0.1	6/08/14	30/09/14	4/02/15					
	Zinc	mg/L	Annual	0.012	6/08/14	30/09/14	4/02/15					
Point 15	Cadmium	mg/L	Annual	<0.0001	13/08/12	2/10/12	30/11/12					
OW2	Chromium	mg/L	Annual	<0.001	13/08/12	2/10/12	30/11/12					
	Copper	mg/L	Annual	<0.001	13/08/12	2/10/12	30/11/12					
	Fluoride	mg/L	Annual	0.1	9/08/12	2/10/12	30/11/12					
	Iron	mg/L	Annual	<0.05	13/08/12	2/10/12	30/11/12					
	Lead	mg/L	Annual	<0.001	13/08/12	2/10/12	30/11/12					
	Manganese	mg/L	Annual	1.22	13/08/12	2/10/12	30/11/12					
	Phosphorous (total)	mg/L	Annual	0.31	9/08/12	2/10/12	30/11/12					
	Total Phenolics	mg/L	Annual	<0.05	9/08/12	2/10/12	30/11/12					
	Zinc	mg/L	Annual	0.011	13/08/12	2/10/12	30/11/12					
	Cadmium	mg/L	Annual	<0.0001	7/08/13	26/08/13	25/10/13					
	Chromium	mg/L	Annual	<0.001	7/08/13	26/08/13	25/10/13					
	Copper	mg/L	Annual	<0.001	7/08/13	26/08/13	25/10/13					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Fluoride	mg/L	Annual	0.2	7/08/13	26/08/13	25/10/13					
	Iron	mg/L	Annual	0.58	7/08/13	26/08/13	25/10/13					
	Lead	mg/L	Annual	<0.001	7/08/13	26/08/13	25/10/13					
	Manganese	mg/L	Annual	1.9	7/08/13	26/08/13	25/10/13					
	Phosphorous (total)	mg/L	Annual	0.69	7/08/13	26/08/13	25/10/13					
	Total Phenolics	mg/L	Annual	<0.05	7/08/13	26/08/13	25/10/13					
	Zinc	mg/L	Annual	<0.005	7/08/13	26/08/13	25/10/13					
	Cadmium	mg/L	Annual	<0.0001	6/08/14	30/09/14	4/02/15					
	Chromium	mg/L	Annual	<0.001	6/08/14	30/09/14	4/02/15					
	Copper	mg/L	Annual	<0.001	6/08/14	30/09/14	4/02/15					
	Fluoride	mg/L	Annual	0.1	6/08/14	30/09/14	4/02/15					
	Iron	mg/L	Annual	1.16	6/08/14	30/09/14	4/02/15					
	Lead	mg/L	Annual	<0.001	6/08/14	30/09/14	4/02/15					
	Manganese	mg/L	Annual	3.14	6/08/14	30/09/14	4/02/15					
	Phosphorous (total)	mg/L	Annual	0.15	6/08/14	30/09/14	4/02/15					
	Total Phenolics	mg/L	Annual	<0.1	6/08/14	30/09/14	4/02/15					
	Zinc	mg/L	Annual	0.01	6/08/14	30/09/14	4/02/15					
Point 16	Cadmium	mg/L	Annual	<0.0001	13/08/12	2/10/12	30/11/12					
OW4A	Chromium	mg/L	Annual	<0.001	13/08/12	2/10/12	30/11/12					
	Copper	mg/L	Annual	<0.001	13/08/12	2/10/12	30/11/12					
	Fluoride	mg/L	Annual	0.1	9/08/12	2/10/12	30/11/12					
	Iron	mg/L	Annual	<0.05	13/08/12	2/10/12	30/11/12					
	Lead	mg/L	Annual	<0.001	13/08/12	2/10/12	30/11/12					
	Manganese	mg/L	Annual	0.160	13/08/12	2/10/12	30/11/12					
	Phosphorous (total)	mg/L	Annual	0.14	9/08/12	2/10/12	30/11/12					
	Total Phenolics	mg/L	Annual	<0.05	9/08/12	2/10/12	30/11/12					
	Zinc	mg/L	Annual	0.047	13/08/12	2/10/12	30/11/12					
	Cadmium	mg/L	Annual	<0.0001	7/08/13	26/08/13	25/10/13					
	Chromium	mg/L	Annual	<0.001	7/08/13	26/08/13	25/10/13					
	Copper	mg/L	Annual	<0.001	7/08/13	26/08/13	25/10/13					
	Fluoride	mg/L	Annual	0.1	7/08/13	26/08/13	25/10/13					
	Iron	mg/L	Annual	1.48	7/08/13	26/08/13	25/10/13					
	Lead	mg/L	Annual	<0.001	7/08/13	26/08/13	25/10/13					
	Manganese	mg/L	Annual	0.163	7/08/13	26/08/13	25/10/13					
	Phosphorous (total)	mg/L	Annual	0.02	7/08/13	26/08/13	25/10/13					
	Total Phenolics	mg/L	Annual	<0.05	7/08/13	26/08/13	25/10/13					
	Zinc	mg/L	Annual	0.018	7/08/13	26/08/13	25/10/13					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Cadmium	mg/L	Annual	<0.0001	6/08/14	30/09/14	4/02/15					
	Chromium	mg/L	Annual	<0.001	6/08/14	30/09/14	4/02/15					
	Copper	mg/L	Annual	<0.001	6/08/14	30/09/14	4/02/15					
	Fluoride	mg/L	Annual	<0.1	6/08/14	30/09/14	4/02/15					
	Iron	mg/L	Annual	0.99	6/08/14	30/09/14	4/02/15					
	Lead	mg/L	Annual	<0.001	6/08/14	30/09/14	4/02/15					
	Manganese	mg/L	Annual	0.118	6/08/14	30/09/14	4/02/15					
	Phosphorous (total)	mg/L	Annual	0.03	6/08/14	30/09/14	4/02/15					
	Total Phenolics	mg/L	Annual	<0.1	6/08/14	30/09/14	4/02/15					
	Zinc	mg/L	Annual	0.016	6/08/14	30/09/14	4/02/15					
Point 17	Cadmium	mg/L	Annual	<0.0001	13/08/12	2/10/12	30/11/12					
OW5	Chromium	mg/L	Annual	<0.001	13/08/12	2/10/12	30/11/12					
	Copper	mg/L	Annual	0.001	13/08/12	2/10/12	30/11/12					
	Fluoride	mg/L	Annual	0.1	9/08/12	2/10/12	30/11/12					
	Iron	mg/L	Annual	<0.05	13/08/12	2/10/12	30/11/12					
	Lead	mg/L	Annual	0.002	13/08/12	2/10/12	30/11/12					
	Manganese	mg/L	Annual	0.098	13/08/12	2/10/12	30/11/12					
	Phosphorous (total)	mg/L	Annual	0.07	9/08/12	2/10/12	30/11/12					
	Total Phenolics	mg/L	Annual	<0.05	9/08/12	2/10/12	30/11/12					
	Zinc	mg/L	Annual	0.025	13/08/12	2/10/12	30/11/12					
	Cadmium	mg/L	Annual	<0.0001	7/08/13	26/08/13	25/10/13					
	Chromium	mg/L	Annual	<0.001	7/08/13	26/08/13	25/10/13					
	Copper	mg/L	Annual	<0.001	7/08/13	26/08/13	25/10/13					
	Fluoride	mg/L	Annual	0.1	7/08/13	26/08/13	25/10/13					
	Iron	mg/L	Annual	<0.05	7/08/13	26/08/13	25/10/13					
	Lead	mg/L	Annual	<0.001	7/08/13	26/08/13	25/10/13					
	Manganese	mg/L	Annual	0.092	7/08/13	26/08/13	25/10/13					
	Phosphorous (total)	mg/L	Annual	<0.01	7/08/13	26/08/13	25/10/13					
	Total Phenolics	mg/L	Annual	<0.05	7/08/13	26/08/13	25/10/13					
	Zinc	mg/L	Annual	0.01	7/08/13	26/08/13	25/10/13					
	Cadmium	mg/L	Annual	<0.0001	6/08/14	30/09/14	4/02/15					
	Chromium	mg/L	Annual	<0.001	6/08/14	30/09/14	4/02/15					
	Copper	mg/L	Annual	<0.001	6/08/14	30/09/14	4/02/15					
	Fluoride	mg/L	Annual	<0.1	6/08/14	30/09/14	4/02/15					
	Iron	mg/L	Annual	<0.05	6/08/14	30/09/14	4/02/15					
	Lead	mg/L	Annual	<0.001	6/08/14	30/09/14	4/02/15					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Manganese	mg/L	Annual	0.101	6/08/14	30/09/14	4/02/15					
	Phosphorous (total)	mg/L	Annual	0.02	6/08/14	30/09/14	4/02/15					
	Total Phenolics	mg/L	Annual	<0.1	6/08/14	30/09/14	4/02/15					
	Zinc	mg/L	Annual	0.011	6/08/14	30/09/14	4/02/15					
Point 18	Cadmium	mg/L	Annual	<0.0001	13/08/12	2/10/12	30/11/12					
OW7	Chromium	mg/L	Annual	<0.001	13/08/12	2/10/12	30/11/12					
	Copper	mg/L	Annual	0.003	13/08/12	2/10/12	30/11/12					
	Fluoride	mg/L	Annual	0.4	9/08/12	2/10/12	30/11/12					
	Iron	mg/L	Annual	1.39	13/08/12	2/10/12	30/11/12					
	Lead	mg/L	Annual	<0.001	13/08/12	2/10/12	30/11/12					
	Manganese	mg/L	Annual	1.62	13/08/12	2/10/12	30/11/12					
	Phosphorous (total)	mg/L	Annual	0.05	9/08/12	2/10/12	30/11/12					
	Total Phenolics	mg/L	Annual	<0.05	9/08/12	2/10/12	30/11/12					
	Zinc	mg/L	Annual	0.243	13/08/12	2/10/12	30/11/12					
	Cadmium	mg/L	Annual	<0.0001	7/08/13	26/08/13	25/10/13					
	Chromium	mg/L	Annual	<0.001	7/08/13	26/08/13	25/10/13					
	Copper	mg/L	Annual	<0.001	7/08/13	26/08/13	25/10/13					
	Fluoride	mg/L	Annual	0.3	7/08/13	26/08/13	25/10/13					
	Iron	mg/L	Annual	12.5	7/08/13	26/08/13	25/10/13					
	Lead	mg/L	Annual	<0.001	7/08/13	26/08/13	25/10/13					
	Manganese	mg/L	Annual	1.28	7/08/13	26/08/13	25/10/13					
	Phosphorous (total)	mg/L	Annual	0.04	7/08/13	26/08/13	25/10/13					
	Total Phenolics	mg/L	Annual	<0.05	7/08/13	26/08/13	25/10/13					
	Zinc	mg/L	Annual	0.073	7/08/13	26/08/13	25/10/13					
	Cadmium	mg/L	Annual	<0.0001	6/08/14	30/09/14	4/02/15					
	Chromium	mg/L	Annual	<0.001	6/08/14	30/09/14	4/02/15					
	Copper	mg/L	Annual	0.002	6/08/14	30/09/14	4/02/15					
	Fluoride	mg/L	Annual	0.4	6/08/14	30/09/14	4/02/15					
	Iron	mg/L	Annual	6.74	6/08/14	30/09/14	4/02/15					
	Lead	mg/L	Annual	<0.001	6/08/14	30/09/14	4/02/15					
	Manganese	mg/L	Annual	1.58	6/08/14	30/09/14	4/02/15					
	Phosphorous (total)	mg/L	Annual	0.1	6/08/14	30/09/14	4/02/15					
	Total Phenolics	mg/L	Annual	<0.1	6/08/14	30/09/14	4/02/15					
	Zinc	mg/L	Annual	0.029	6/08/14	30/09/14	4/02/15					
Point 19	Cadmium	mg/L	Annual	<0.0001	13/08/12	2/10/12	30/11/12					
OW8	Chromium	mg/L	Annual	<0.001	13/08/12	2/10/12	30/11/12					

**EPA Licence Number:** L123  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Copper	mg/L	Annual	<0.001	13/08/12	2/10/12	30/11/12					
	Fluoride	mg/L	Annual	0.1	9/08/12	2/10/12	30/11/12					
	Iron	mg/L	Annual	0.51	13/08/12	2/10/12	30/11/12					
	Lead	mg/L	Annual	<0.001	13/08/12	2/10/12	30/11/12					
	Manganese	mg/L	Annual	0.312	13/08/12	2/10/12	30/11/12					
	Phosphorous (total)	mg/L	Annual	0.77	9/08/12	2/10/12	30/11/12					
	Total Phenolics	mg/L	Annual	<0.05	9/08/12	2/10/12	30/11/12					
	Zinc	mg/L	Annual	<0.005	13/08/12	2/10/12	30/11/12					
	Cadmium	mg/L	Annual	<0.0001	7/08/13	26/08/13	25/10/13					
	Chromium	mg/L	Annual	<0.001	7/08/13	26/08/13	25/10/13					
	Copper	mg/L	Annual	<0.001	7/08/13	26/08/13	25/10/13					
	Fluoride	mg/L	Annual	0.2	7/08/13	26/08/13	25/10/13					
	Iron	mg/L	Annual	2.34	7/08/13	26/08/13	25/10/13					
	Lead	mg/L	Annual	<0.001	7/08/13	26/08/13	25/10/13					
	Manganese	mg/L	Annual	0.221	7/08/13	26/08/13	25/10/13					
	Phosphorous (total)	mg/L	Annual	0.02	7/08/13	26/08/13	25/10/13					
	Total Phenolics	mg/L	Annual	<0.05	7/08/13	26/08/13	25/10/13					
	Zinc	mg/L	Annual	0.007	7/08/13	26/08/13	25/10/13					
	Cadmium	mg/L	Annual	<0.0001	6/08/14	30/09/14	4/02/15					
	Chromium	mg/L	Annual	<0.001	6/08/14	30/09/14	4/02/15					
	Copper	mg/L	Annual	<0.001	6/08/14	30/09/14	4/02/15					
	Fluoride	mg/L	Annual	0.1	6/08/14	30/09/14	4/02/15					
	Iron	mg/L	Annual	1.48	6/08/14	30/09/14	4/02/15					
	Lead	mg/L	Annual	<0.001	6/08/14	30/09/14	4/02/15					
	Manganese	mg/L	Annual	0.212	6/08/14	30/09/14	4/02/15					
	Phosphorous (total)	mg/L	Annual	0.12	6/08/14	30/09/14	4/02/15					
	Total Phenolics	mg/L	Annual	<0.1	6/08/14	30/09/14	4/02/15					
	Zinc	mg/L	Annual	0.016	6/08/14	30/09/14	4/02/15					
Point 20	Cadmium	mg/L	Annual	<0.0001	13/08/12	2/10/12	30/11/12					
DW1	Chromium	mg/L	Annual	0.006	13/08/12	2/10/12	30/11/12					
	Copper	mg/L	Annual	<0.001	13/08/12	2/10/12	30/11/12					
	Fluoride	mg/L	Annual	0.3	9/08/12	2/10/12	30/11/12					
	Iron	mg/L	Annual	0.45	13/08/12	2/10/12	30/11/12					
	Lead	mg/L	Annual	<0.001	13/08/12	2/10/12	30/11/12					
	Manganese	mg/L	Annual	0.114	13/08/12	2/10/12	30/11/12					
	Phosphorous (total)	mg/L	Annual	0.51	9/08/12	2/10/12	30/11/12					
	Total Phenolics	mg/L	Annual	<0.05	9/08/12	2/10/12	30/11/12					

**EPA Licence Number:** L123  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Zinc	mg/L	Annual	0.006	13/08/12	2/10/12	30/11/12					
	Cadmium	mg/L	Annual	<0.0001	7/08/13	26/08/13	25/10/13					
	Chromium	mg/L	Annual	0.008	7/08/13	26/08/13	25/10/13					
	Copper	mg/L	Annual	<0.001	7/08/13	26/08/13	25/10/13					
	Fluoride	mg/L	Annual	0.4	7/08/13	26/08/13	25/10/13					
	Iron	mg/L	Annual	1.2	7/08/13	26/08/13	25/10/13					
	Lead	mg/L	Annual	<0.001	7/08/13	26/08/13	25/10/13					
	Manganese	mg/L	Annual	0.067	7/08/13	26/08/13	25/10/13					
	Phosphorous (total)	mg/L	Annual	0.39	7/08/13	26/08/13	25/10/13					
	Total Phenolics	mg/L	Annual	<0.05	7/08/13	26/08/13	25/10/13					
	Zinc	mg/L	Annual	0.007	7/08/13	26/08/13	25/10/13					
	Cadmium	mg/L	Annual	<0.0001	6/08/14	30/09/14	4/02/15					
	Chromium	mg/L	Annual	0.008	6/08/14	30/09/14	4/02/15					
	Copper	mg/L	Annual	<0.001	6/08/14	30/09/14	4/02/15					
	Fluoride	mg/L	Annual	0.4	6/08/14	30/09/14	4/02/15					
	Iron	mg/L	Annual	2.37	6/08/14	30/09/14	4/02/15					
	Lead	mg/L	Annual	<0.001	6/08/14	30/09/14	4/02/15					
	Manganese	mg/L	Annual	0.054	6/08/14	30/09/14	4/02/15					
	Phosphorous (total)	mg/L	Annual	0.31	6/08/14	30/09/14	4/02/15					
	Total Phenolics	mg/L	Annual	<0.1	6/08/14	30/09/14	4/02/15					
	Zinc	mg/L	Annual	0.008	6/08/14	30/09/14	4/02/15					
Point 21	Cadmium	mg/L	Annual	<0.0001	13/08/12	2/10/12	30/11/12					
DW3	Chromium	mg/L	Annual	0.007	13/08/12	2/10/12	30/11/12					
	Copper	mg/L	Annual	0.007	13/08/12	2/10/12	30/11/12					
	Fluoride	mg/L	Annual	0.7	9/08/12	2/10/12	30/11/12					
	Iron	mg/L	Annual	0.66	13/08/12	2/10/12	30/11/12					
	Lead	mg/L	Annual	<0.001	13/08/12	2/10/12	30/11/12					
	Manganese	mg/L	Annual	0.345	13/08/12	2/10/12	30/11/12					
	Phosphorous (total)	mg/L	Annual	1.57	9/08/12	2/10/12	30/11/12					
	Total Phenolics	mg/L	Annual	<0.05	9/08/12	2/10/12	30/11/12					
	Zinc	mg/L	Annual	<0.005	13/08/12	2/10/12	30/11/12					
	Cadmium	mg/L	Annual	<0.0001	7/08/13	26/08/13	25/10/13					
	Chromium	mg/L	Annual	0.006	7/08/13	26/08/13	25/10/13					
	Copper	mg/L	Annual	0.001	7/08/13	26/08/13	25/10/13					
	Fluoride	mg/L	Annual	0.7	7/08/13	26/08/13	25/10/13					
	Iron	mg/L	Annual	1.58	7/08/13	26/08/13	25/10/13					





**EPA Licence Number:** L123  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
Point 26	BOD	mg/L	Monthly	8	20	no	21/03/12	29/03/12	30/06/12					
Effluent quality monitoring point serving the effluent utilisation area	TSS	mg/L	Monthly	10	30	no	21/03/12	29/03/12	30/06/12					
	Enterococci	cfu/100 mL	Fortnightly	160	100	yes	21/03/12	29/03/12	30/06/12				60 % above limit	No root cause determined
	pH	pH	Fortnightly	7.00	6.5-8.5	no	21/03/12	29/03/12	30/06/12					
	Enterococci	cfu/100 mL	Fortnightly		100								Test not conducted	Miscommunication between site and testing company over responsibility for test.
	pH	pH	Fortnightly		6.5-8.5									
	BOD	mg/L	Monthly	9	20	no	19/04/12	30/04/12	30/06/12					
	TSS	mg/L	Monthly	76	30	yes	19/04/12	30/04/12	30/06/12				153 % above limit	No root cause determined
	Enterococci	cfu/100 mL	Fortnightly	3,300	100	yes	19/04/12	30/04/12	30/06/12				3200% above limit	No root cause determined
	pH	pH	Fortnightly	7.10	6.5-8.5	no	19/04/12	30/04/12	30/06/12					
	Enterococci	cfu/100 mL	Fortnightly		100								Test not conducted	Miscommunication between site and testing company over responsibility for test.
	pH	pH	Fortnightly		6.5-8.5									
	BOD	mg/L	Monthly	<2	20	no	16/05/12	28/05/12	30/06/12					
	TSS	mg/L	Monthly	6	30	no	16/05/12	28/05/12	30/06/12					
	Enterococci	cfu/100 mL	Fortnightly	100	100	no	16/05/12	28/05/12	30/06/12					
	pH	pH	Fortnightly	3.80	6.5-8.5	yes	16/05/12	28/05/12	30/06/12				42% below limit	Believed to be due to use of a new toilet cleaning chemical which has been removed from site
	Enterococci	cfu/100 mL	Fortnightly		100								Test not conducted	Miscommunication between site and testing company over responsibility for test.
	pH	pH	Fortnightly		6.5-8.5									
	BOD	mg/L	Monthly	14	20	no	12/06/12	26/06/12	12/07/12					
	TSS	mg/L	Monthly	64	30	yes	12/06/12	26/06/12	12/07/12				113% above limit	Due to the addition of blood & bone to increase pH
	Enterococci	cfu/100 mL	Fortnightly	100	100	no	12/06/12	26/06/12	12/07/12					
	pH	pH	Fortnightly	6.90	6.5-8.5	no	12/06/12	26/06/12	12/07/12					
	Enterococci	cfu/100 mL	Fortnightly	68	100	no	21/06/12	2/07/12	12/07/12					



**EPA Licence Number:** L123  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Enterococci	cfu/100 mL	Fortnightly	6	100	no	21/11/12	28/11/12	20/12/12					
	pH	pH	Fortnightly	6.00	6.5-8.5	yes	21/11/12	28/11/12	20/12/12				8% below limit	No root cause determined
	BOD	mg/L	Monthly	<2	20	no	21/11/12	28/11/12	20/12/12					
	TSS	mg/L	Monthly	7	30	no	21/11/12	28/11/12	20/12/12					
	Enterococci	cfu/100 mL	Fortnightly	1300	100	yes	27/11/12	5/12/12	20/12/12				1200% above limit	Broken pipe in storage tank requiring it to be emptied
	pH	pH	Fortnightly	7.50	6.5-8.5	no	27/11/12	5/12/12	20/12/12					
	Enterococci	cfu/100 mL	Fortnightly	110	100	yes	11/12/12	21/12/12	18/01/13				10% above limit	No root cause determined
	pH	pH	Fortnightly	7.30	6.5-8.5	no	11/12/12	21/12/12	18/01/13					
	BOD	mg/L	Monthly	18.00	20	no	11/12/12	21/12/12	18/01/13					
	TSS	mg/L	Monthly	31.00	30	yes	11/12/12	21/12/12	18/01/13				3% above limit	No root cause determined
	Enterococci	cfu/100 mL	Fortnightly	380	100	yes	19/12/12	7/01/13	18/01/13				280% above limit	No root cause determined
	pH	pH	Fortnightly	7.40	6.5-8.5	no	19/12/12	7/01/13	18/01/13					
	Enterococci	cfu/100 mL	Fortnightly		100								Test not conducted	Factory Closed
	pH	pH	Fortnightly		6.5-8.5									
	Enterococci	cfu/100 mL	Fortnightly	44	100	no	18/01/13	26/01/13	14/02/13					
	pH	pH	Fortnightly	5.20	6.5-8.5	yes	18/01/13	26/01/13	14/02/13				20% below limit	No root cause determined. Waiting to install dosing pump
	BOD	mg/L	Monthly	<2	20	no	18/01/13	26/01/13	14/02/13					
	TSS	mg/L	Monthly	14.00	30	no	18/01/13	26/01/13	14/02/13					
	Enterococci	cfu/100 mL	Fortnightly	78	100	no	11/02/13	20/02/13	3/04/13					
	pH	pH	Fortnightly	9.50	6.5-8.5	yes	11/02/13	20/02/13	3/04/13				12% above limit	No root cause determined
	Enterococci	cfu/100 mL	Fortnightly	34	100	no	20/02/13	27/02/13	3/04/13					
	pH	pH	Fortnightly	6.70	6.5-8.5	no	20/02/13	27/02/13	3/04/13					
	BOD	mg/L	Monthly	<2	20	no	20/02/13	27/02/13	3/04/13					
	TSS	mg/L	Monthly	11.00	30	no	20/02/13	27/02/13	3/04/13					

**EPA Licence Number:** L123  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Enterococci	cfu/100 mL	Fortnightly	180	100	yes	7/03/2013	15/03/13	13/05/13				180% above limit	No root cause determined
	pH	pH	Fortnightly	7.20	6.5-8.5	no	7/03/2013	15/03/13	13/05/13					
	Enterococci	cfu/100 mL	Fortnightly	170	100	yes	21/03/13	8/04/13	9/05/13				170% above limit	No root cause determined
	pH	pH	Fortnightly	8.10	6.5-8.5	no	21/03/13	8/04/13	9/05/13					
	BOD	mg/L	Monthly	<2	20	no	21/03/13	8/04/13	9/05/13					
	TSS	mg/L	Monthly	15.00	30	no	21/03/13	8/04/13	9/05/13					
	Enterococci	cfu/100 mL	Fortnightly	140	100	yes	4/04/13	18/04/13	9/05/13				140% above limit	No root cause determined
	pH	pH	Fortnightly	6.90	6.5-8.5	no	4/04/13	18/04/13	9/05/13					
	BOD	mg/L	Monthly	<2	20	no	4/04/13	18/04/13	9/05/13					
	TSS	mg/L	Monthly	11.00	30	no	4/04/13	18/04/13	9/05/13					
	Enterococci	cfu/100 mL	Fortnightly	52	100	no	22/04/13	30/04/13	27/08/13					
	pH	pH	Fortnightly	7.20	6.5-8.5	no	22/04/13	30/04/13	27/08/13					
	Enterococci	cfu/100 mL	Fortnightly	52	100	no	6/05/13	16/05/13	20/05/13					
	pH	pH	Fortnightly	7.60	6.5-8.5	no	6/05/13	16/05/13	20/05/13					
	BOD	mg/L	Monthly	<2	20	no	6/05/13	16/05/13	20/05/13					
	TSS	mg/L	Monthly	15.00	30	no	6/05/13	16/05/13	20/05/13					
	Enterococci	cfu/100 mL	Fortnightly	890	100	yes	22/05/13	28/05/13	3/06/13				790% above limit	No root cause determined
	pH	pH	Fortnightly	7.0	6.5-8.5	no	22/05/13	28/05/13	3/06/13					
	Enterococci	cfu/100 mL	Fortnightly	24	100	no	3/06/13	24/06/13	24/06/13					
	pH	pH	Fortnightly	7.20	6.5-8.5	no	3/06/13	24/06/13	24/06/13					
	BOD	mg/L	Monthly	4.00	20	no	3/06/13	24/06/13	24/06/13					
	TSS	mg/L	Monthly	8.00	30	no	3/06/13	24/06/13	24/06/13					
	Enterococci	cfu/100 mL	Fortnightly	1200	100	yes	20/06/13	1/07/13	5/07/13				1100% above limit	No root cause determined
	pH	pH	Fortnightly	6.90	6.5-8.5	no	20/06/13	1/07/13	5/07/13					
	Enterococci	cfu/100 mL	Fortnightly	56	100	no	8/07/13	16/07/13	17/07/13					
	pH	pH	Fortnightly	7.00	6.5-8.5	no	8/07/13	16/07/13	17/07/13					
	BOD	mg/L	Monthly	<2	20	no	22/07/13	30/07/13	28/10/13					

EPA Licence Number: L123  
 Licensee Name: Boral CSR Bricks Pty Limited  
 Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
 Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	TSS	mg/L	Monthly	7.00	30	no	22/07/13	30/07/13	28/10/13					
	Enterococci	cfu/100 mL	Fortnightly	43	100	no	22/07/13	30/07/13	28/10/13					
	pH	pH	Fortnightly	7.20	6.5-8.5	no	22/07/13	30/07/13	28/10/13					
	Enterococci	cfu/100 mL	Fortnightly	370	100	yes	7/08/13	19/08/13	27/08/13				270% above limit	No root cause determined
	pH	pH	Fortnightly	6.70	6.5-8.5	no	7/08/13	19/08/13	27/08/13					
	BOD	mg/L	Monthly	3.00	20	no	20/08/13	27/08/13	9/09/13					
	TSS	mg/L	Monthly	5.00	30	no	20/08/13	27/08/13	9/09/13					
	Enterococci	cfu/100 mL	Fortnightly	54	100	no	20/08/13	27/08/13	9/09/13					
	pH	pH	Fortnightly	5.10	6.5-8.5	yes	20/08/13	27/08/13	9/09/13				22% below limit	No root cause determined
	Enterococci	cfu/100 mL	Fortnightly	45	100	no	11/09/13	24/09/13	28/10/13					
	pH	pH	Fortnightly	7.40	6.5-8.5	no	11/09/13	24/09/13	28/10/13					
	BOD	mg/L	Monthly	3.00	20	no	18/09/13	26/09/13	28/10/13					
	TSS	mg/L	Monthly	5.00	30	no	18/09/13	26/09/13	28/10/13					
	Enterococci	cfu/100 mL	Fortnightly	80	100	no	18/09/13	26/09/13	28/10/13					
	pH	pH	Fortnightly	6.80	6.5-8.5	no	18/09/13	26/09/13	28/10/13					
	Enterococci	cfu/100 mL	Fortnightly	1300	100	yes	8/10/13	15/10/13	28/10/13				1200% above limit	No root cause determined
	pH	pH	Fortnightly	6.30	6.5-8.5	yes	8/10/13	15/10/13	28/10/13				3% below limit	No root cause determined
	BOD	mg/L	Monthly		20								Test not conducted	No root cause determined
	TSS	mg/L	Monthly		30									
	Enterococci	cfu/100 mL	Fortnightly		100								Test not conducted	No root cause determined
	pH	pH	Fortnightly	6.00	6.5-8.5	yes	15/10/13	29/10/13	14/11/13				7% below limit	No root cause determined
	Enterococci	cfu/100 mL	Fortnightly		100								Test not conducted	No root cause determined
	pH	pH	Fortnightly	4.70	6.5-8.5	yes	22/10/13	29/10/13	14/11/13				28% below limit	No root cause determined
	BOD	mg/L	Monthly	<5	20	no	12/11/13	25/11/13	11/12/13					
	TSS	mg/L	Monthly	3.00	30	no	12/11/13	25/11/13	11/12/13					
	Enterococci	cfu/100 mL	Fortnightly	6000	100	yes	12/11/13	25/11/13	11/12/13				5900% above limit	Insufficient disinfecting of effluent.

**EPA Licence Number:** L123  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	pH	pH	Fortnightly	7.10	6.5-8.5	no	12/11/13	25/11/13	11/12/13					
	Enterococci	cfu/100 mL	Fortnightly	1,600	100	yes	18/11/13	27/11/13	11/12/13				1500% above limit	Insufficient disinfecting of effluent.
	pH	pH	Fortnightly	7.10	6.5-8.5	no	18/11/13	27/11/13	11/12/13					
	BOD	mg/L	Monthly	10.00	20	no	2/12/13	18/12/13	7/01/14					
	TSS	mg/L	Monthly	2.00	30	no	2/12/13	18/12/13	7/01/14					
	Enterococci	cfu/100 mL	Fortnightly	<2	100	no	2/12/13	18/12/13	7/01/14					
	pH	pH	Fortnightly	6.80	6.5-8.5	no	2/12/13	18/12/13	7/01/14					
	Enterococci	cfu/100 mL	Fortnightly	2,000	100	yes	16/12/13	20/12/13	7/01/14				1900% below limit	No root cause determined
	pH	pH	Fortnightly	4.90	6.5-8.5	yes	16/12/13	20/12/13	7/01/14				25% below limit	No root cause determined
	Enterococci	cfu/100 mL	Fortnightly	55	100	no	18/12/13	6/01/14	7/01/14					
	pH	pH	Fortnightly	9.20	6.5-8.5	yes	18/12/13	6/01/14	7/01/14				8% above limit	No root cause determined
	Enterococci	cfu/100 mL	Fortnightly	56	100	no	15/01/14	24/01/14	11/02/14					
	pH	pH	Fortnightly	3.90	6.5-8.5	yes	15/01/14	24/01/14	11/02/14				40% below limit	No root cause determined
	BOD	mg/L	Monthly	39.00	20	yes	15/01/14	24/01/14	11/02/14				95% above limit	No root cause determined
	TSS	mg/L	Monthly	1.00	30	no	15/01/14	24/01/14	11/02/14					
	Enterococci	cfu/100 mL	Fortnightly	<1	100	no	28/01/14	4/02/14	11/02/14					
	pH	pH	Fortnightly	5.00	6.5-8.5	yes	28/01/14	4/02/14	11/02/14				23% below limit	No root cause determined
	Enterococci	cfu/100 mL	Fortnightly	<2	100	no	14/02/14	26/02/14	19/03/14					
	pH	pH	Fortnightly	5.20	6.5-8.5	yes	14/02/14	26/02/14	19/03/14				20% below limit	No root cause determined
	BOD	mg/L	Monthly	5.00	20	no	25/02/14	5/03/14	19/03/14				95% above limit	No root cause determined
	TSS	mg/L	Monthly	10.00	30	no	25/02/14	5/03/14	19/03/14					
	Enterococci	cfu/100 mL	Fortnightly	4	100	no	25/02/14	5/03/14	19/03/14					
	pH	pH	Fortnightly	7.00	6.5-8.5	no	25/02/14	5/03/14	19/03/14					
	Enterococci	cfu/100 mL	Fortnightly	<2	100	no	18/03/14	26/03/14	11/06/14					
	pH	pH	Fortnightly	4.20	6.5-8.5	yes	18/03/14	26/03/14	11/06/14				35% below limit	No root cause determined
	BOD	mg/L	Monthly	3.00	20	no	27/03/14	3/04/14	11/06/14				Test not conducted	No root cause determined
	TSS	mg/L	Monthly	3.00	30	no	27/03/14	3/04/14	11/06/14					



**EPA Licence Number:** L123  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Enterococci	cfu/100 mL	Fortnightly	1,100	100	yes	30/07/14	7/08/14	1/09/14				1000% above limit	Caused by a failed septic pump adjacent to Factory Amenities Building
	pH	pH	Fortnightly	7.90	6.5-8.5	no	30/07/14	7/08/14	1/09/14					
	BOD	mg/L	Monthly	3.00	20	no	15/08/14	19/08/14	1/09/14					
	TSS	mg/L	Monthly	2.00	30	no	15/08/14	19/08/14	1/09/14					
	Enterococci	cfu/100 mL	Fortnightly	2	100	no	15/08/14	19/08/14	1/09/14					
	pH	pH	Fortnightly	7.30	6.5-8.5	no	15/08/14	19/08/14	1/09/14					
	Enterococci	cfu/100 mL	Fortnightly	<1	100	no	25/08/14	30/08/14	1/09/14					
	pH	pH	Fortnightly	7.20	6.5-8.5	no	25/08/14	30/08/14	1/09/14					
	BOD	mg/L	Monthly	<2	20	no	8/09/14	16/09/14	15/01/15					
	TSS	mg/L	Monthly	7.00	30	no	8/09/14	16/09/14	15/01/15					
	Enterococci	cfu/100 mL	Fortnightly	<1	100	no	8/09/14	16/09/14	15/01/15					
	pH	pH	Fortnightly	7.20	6.5-8.5	no	8/09/14	16/09/14	15/01/15					
	Enterococci	cfu/100 mL	Fortnightly	<1	100	no	24/09/14	1/10/14	15/01/15					
	pH	pH	Fortnightly	7.50	6.5-8.5	no	24/09/14	1/10/14	15/01/15					
	BOD	mg/L	Monthly	<2	20	no	9/10/14	15/10/14	15/01/15					
	TSS	mg/L	Monthly	32.00	30	yes	9/10/14	15/10/14	15/01/15				7% above limit	No root cause determined
	Enterococci	cfu/100 mL	Fortnightly	<2	100	no	23/10/14	28/10/14	9/06/15					
	pH	pH	Fortnightly	7.50	6.5-8.5	no	23/10/14	28/10/14	9/06/15					
	BOD	mg/L	Monthly	7.00	20	no	12/11/14	3/12/14	15/01/15					
	TSS	mg/L	Monthly	13.00	30	no	12/11/14	3/12/14	15/01/15					
	Enterococci	cfu/100 mL	Fortnightly	<1	100	no	12/11/14	3/12/14	15/01/15					
	pH	pH	Fortnightly	6.80	6.5-8.5	no	12/11/14	3/12/14	15/01/15					
	Enterococci	cfu/100 mL	Fortnightly	37	100	no	25/11/14	3/12/14	15/01/15					
	Enterococci	cfu/100 mL	Fortnightly	6	100	no	15/12/14	23/12/14	15/01/15					
	Enterococci	cfu/100 mL	Fortnightly	<1	100	no	21/12/14	5/01/15	9/06/15					

EPA Licence Number: L123

Licensee Name: Boral CSR Bricks Pty Limited

Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164

Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Enterococci	cfu/100 mL	Fortnightly	10	100	no	8/01/15	19/01/15	17/02/15					
	Enterococci	cfu/100 mL	Fortnightly	<2	100	no	15/01/15	21/01/15	17/02/15					
	Enterococci	cfu/100 mL	Fortnightly	2	100	no	5/02/15	16/02/15	17/02/15					
	Enterococci	cfu/100 mL	Fortnightly	<2	100	no	12/02/15	19/02/15	3/06/15					
	Enterococci	cfu/100 mL	Fortnightly	<2	100	no	9/03/15	20/03/15	5/06/15					
	Enterococci	cfu/100 mL	Fortnightly	<2	100	no	16/03/15	27/03/15	5/06/15					
	Enterococci	cfu/100 mL	Fortnightly		100	no								
	Enterococci	cfu/100 mL	Fortnightly	<2	100	no	14/04/15	2/05/15	5/06/15					
	Enterococci	cfu/100 mL	Fortnightly	3	100	no	17/04/15	24/04/15	5/06/15					

EPA Licence Number: L123  
 Licensee Name: Boral CSR Bricks Pty Limited  
 Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
 Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
Point 27 Discharge and monitoring point from the sediment dam.	pH		not more than 48 hours before the valve is opened and then once per day during discharge.		6.5-8.5		No Discharge							
	TSS	mg/L		50		during Apr12								
	Turbidity	turbidity units		150										
	Conductivity	mS/cm												
	pH		not more than 48 hours before the valve is opened and then once per day during discharge.	8.1	6.5-8.5	no	24/05/12	15/06/12	17/07/12					
	TSS	mg/L		17	50	no	24/05/12	15/06/12	17/07/12					
	Turbidity	turbidity units		34	150	no	24/05/12	15/06/12	17/07/12					
	Conductivity	mS/cm		N/A		yes	24/05/12							Parameter not tested. No root cause determined
	pH		not more than 48 hours before the valve is opened and then once per day during discharge.	8.1	6.5-8.5	no	1/06/12	15/06/12	17/07/12					
	TSS	mg/L		21	50	no	1/06/12	15/06/12	17/07/12					
	Turbidity	turbidity units		35	150	no	1/06/12	15/06/12	17/07/12					
	Conductivity	mS/cm		N/A		yes	1/06/12							Parameter not tested. No root cause determined
	pH		not more than 48 hours before the valve is opened and then once per day during discharge.	8.2	6.5-8.5	no	26/06/12	28/06/12	17/07/12					
	TSS	mg/L		36	50	no	26/06/12	28/06/12	17/07/12					
	Turbidity	turbidity units		55	150	no	26/06/12	28/06/12	17/07/12					
	Conductivity	mS/cm		N/A		yes	26/06/12							Parameter not tested. No root cause determined
	pH		not more than 48 hours before the valve is opened and then once per day during discharge.	7.8	6.5-8.5	no	11/12/12	13/12/12	18/01/13					
	TSS	mg/L		26	50	no	11/12/12	13/12/12	18/01/13					
	Turbidity	nephelometric turbidity units		N/A	150	yes	11/12/12	13/12/12	18/01/13					Parameter not tested. No root cause determined
	Conductivity	mS/cm		949		no	11/12/12	13/12/12	18/01/13					
	pH		not more than 48 hours before the valve is opened and then once per day during discharge.	7.9	6.5-8.5	no	4/04/13	9/04/13	9/05/13					
	TSS	mg/L		2	50	no	4/04/13	9/04/13	9/05/13					
	Turbidity	nephelometric turbidity units		3.5	150	no	4/04/13	9/04/13	9/05/13					
	Conductivity	mS/cm		801		no	4/04/13	9/04/13	9/05/13					

EPA Licence Number: L123  
 Licensee Name: Boral CSR Bricks Pty Limited  
 Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
 Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	pH		not more than 48 hours before the valve is opened and then once per day during discharge.	7.6	6.5-8.5	no	6/05/13	7/05/13	27/05/13					
	TSS	mg/L		7	50	no	6/05/13	7/05/13	27/05/13					
	Turbidity	nephelometric turbidity units		19	150	no	6/05/13	7/05/13	27/05/13					
	Conductivity	mS/cm		803		no	6/05/13	7/05/13	27/05/13					
	pH		not more than 48 hours before the valve is opened and then once per day during discharge.	7.8	6.5-8.5	no	20/05/13	23/05/13	27/05/13					
	TSS	mg/L		1	50	no	20/05/13	23/05/13	27/05/13					
	Turbidity	nephelometric turbidity units		3.3	150	no	20/05/13	23/05/13	27/05/13					
	Conductivity	mS/cm		829		no	20/05/13	23/05/13	27/05/13					
	pH		not more than 48 hours before the valve is opened and then once per day during discharge.	7.8	6.5-8.5	no	21/05/13	23/05/13	27/05/13					
	TSS	mg/L		2	50	no	21/05/13	23/05/13	27/05/13					
	Turbidity	nephelometric turbidity units		3.5	150	no	21/05/13	23/05/13	27/05/13					
	Conductivity	mS/cm		827		no	21/05/13	23/05/13	27/05/13					
	pH		not more than 48 hours before the valve is opened and then once per day during discharge.	7.8	6.5-8.5	no	22/05/13	23/05/13	27/05/13					
	TSS	mg/L		3	50	no	22/05/13	23/05/13	27/05/13					
	Turbidity	nephelometric turbidity units		4.5	150	no	22/05/13	23/05/13	27/05/13					
	Conductivity	mS/cm		827		no	22/05/13	23/05/13	27/05/13					
	pH		not more than 48 hours before the valve is opened and then once per day during discharge.	7.7	6.5-8.5	no	8/07/13	10/07/13	17/07/13					
	TSS	mg/L		4	50	no	8/07/13	10/07/13	17/07/13					
	Turbidity	nephelometric turbidity units		8.4	150	no	8/07/13	10/07/13	17/07/13					
	Conductivity	mS/cm		738		no	8/07/13	10/07/13	17/07/13					
	pH		not more than 48 hours before the valve is opened and then once per day during discharge.	7.7	6.5-8.5	no	23/08/13	28/08/13	9/09/13					
	TSS	mg/L		15	50	no	23/08/13	28/08/13	9/09/13					
	Turbidity	turbidity units		13	150	no	23/08/13	28/08/13	9/09/13					
	Conductivity	mS/cm		836		no	23/08/13	9/09/13	16/09/13					
	pH		not more than 48 hours before the valve is opened and then once	7.8	6.5-8.5	no	26/08/13	28/08/13	9/09/13					
	TSS	mg/L		15	50	no	26/08/13	28/08/13	9/09/13					

EPA Licence Number: L123  
 Licensee Name: Boral CSR Bricks Pty Limited  
 Licensee Address: Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
 Link to Licence: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable

Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	Turbidity	turbidity units	opened and then once per day during discharge.	13	150	no	26/08/13	28/08/13	9/09/13					
	Conductivity	mS/cm		836		no	26/08/13	9/09/13	16/09/13					
	pH		not more than 48 hours before the valve is opened and then once per day during discharge.	7.6	6.5-8.5	no	11/09/13	13/09/13	16/09/13					
	TSS	mg/L		41	50	no	11/09/13	13/09/13	16/09/13					
	Turbidity	nepnerometric turbidity units		70	150	no	11/09/13	13/09/13	16/09/13					
	Conductivity	mS/cm		821		no	11/09/13	13/09/13	16/09/13					
	pH		not more than 48 hours before the valve is opened and then once per day during discharge.	8.5	6.5-8.5	no	8/10/13	9/10/13	28/10/13					
	TSS	mg/L		8	50	no	8/10/13	9/10/13	28/10/13					
	Turbidity	turbidity units		9.1	150	no	8/10/13	9/10/13	28/10/13					
	Conductivity	mS/cm		1410		no	8/10/13	9/10/13	28/10/13					
	pH		not more than 48 hours before the valve is opened and then once per day during discharge.	7.4	6.5-8.5	no	15/10/13	29/10/13	14/11/13					
	TSS	mg/L		20	50	no	15/10/13	29/10/13	14/11/13					
	Turbidity	turbidity units		55	150	no	15/10/13	29/10/13	14/11/13					
	Conductivity	mS/cm		875		no	15/10/13	29/10/13	14/11/13					
	pH		not more than 48 hours before the valve is opened and then once per day during discharge.	9	6.5-8.5	yes	13/04/15	15/04/15	4/06/15					No root cause determined
	TSS	mg/L		3	50	no	13/04/15	15/04/15	4/06/15					
	Turbidity	turbidity units		5.5	150	no	13/04/15	15/04/15	4/06/15					
	Conductivity	mS/cm		1530		no	13/04/15	15/04/15	4/06/15					
	pH		not more than 48 hours before the valve is opened and then once per day during discharge.	9	6.5-8.5	yes	14/04/15	15/04/15	4/06/15					No root cause determined
	TSS	mg/L		3	50	no	14/04/15	15/04/15	4/06/15					
	Turbidity	turbidity units		5.2	150	no	14/04/15	15/04/15	4/06/15					
	Conductivity	mS/cm		1520		no	14/04/15	15/04/15	4/06/15					
	pH		not more than 48 hours before the valve is opened and then once per day during discharge.	7.4	6.5-8.5	no	20/04/15	10/06/15	25/06/15					
	TSS	mg/L		88	50	yes	20/04/15	10/06/15	25/06/15					No root cause determined
	Turbidity	turbidity units		140	150	no	20/04/15	10/06/15	25/06/15					
	Conductivity	mS/cm		488		no	20/04/15	10/06/15	25/06/15					
	pH		not more than 48 hours before the valve is opened and then once per day during discharge.	7.6	6.5-8.5	no	27/04/15	2/05/15	4/06/15					
	TSS	mg/L		15	50	no	27/04/15	2/05/15	4/06/15					
	Turbidity	turbidity units		60	150	no	27/04/15	2/05/15	4/06/15					
	Conductivity	mS/cm		543		no	27/04/15	2/05/15	4/06/15					

**EPA Licence Number:** L123  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Exceedance / Non-ComplianceTable


Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
Point 28	pH		once per day on any day that an overflow discharge point (discharge point 28) from the sedimentation		6.5-8.5		No Discharge							
Overflow discharge and monitoring point from the sediment dam.	TSS	mg/L			50		during Apr12							
	Turbidity	turbidity units			150		May 12, June 12							
	Conductivity	mS/cm												
	pH		once per day on any day that an overflow discharge point (discharge point 28) from the sedimentation pond occurs.	7.7	6.5-8.5	no	9/03/15	18/03/15	4/06/15					
	TSS	mg/L		15	50	no	9/03/15	18/03/15	4/06/15					
	Turbidity	turbidity units		24	150	no	9/03/15	18/03/15	4/06/15					
	Conductivity	mS/cm		N/A		yes	9/03/15	18/03/15	4/06/15					Parameter not tested. No root cause determined
	pH		once per day on any day that an overflow discharge point (discharge point 28) from the sedimentation	8.2	6.5-8.5	no	22/04/15	2/05/15	4/06/15					
	TSS	mg/L		421	50	yes	22/04/15	2/05/15	4/06/15					1 in 10 year rain event
	Turbidity	turbidity units		720	150	yes	22/04/15	2/05/15	4/06/15					1 in 10 year rain event
	Conductivity	mS/cm		725		no	22/04/15	2/05/15	4/06/15					
	pH		once per day on any day that an overflow discharge point (discharge point 28) from the sedimentation	8.1	6.5-8.5	no	23/04/15	2/05/15	4/06/15					
	TSS	mg/L		437	50	yes	23/04/15	2/05/15	4/06/15					1 in 10 year rain event
	Turbidity	turbidity units		700	150	yes	23/04/15	2/05/15	4/06/15					1 in 10 year rain event
	Conductivity	mS/cm		751		no	23/04/15	2/05/15	4/06/15					
	pH		once per day on any day that an overflow discharge point (discharge point 28) from the sedimentation	8.2	6.5-8.5	no	27/04/15	2/05/15	4/06/15					
	TSS	mg/L		290	50	yes	27/04/15	2/05/15	4/06/15					1 in 10 year rain event
	Turbidity	turbidity units		670	150	yes	27/04/15	2/05/15	4/06/15					1 in 10 year rain event
	Conductivity	mS/cm		719		no	27/04/15	2/05/15	4/06/15					
	pH		once per day on any day that an overflow discharge point (discharge point 28) from the sedimentation	8.2	6.5-8.5	no	28/04/15	2/05/15	4/06/15					
	TSS	mg/L		313	50	yes	28/04/15	2/05/15	4/06/15					1 in 10 year rain event
	Turbidity	turbidity units		670	150	yes	28/04/15	2/05/15	4/06/15					1 in 10 year rain event
	Conductivity	mS/cm		720		no	28/04/15	2/05/15	4/06/15					

**EPA Licence Number:** L123  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>

CORRECTION LOG

Sampling Point	Pollutant	Units of Measure		Monitoring Frequency Required by Licence	Measurement		Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason
		Licence	Test Report		Sample 1	Sample 2						
Effluent Utilisation Area	pH	pH	pH	Bi-Annually	7.1	6.0	24/08/12	4/09/12	20/09/12			
	Total Nitrogen	mg/L	%	Bi-Annually	0.11	0.10	24/08/12	4/09/12	20/09/12			
	Nitrate	mg/L	mg/kg	Bi-Annually	0.65	0.51	24/08/12	4/09/12	20/09/12			
	Total Phosphorous	mg/L	%	Bi-Annually	0.034	0.016	24/08/12	4/09/12	20/09/12			
	Available Phosphorous	mg/L	mg/kg	Bi-Annually	6.5	6.5	24/08/12	4/09/12	20/09/12			
	ESP%	mg/L	%	Bi-Annually	2.3	3.5	24/08/12	4/09/12	20/09/12			
Effluent Utilisation Area	pH	pH	pH	Bi-Annually	5.9	6.4	14/05/13	24/05/13	3/06/13			
	Total Nitrogen	mg/L	%	Bi-Annually	0.092	0.13	14/05/13	24/05/13	3/06/13			
	Nitrate	mg/L	mg/kg	Bi-Annually	<0.2	<0.2	14/05/13	24/05/13	3/06/13			
	Total Phosphorous	mg/L	%	Bi-Annually	0.017	0.021	14/05/13	24/05/13	3/06/13			
	Available Phosphorous	mg/L	mg/kg	Bi-Annually	5.0	6.3	14/05/13	24/05/13	3/06/13			
	ESP%	mg/L	%	Bi-Annually	14	3.5	14/05/13	24/05/13	3/06/13			
Effluent Utilisation Area	pH	pH	pH	Bi-Annually	6.2	6.2	12/11/13	6/12/13	7/01/14			
	Total Nitrogen	mg/L	%	Bi-Annually	0.14	0.10	12/11/13	6/12/13	7/01/14			
	Nitrate	mg/L	mg/kg	Bi-Annually	0.41	<0.2	12/11/13	6/12/13	7/01/14			
	Total Phosphorous	mg/L	%	Bi-Annually	0.017	0.027	12/11/13	6/12/13	7/01/14			
	Available Phosphorous	mg/L	mg/kg	Bi-Annually	11.0	9.8	12/11/13	6/12/13	7/01/14			
	ESP%	mg/L	%	Bi-Annually	4.2	1.6	12/11/13	6/12/13	7/01/14			
Effluent Utilisation Area	pH	pH	pH	Bi-Annually	7.4	7.0	7/05/14	28/05/14	11/06/14			
	Total Nitrogen	mg/L	%	Bi-Annually	0.16	0.10	7/05/14	28/05/14	11/06/14			
	Nitrate	mg/L	mg/kg	Bi-Annually	<0.2	<0.2	7/05/14	28/05/14	11/06/14			
	Total Phosphorous	mg/L	%	Bi-Annually	0.021	0.018	7/05/14	28/05/14	11/06/14			
	Available Phosphorous	mg/L	mg/kg	Bi-Annually	9.4	4.0	7/05/14	28/05/14	11/06/14			
	ESP%	mg/L	%	Bi-Annually	2.4	5.9	7/05/14	28/05/14	11/06/14			
Effluent Utilisation Area	pH	pH	pH	Bi-Annually	5.1	6.3	12/11/14	15/12/14	15/01/15			
	Total Nitrogen	mg/kg	%	Bi-Annually	0.11	0.09	12/11/14	15/12/14	15/01/15			
	Nitrate	mg/kg	mg/kg	Bi-Annually	0.058	<0.2	12/11/14	15/12/14	15/01/15			
	Total Phosphorous	mg/kg	%	Bi-Annually	0.019	0.023	12/11/14	15/12/14	15/01/15			
	Available Phosphorous	mg/kg	mg/kg	Bi-Annually	2.7	1.8	12/11/14	15/12/14	15/01/15			
	ESP%	mg/kg	%	Bi-Annually	0.26	0.051	12/11/14	15/12/14	15/01/15			

**EPA Licence Number:** L123  
**Licensee Name:** Boral CSR Bricks Pty Limited  
**Licensee Address:** Lot 1 DP 106143 Old Wallgrove Road, Horsley Park, NSW, 2164  
**Link to Licence:** <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50084&SYSUID=1&LICID=123>



**CSR Bricks & Roofing - Horsley Park EPA Monitoring Points**

EPA Licence Point

- 1 Surface gas monitoring - Less than 51 mm from the surface of the landfill - wind speed less than 2.8 m/s in a grid of 35m x 35m (24 points) and in a 25 m wide zone around the perimeter of the landfilled area.
- 2 GM1
- 3 GM2
- 4 GM3
- 5 GM4
- 6 GM5
- 7 GM6
- 8 GM7
- 9 GM8
- 10 GM9
- 11 GM10
- 12 GM11
- 13 SW - surface depression on the western side of the landfill
- 14 OW1
- 15 OW2
- 16 OW4a
- 17 OW5
- 18 OW7
- 19 OW8
- 20 DW1
- 21 DW3
- 23 No 1 kiln
- 24 No2 kiln
- 25 batch kiln No 1
- 26 Effluent quality monitoring point serving the effluent utilisation area
- 27 Discharge and monitoring point from the sediment dam
- 28 Overflow discharge and monitoring point from the sediment dam  
Effluent Utilisation Area